



MSRP Price Schedule

This price schedule is confidential.

Revised 2/27/2020

INTRODUCTION:

RS2 Technologies, LLC ("RS2") manufactures designs and sells products (the "Products") for the access control industry. RS2 sells these Products in whole, separately or as part of a card access control system to RS2 dealers (the "Dealer").

PAYMENT TERMS:

Open terms of 2% 15 Net 30 days of invoice date are available to qualified Dealers.

RS2 also accepts Visa, MasterCard and American Express as means of payment. Please note that credit card payments DO NOT qualify for discounts.

PRICING:

All prices listed within the Dealer Price Schedule are in U.S. dollars. The Product prices shall be that which are listed within the effective Dealer Price Schedule at the time the order is accepted by RS2. Tiered pricing levels shall be reviewed by an RS2 representative with the Dealer on a quarterly basis and revised annually as detailed in the following table.

<u>Price Level</u>	<u>Annual Dealer Sales</u>
L1 (Level 1)	\$0 – \$9,999
L2 (Level 2)	\$10,000 – \$49,999
L3 (Level 3)	\$50,000 +

ORDERS:

RS2 accepts purchase orders by means of fax, mail service and E-Mail. Once an order is received by RS2, it will be acknowledged via email within (1) business day in writing with the approximate shipment date and scheduled for shipping. All orders shall meet a minimum amount of \$50.00 (unless noted otherwise) U.S. dollars excluding shipping. Expedited orders shall be charged a RUSH fee for all inbound freight charges incurred by

SHIPMENTS:

RS2 reserves the right to make partial shipments. All shipments shall be UPS Ground service unless otherwise specified on the Dealer's order.

RETURNS:

A restocking fee will be applied to all Products being returned to RS2 for credit. Products must be on the current Dealer Price Schedule and in new, resalable condition and within 90 days from the date of shipment. Special order Products shall be handled on a case by case basis.

DEALER WARRANTY:

RS2 warrants to the original purchaser that RS2 Products, excluding items such as software and related documentation, will be free from defects in materials and/or workmanship for three (3) years from the date of delivery. Software is excluded; however defects in software media are covered for 90 days. Software dongles shall have a lifetime warranty against malfunction and defects. In the event a software dongle should need replacing, an advanced replacement will be issued upon receipt of a consignment purchase order from the dealer. The limited warranty covers normal use only. This warranty is not transferable.

The limited warranty covers normal use. RS2 does not warrant or cover:

- damage caused by failure to provide a suitable installations environment
- damage during shipping other than original shipment to purchaser
- damage caused by impact with other objects, dropping, falls, or spilled liquids
- damage caused by a disaster such as fire, flood, wind, earthquake, or lighting
- damage caused by unauthorized attachments, alterations, modifications or foreign objects
- damage caused by improper maintenance
- damage caused by any other abuse, misuse, mishandling, or misapplication
- products purchased from third party vendors

SOFTWARE UPGRADES AND POLICIES:

RS2 has authored many software products and differentiates them by product name, edition and release version. The release version is split into two parts, major and minor. The major release version number (the "Major Version") is the first digit of a set of three values. When the first digit increases it is said to be a major revision of the software for example going from version 1.0.0 to 2.0.0 or 1.1.0 to 2.0.10. Major Versions usually contain new features and upgradeable options offering greater flexibility. The minor release version (the "Minor Version") number(s) are the second or third digits of a set of three values. When the second or third digits increase, it is said to be a minor revision of the software for example going from version 1.1.24 to 1.1.29 or 1.1.24 to 1.2.10. Minor Versions usually contain small software fixes and tweaks improving performance and reliability.

All RS2 software products carry a product life-cycle and are published on the RS2 website. Product life-cycles are a period of time for which support is available on a specific product's Major Version. RS2 considers a product's life-cycle to be terminated when it is older than the current Major Version plus one previous Major Versions.

RS2 software product support is based on the published life-cycles. Terminated Major Versions will not be supported and require the Dealer to upgrade to the current Major Version for any further assistance.

Existing systems may upgrade to the current Major Version regardless of what Major Version they are currently at. For pricing, reference the Access Control Version Upgrades section of the current RS2 Dealer Price Schedule as Major Version upgrades may only be purchased through a Dealer. Dealers who have installed software within 90 days of the RS2 billing date shall qualify for a free upgrade to the current Major Version. The Dealer must supply the software key (dongle) serial number before an upgrade is performed. All software keys (dongles) are tracked by a serial number which references the invoice number containing the RS2 billing date. All Minor Version upgrades shall be available free of charge for the product's lifecycle.

VERSION UPGRADES (VU):

A VU is used to upgrade software products from an earlier version to the current release. A VU is only available for a currently supported version of the software. Refer to the Product Life-Cycle Chart to determine if a product is currently supported. If your customer has a non-supported version, contact your Regional Sales Manager.

NOTE: A VU may not be used to go from an SL8 to an SL25 or an ESSL8 to an ESSL25. Both of these examples are software upgrades and not version upgrades. To upgrade your current software license please refer to the SU section of the price list.

SOFTWARE UPGRADES (SU):

A SU is used when upgrading a software license to a larger license. The SU is the credit amount that you get for the original software license towards the larger license. When ordering you must include the serial number of the original dongle.

NOTE: In order to get the SU credit, the customer must be running the current version of the software. If the customer is not running the current version of the software, they must purchase a VU for the existing software.

DIRECT SUPPORT AGREEMENTS (DSA):

A DSA includes all version upgrades that occur as well as including the ability for the customer to contact RS2 Technical Support directly for software related issues with their Universal software. Please see the DSA on our web site to get a complete list of covered support issues and a list of exclusions. The DSA is a contract between RS2, the supporting dealer and the customer.

NOTE: A DSA is for business hours support only, which is Monday through Friday, 8:00 AM to 5:00 PM Central Time and does not include holidays.

PRODUCT SUPPORT LIFE-CYCLE:

<https://helpdesk.rs2tech.com/kb/article/503-product-support-life-cycle>

RESPECTIVE TRADEMARKS:

- Access It!® and Badge It!® are registered trademarks of RS2 Technologies, LLC
- All other trademarks are the property of their respective owners

PART NUMBER	DESCRIPTION	MSRP
Access Control Software		
Access It!® Lite.NET		
Lite.NET8	Access It!® Lite.NET Eight Reader Software	0
<p>Supported SCPs: EP-1501PLUS, EP-1502, EP-2500, LP-1501PLUS, LP-1502, and LP-2500 LP Series panels must be run in legacy mode Supported SIOs(Series 2 & 3): MR-50, MR-51E, MR-52, MR-16IN, and MR-16OUT Included with every Access It! First Step System Stand-alone or multi-user eight reader access control software. Supports one SCP with unlimited client license expandability. Includes: (1) Single Client License</p>		
Lite.NET32-SOFT	Access It!® Lite.NET Thirty-two Reader Software	699
<p>Supported SCPs: EP-1501PLUS, EP-1502, EP-2500, LP-1501PLUS, LP-1502, and LP-2500 LP Series panels must be run in legacy mode Supported SIOs(Series 2 & 3): MR-50, MR-51E, MR-52, MR-16IN, and MR-16OUT Ships with a Software Certificate and instructions (no licensing key/dongle) Stand-alone or multi-user thirty-two reader access control software. Supports one SCP with unlimited client license expandability. Includes: (1) Single Client License</p>		
Lite.NET32-USB	Access It!® Lite.NET Thirty-two Reader Software	430
<p>Supported SCPs: EP-1501PLUS, EP-1502, EP-2500, LP-1501PLUS, LP-1502, and LP-2500 LP Series panels must be run in legacy mode Supported SIOs(Series 2 & 3): MR-50, MR-51E, MR-52, MR-16IN, and MR-16OUT Ships with a USB licensing key/dongle Stand-alone or multi-user thirty-two reader access control software. Supports one SCP with unlimited client license expandability. Includes: (1) Single Client License</p>		
Lite.NET64-SOFT	Access It!® Lite.NET Sixty-four Reader Software	1,347
<p>Supported SCPs: EP-1501PLUS, EP-1502, EP-2500, LP-1501PLUS, LP-1502, and LP-2500 LP Series panels must be run in legacy mode Supported SIOs(Series 2 & 3): MR-50, MR-51E, MR-52, MR-16IN, and MR-16OUT Ships with a Software Certificate and instructions (no licensing key/dongle) Stand-alone or multi-user sixty-four reader access control software. Supports one SCP with unlimited client license expandability. Includes: (1) Single Client License</p>		
Lite.NET64-USB	Access It!® Lite.NET Sixty-four Reader Software	1,077
<p>Supported SCPs: EP-1501PLUS, EP-1502, EP-2500, LP-1501PLUS, LP-1502, and LP-2500 LP Series panels must be run in legacy mode Supported SIOs(Series 2 & 3): MR-50, MR-51E, MR-52, MR-16IN, and MR-16OUT Ships with a USB licensing key/dongle Stand-alone or multi-user sixty-four reader access control software. Supports one SCP with unlimited client license expandability. Includes: (1) Single Client License</p>		

Access It!® Lite.NET - Client Options

Lite.NET8-OPTION-SOFT	Access It!® Lite.NET8 Add-on options with Soft Dongle	270
<p>Ships with a Software Certificate and instructions (no licensing key/dongle) One time charge for Soft Dongle required to add options to FREE Lite.NET8 Software.</p>		
Lite.NET-CLIENT	Access It!® Lite.NET Client License - Single Pack	430
<p>Requires one of the base Access It! Lite.NET software configurations Optional single add on client license for Access It! Lite.NET.</p>		

PART NUMBER	DESCRIPTION	MSRP
Lite.NET-CLIENT-5PK	Access It!® Lite.NET Client Licenses - Five Pack	1,718

Requires one of the base Access It! Lite.NET software configurations
Optional five pack add on client licenses for Access It! Lite.NET.

Lite.NET-CLIENT-25PK	Access It!® Lite.NET Client Licenses - Twenty-five Pack	8,590
----------------------	---	-------

Requires one of the base Access It! Lite.NET software configurations
Optional twenty-five pack add on client licenses for Access It! Lite.NET.

Access It!® Lite.NET - System Wide Options

Lite.NET-BADGE	Access It!® Lite.NET - ID Badging	430
----------------	-----------------------------------	-----

Requires one of the base Access It! Lite.NET software configurations
Optional system site license enabling the capturing and printing of ID badges.

Lite.NET-WEB	Access It!® Lite.NET - WEB Client	430
--------------	-----------------------------------	-----

Requires one of the base Access It! Lite.NET software configurations
Requires an Lite.NET-CLIENT license for each concurrent session on the server
Does NOT include a device aware mobile interface
Optional system site license enabling the use of WEB Clients.

Lite.NET-IMPEXP	Access It!® Lite.NET - Import/Export/Batch Update Utilities	430
-----------------	---	-----

Requires one of the base Access It! Lite.NET software configurations
Optional system site license enabling the manual importing, exporting and updating of cardholders and cards.

Lite.NET-WBF	Access It!® Lite.NET - Barcodes	430
--------------	---------------------------------	-----

Requires one of the base Access It! Lite.NET software configurations
Optional system site license enabling the use of barcodes.

Access It! Universal.NET - Standard

SL1-SOFT	Access It! Universal.NET Standard - SL1 Soft	1,401
----------	--	-------

Ships with a Software Certificate and instructions (no licensing key/dongle)
Stand-alone or multi-user access control software. Supports one SCP with unlimited client license expandability.
Includes:
(1) S-CLIENT Standard Client License
(1) S-TERM Standard Terminal Services License

SL1-USB	Access It! Universal.NET Standard - SL1 USB	861
---------	---	-----

Ships with a USB licensing key/dongle
Stand-alone or multi-user access control software. Supports one SCP with unlimited client license expandability.
Includes:
(1) S-CLIENT Standard Client License

SL8-SOFT	Access It! Universal.NET Standard - SL8 Soft	2,048
----------	--	-------

Ships with a Software Certificate and instructions (no licensing key/dongle)
Stand-alone or multi-user access control software. Supports up to eight SCPs with unlimited client license expandability.
Includes:
(1) S-CLIENT Standard Client License
(1) S-TERM Standard Terminal Services License

PART NUMBER	DESCRIPTION	MSRP
SL8-USB	Access It! Universal.NET Standard - SL8 USB	1,509
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to eight SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
SL25-SOFT	Access It! Universal.NET Standard - SL25 Soft	4,854
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software. Supports up to twenty-five SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License (1) S-TERM Standard Terminal Services License</p>	
SL25-USB	Access It! Universal.NET Standard - SL25 USB	4,315
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to twenty-five SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
SL100-SOFT	Access It! Universal.NET Standard - SL100 Soft	9,171
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software. Supports up to one hundred SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License (1) S-TERM Standard Terminal Services License</p>	
SL100-USB	Access It! Universal.NET Standard - SL100 USB	8,631
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to one hundred SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
SL255-SOFT	Access It! Universal.NET Standard - SL255 Soft	11,329
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software. Supports up to two hundred fifty-five SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License (1) S-TERM Standard Terminal Services License</p>	
SL255-USB	Access It! Universal.NET Standard - SL255 USB	10,790
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to two hundred fifty-five SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
SL500-SOFT	Access It! Universal.NET Standard - SL500 Soft	13,488
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software. Supports up to five hundred SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License (1) S-TERM Standard Terminal Services License</p>	
SL500-USB	Access It! Universal.NET Standard - SL500 USB	12,948

PART NUMBER	DESCRIPTION	MSRP
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to five hundred SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
SL1000-SOFT	Access It! Universal.NET Standard - SL1000 Soft	17,805

	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software. Supports up to one thousand SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License (1) S-TERM Standard Terminal Services License</p>	
SL1000-USB	Access It! Universal.NET Standard - SL1000 USB	17,265

	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software. Supports up to one thousand SCPs with unlimited client license expandability. Includes: (1) S-CLIENT Standard Client License</p>	
--	--	--

Access It! Universal.NET Standard - Client Options

S-CLIENT	Access It! Universal.NET Standard Client License - Single Pack	1,079
----------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional single add on client license for Access It! Universal.NET.

S-CLIENT-5P	Access It! Universal.NET Standard Client License - Five Pack	4,317
-------------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional five pack add on client licenses for Access It! Universal.NET.

S-CLIENT-10P	Access It! Universal.NET Standard Client License - Ten Pack	7,554
--------------	---	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional ten pack add on client licenses for Access It! Universal.NET.

S-CLIENT-25P	Access It! Universal.NET Standard Client License - Twenty-five Pack	15,109
--------------	---	--------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional twenty-five pack add on client licenses for Access It! Universal.NET.

S-CLIENT-50P	Access It! Universal.NET Standard Client License - Fifty Pack	28,059
--------------	---	--------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional fifty pack add on client licenses for Access It! Universal.NET.

S-CLIENT-100P	Access It! Universal.NET Standard Client License - One Hundred Pack	53,960
---------------	---	--------

Requires one of the base Access It! Universal.NET - Standard software configurations
Optional one hundred pack add on client licenses for Access It! Universal.NET.

S-DVR-[MFG]	Access It! Universal.NET Standard DVR/NVR Interface License - Single Pack	1,079
-------------	---	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
Please list the DVR manufacturer's name on all purchase orders
See the rs2tech.com website for supported video manufacturers:
<https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR>
Optional add on DVR interface client license.
Supports unlimited digital video recorders.

PART NUMBER	DESCRIPTION	MSRP
S-DVR-[MFG]-5P	Access It! Universal.NET Standard DVR/NVR Interface License - Five Pack	4,317
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional five pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
S-DVR-[MFG]-10P	Access It! Universal.NET Standard DVR/NVR Interface License - Ten Pack	6,475
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional ten pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
S-DVR-[MFG]-25P	Access It! Universal.NET Standard DVR/NVR Interface License - Twenty-five Pack	8,634
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional twenty-five pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
S-DVR-[MFG]-50P	Access It! Universal.NET Standard DVR/NVR Interface License - Fifty Pack	12,950
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional fifty pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
S-DVR-[MFG]-100P	Access It! Universal.NET Standard DVR/NVR Interface License - One Hundred Pack	19,426
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional one hundred pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
S-INTCM	Access It! Universal.NET Standard Intercom Interface License - Single Pack	1,079
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional add on intercom interface client license. Supports unlimited intercoms.</p>		
S-INTCM-5P	Access It! Universal.NET Standard Intercom Interface License - Five Pack	4,317
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional five pack add on intercom interface client licenses. Supports unlimited intercoms.</p>		
S-INTCM-10P	Access It! Universal.NET Standard Intercom Interface License - Ten Pack	6,475
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional ten pack add on intercom interface client licenses. Supports unlimited intercoms.</p>		

PART NUMBER	DESCRIPTION	MSRP
S-INTCM-25P	Access It! Universal.NET Standard Intercom Interface License - Twenty-five Pack	8,634

Requires one of the base Access It! Universal.NET - Standard software configurations
 Supports the Zenitel AlphaCom – IP and analog Intercom Server System
 Optional twenty-five pack add on intercom interface client licenses.
 Supports unlimited intercoms.

Access It! Universal.NET Standard - System Wide Options

S-API	Access It! Universal.NET Standard - API License Key	6,475
-------	---	-------

API requires SSL Certificate
 Optional system site license enabling the use of the Access It! Universal.NET API.

S-BADGE	Access It! Universal.NET Standard - ID Badging License	1,079
---------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the capturing and printing of ID badges.

S-BIO	Access It! Universal.NET Standard - Biometrics License	1,079
-------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the use of biometrics readers.

S-COMPANIES	Access It! Universal.NET Standard - Companies License	2,158
-------------	---	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the use of companies.

S-DATAEXCHG	Access It! Universal.NET Standard - Data Exchange License	6,475
-------------	---	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the use of data exchange packages to manually or automatically add, modify, or delete cardholder/card records via external data sources.
 Supported data sources: Microsoft Access, Microsoft Active Directory, Microsoft Excel, Microsoft SQL Server, ODBC, and Text File

S-ENCODE	Access It! Universal.NET Standard - Encoding License	1,079
----------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the encoding of smart cards.

S-IMPEXP	Access It! Universal.NET Standard - Import/Export/Batch Update Utilities	1,079
----------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the manual importing, exporting and updating of cardholders and cards.
 Supported data sources: Microsoft Access, Microsoft Excel, Microsoft SQL Server, and Text File

S-IP	Access It! Universal.NET Standard - IP Lock Software Interface License	1,079
------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the use of IP lock sets.

S-KONE	Access It! Universal.NET Standard - KONE Destination Dispatching Solution	6,500
--------	---	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Requires one KONE-EP4502 per KONE Destination Dispatching Solution elevator system
 Additional KONE-EP4502s may be added for systems requiring more than 64 readers
 Requires KONE-RDRLF for each COP or DOP reader
 Optional system site license enabling KONE Destination Dispatching Solution advanced elevator control.

PART NUMBER	DESCRIPTION	MSRP
S-MERCURY-PW-PRO-HARDWARE	Access It! Universal.NET Standard - Mercury PW/PRO Hardware License	Call For Pricing
<p>DE-HNWL-INATE-## must be purchased to receive this system option</p> <p>Optional system site license enabling the ability to communicate to Honeywell system controllers and subpanels. DE-HNWL-INATE-## includes the system option.</p>		
S-MIPS	Milestone MIPS Integration	6,475
<p>Requires one of the base Access It! Universal.NET - Standard software configurations Milestone licensing not included</p> <p>Optional system site license enabling the use of the Milestone MIPS integration.</p>		
S-MR-52-ALTERNATE-WIRING	Access It! Universal.NET Standard - MR-52 Alternate Wiring	Call For Pricing
<p>DE-LENEL-INATE-## must be purchased to receive this system option</p> <p>Optional system site license enabling the use of alternate wiring for MR-52 panels. DE-LENEL-INATE-## includes the system option.</p>		
S-NOTIFY	Access It! Universal.NET Standard - Notification License	1,079
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>Optional system site license for e-mail and alpha-numeric paging of alarm and event notifications.</p>		
S-OTIS	Access It! Universal.NET Standard - Otis Compass Destination Dispatching Solution	6,500
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>Requires one OTIS-EP4502 per Otis Compass Destination Dispatching Solution elevator system</p> <p>Additional standard EP4502s may be added for systems requiring more than 62 reader</p> <p>Requires either OTIS-VIRTUAL-RDRLF for the each integrated Destination Entry Computer (DEC) reader or OTIS-MERCURY-RDRLF for each reader connected to traditional Mercury hardware</p> <p>Optional system site license enabling Otis Compass Destination Dispatching Solution advanced elevator control.</p>		
S-PSIA	Access It! Universal.NET Standard - PSIA License	6,475
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>Optional System site license enabling PSIA compliant service. Allows monitoring of inputs, readers, system events, alarms, and system history. Allows state changes to readers and outputs.</p>		
S-REPORT	Access It! Universal.NET Standard - Report Designer License	1,079
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>This feature is designed for technically proficient users. The report designer requires knowledge of SQL scripting, VB scripting, and report design skills to use.</p> <p>Helping create/design reports in all aspects is outside the scope of technical support.</p> <p>Custom report design services are available. For more information on these services, please contact your RSM.</p> <p>Optional system site license enabling creation of custom reports.</p>		
S-SCHI-SOFT	Access It! Universal.NET Standard - Schindler PORT Technology Destination Dispatching Solution Annual License	15,500
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>This is a software integration to the Schindler PORT Technology Destination Dispatching Solution Elevator System</p> <p>S-SCHI-SOFT is an annual license fee and must be purchased on a yearly basis</p> <p>Optional system site license enabling Schindler PORT Technology Destination Dispatching Solution advanced elevator control.</p>		
S-TA	Access It! Universal.NET Standard - Time and Attendance License	1,079
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p> <p>Optional system site license enabling the use of readers for time and attendance reporting.</p>		
S-TERM	Access It! Universal.NET Standard - Terminal Services License	540
<p>Requires one of the base Access It! Universal.NET - Standard software configurations</p>		

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Requires an S-CLIENT license for each concurrent session on the server
 Optional system site license enabling the use of terminal services.

S-WBF	Access It! Universal.NET Standard - Barcodes	1,079
-------	--	-------

Requires one of the base Access It! Universal.NET - Standard software configurations
 Optional system site license enabling the use of barcodes.

S-WEB	Access It! Universal.NET Standard - WEB Client License	540
-------	--	-----

Requires one of the base Access It! Universal.NET - Standard software configurations
 Requires an S-CLIENT license for each concurrent session on the server
 Optional system site license enabling the use of WEB Clients.
 Includes: Device aware mobile interface

Access It! Universal.NET Standard - Integration Options

S-BURG-[MFG]	Access It! Universal.NET Standard - Burglar Alarm Panel Integration License	324
--------------	---	-----

Requires one of the base Access It! Universal.NET - Standard software configurations
 Please list the intrusion detection panel manufacturer's name on all purchase orders
 Priced per alarm panel
 Optional third party burglar alarm panel integration license.

Access It! Universal.NET Standard - Version Upgrades (VU)

VU-SL1	Access It! Universal.NET Standard - SL1 Version Upgrade	378
--------	---	-----

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL1-SOFT or SL1-USB.

VU-SL1-MULTI	Access It!® Universal.NET Standard - SL1 Multiple Version Upgrade	945
--------------	---	-----

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL1
 Multiple(3+) major version licensing upgrade for either SL1-SOFT or SL1-USB.

VU-SL8	Access It! Universal.NET Standard - SL8 Version Upgrade	615
--------	---	-----

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL8-SOFT or SL8-USB.

VU-SL8-MULTI	Access It!® Universal.NET Standard - SL8 Multiple Version Upgrade	1,539
--------------	---	-------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL8
 Multiple(3+) major version licensing upgrade for either SL8-SOFT or SL8-USB.

VU-SL25	Access It! Universal.NET Standard - SL25 Version Upgrade	1,748
---------	--	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL25-SOFT or SL25-USB.

VU-SL25-MULTI	Access It!® Universal.NET Standard - SL25 Multiple Version Upgrade	4,371
---------------	--	-------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL25
 Multiple(3+) major version licensing upgrade for either SL25-SOFT or SL25-USB.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

VU-SL100	Access It! Universal.NET Standard - SL100 Version Upgrade	3,486
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL100-SOFT or SL100-USB.

VU-SL100-MULTI	Access It!® Universal.NET Standard - SL100 Multiple Version Upgrade	8,716
----------------	---	-------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL100
 Multiple(3+) major version licensing upgrade for either SL100-SOFT or SL100-USB.

VU-SL255	Access It! Universal.NET Standard - SL255 Version Upgrade	4,468
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL255-SOFT or SL255-USB.

VU-SL255-MULTI	Access It!® Universal.NET Standard - SL255 Multiple Version Upgrade	11,170
----------------	---	--------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL255
 Multiple(3+) major version licensing upgrade for either SL255-SOFT or SL255-USB.

VU-SL500	Access It! Universal.NET Standard - SL500 Version Upgrade	5,461
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL500-SOFT or SL500-USB.

VU-SL500-MULTI	Access It!® Universal.NET Standard - SL500 Multiple Version Upgrade	13,652
----------------	---	--------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL500
 Multiple(3+) major version licensing upgrade for either SL500-SOFT or SL500-USB.

VU-SL1000	Access It! Universal.NET Standard - SL1000 Version Upgrade	7,194
-----------	--	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either SL1000-SOFT or SL1000-USB.

VU-SL1000-MULTI	Access It!® Universal.NET Standard - SL1000 Multiple Version Upgrade	17,986
-----------------	--	--------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-SL1000
 Multiple(3+) major version licensing upgrade for either SL1000-SOFT or SL1000-USB.

Access It! Universal.NET Standard - Direct Support Agreement (DSA)

A Direct Support Agreement provides the end user with the right to contact the RS2 Technical Support team directly with Access It! Universal.NET software related issues.

All version updates and upgrades are included at no additional charge.

See the DIRECT SUPPORT AGREEMENTS (DSA) section at the front of this price schedule for specific details.

Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET

DS-SL1	Access It! Universal.NET Standard - SL1 Annual Direct Support Agreement	2,231
--------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL1-SOFT or SL1-USB.
 Includes all version updates and upgrades.

DS-SL8	Access It! Universal.NET Standard - SL8 Annual Direct Support Agreement	2,399
--------	---	-------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL8-SOFT or SL8-USB.
 Includes all version updates and upgrades.

DS-SL25	Access It! Universal.NET Standard - SL25 Annual Direct Support Agreement	3,791
---------	--	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL25-SOFT or SL25-USB.
 Includes all version updates and upgrades.

DS-SL100	Access It! Universal.NET Standard - SL100 Annual Direct Support Agreement	5,271
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL100-SOFT or SL100-USB.
 Includes all version updates and upgrades.

DS-SL255	Access It! Universal.NET Standard - SL255 Annual Direct Support Agreement	6,271
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL255-SOFT or SL255-USB.
 Includes all version updates and upgrades.

DS-SL500	Access It! Universal.NET Standard - SL500 Annual Direct Support Agreement	7,423
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL500-SOFT or SL500-USB.
 Includes all version updates and upgrades.

DS-SL1000	Access It! Universal.NET Standard - SL1000 Annual Direct Support Agreement	9,071
-----------	--	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either SL1000-SOFT or SL1000-USB.
 Includes all version updates and upgrades.

Access It! Universal.NET - Enterprise

ESSL8-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL8 Soft	7,552
------------	--	-------

Ships with a Software Certificate and instructions (no licensing key/dongle)
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 (1) E-TERM Enterprise Terminal Services License
 Support for up to (8) SCPs
 Support for up to (8) Sites

ESSL8-USB	Access It! Universal.NET Enterprise Single Server - ESSL8 USB	6,473
-----------	---	-------

Ships with a USB licensing key/dongle
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 Support for up to (8) SCPs
 Support for up to (8) Sites

ESSL25-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL25 Soft	11,869
-------------	---	--------

Ships with a Software Certificate and instructions (no licensing key/dongle)
 Stand-alone or multi-user access control software with unlimited client license expandability.

PART NUMBER	DESCRIPTION	MSRP
	Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (25) SCPs Support for up to (25) Sites	
ESSL25-USB	Access It! Universal.NET Enterprise Single Server - ESSL25 USB	10,790
	<p>Ships with a USB licensing key/dongle</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (25) SCPs Support for up to (25) Sites	
ESSL100-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL100 Soft	18,344
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (100) SCPs Support for up to (100) Sites	
ESSL100-USB	Access It! Universal.NET Enterprise Single Server - ESSL100 USB	17,265
	<p>Ships with a USB licensing key/dongle</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (100) SCPs Support for up to (100) Sites	
ESSL255-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL255 Soft	22,661
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (255) SCPs Support for up to (255) Sites	
ESSL255-USB	Access It! Universal.NET Enterprise Single Server - ESSL255 USB	21,582
	<p>Ships with a USB licensing key/dongle</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (255) SCPs Support for up to (255) Sites	
ESSL500-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL500 Soft	26,978
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (500) SCPs Support for up to (500) Sites	
ESSL500-USB	Access It! Universal.NET Enterprise Single Server - ESSL500 USB	25,899
	<p>Ships with a USB licensing key/dongle</p> Stand-alone or multi-user access control software with unlimited client license expandability. Includes:	

PART NUMBER	DESCRIPTION	MSRP
	(1) E-CLIENT Enterprise Client License Support for up to (500) SCPs Support for up to (500) Sites	
ESSL1000-SOFT	Access It! Universal.NET Enterprise Single Server - ESSL1000 Soft	33,453
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (1,000) SCPs Support for up to (1,000) Sites</p>	
ESSL1000-USB	Access It! Universal.NET Enterprise Single Server - ESSL1000 USB	32,374
	<p>Ships with a USB licensing key/dongle</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (1,000) SCPs Support for up to (1,000) Sites</p>	
ERSL8-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL8 Soft	16,186
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle) Priced per Regional Server</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (8) SCPs Support for up to (8) Sites</p>	
ERSL8-USB	Access It! Universal.NET Enterprise Regional Server - ERSL8 USB	15,107
	<p>Ships with a USB licensing key/dongle Priced per Regional Server</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (8) SCPs Support for up to (8) Sites</p>	
ERSL25-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL25 Soft	20,503
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle) Priced per Regional Server</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License (1) E-TERM Enterprise Terminal Services License Support for up to (25) SCPs Support for up to (25) Sites</p>	
ERSL25-USB	Access It! Universal.NET Enterprise Regional Server - ERSL25 USB	19,423
	<p>Ships with a USB licensing key/dongle Priced per Regional Server</p> <p>Stand-alone or multi-user access control software with unlimited client license expandability. Includes: (1) E-CLIENT Enterprise Client License Support for up to (25) SCPs Support for up to (25) Sites</p>	
ERSL100-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL100 Soft	26,978
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle)</p>	

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 (1) E-TERM Enterprise Terminal Services License
 Support for up to (100) SCPs
 Support for up to (100) Sites

ERSL100-USB	Access It! Universal.NET Enterprise Regional Server - ERSL100 USB	25,899
-------------	---	--------

Ships with a USB licensing key/dongle
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 Support for up to (100) SCPs
 Support for up to (100) Sites

ERSL255-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL255 Soft	31,295
--------------	--	--------

Ships with a Software Certificate and instructions (no licensing key/dongle)
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 (1) E-TERM Enterprise Terminal Services License
 Support for up to (255) SCPs
 Support for up to (255) Sites

ERSL255-USB	Access It! Universal.NET Enterprise Regional Server - ERSL255 USB	30,215
-------------	---	--------

Ships with a USB licensing key/dongle
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 Support for up to (255) SCPs
 Support for up to (255) Sites

ERSL500-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL500 Soft	35,611
--------------	--	--------

Ships with a Software Certificate and instructions (no licensing key/dongle)
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 (1) E-TERM Enterprise Terminal Services License
 Support for up to (500) SCPs
 Support for up to (500) Sites

ERSL500-USB	Access It! Universal.NET Enterprise Regional Server - ERSL500 USB	34,532
-------------	---	--------

Ships with a USB licensing key/dongle
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 Support for up to (500) SCPs
 Support for up to (500) Sites

ERSL1000-SOFT	Access It! Universal.NET Enterprise Regional Server - ERSL1000 Soft	42,087
---------------	---	--------

Ships with a Software Certificate and instructions (no licensing key/dongle)
Priced per Regional Server
 Stand-alone or multi-user access control software with unlimited client license expandability.
 Includes:
 (1) E-CLIENT Enterprise Client License
 (1) E-TERM Enterprise Terminal Services License

PART NUMBER	DESCRIPTION	MSRP
	Support for up to (1,000) SCPs Support for up to (1,000) Sites	
ERSL1000-USB	Access It! Universal.NET Enterprise Regional Server - ERS1000 USB	41,007

Ships with a USB licensing key/dongle
Priced per Regional Server

Stand-alone or multi-user access control software with unlimited client license expandability.

Includes:

(1) E-CLIENT Enterprise Client License

Support for up to (1,000) SCPs

Support for up to (1,000) Sites

Access It! Universal.NET Enterprise - Client Options

E-CLIENT	Access It! Universal.NET Enterprise Client License - Single Pack	2,158
----------	--	-------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional single add on client license for Access It! Universal.NET.

E-CLIENT-5P	Access It! Universal.NET Enterprise Client License - Five Pack	8,634
-------------	--	-------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional five pack add on client licenses for Access It! Universal.NET.

E-CLIENT-10P	Access It! Universal.NET Enterprise Client License - Ten Pack	15,109
--------------	---	--------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional ten pack add on client licenses for Access It! Universal.NET.

E-CLIENT-25P	Access It! Universal.NET Enterprise Client License - Twenty-five Pack	30,218
--------------	---	--------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional twenty-five pack add on client licenses for Access It! Universal.NET.

E-CLIENT-50P	Access It! Universal.NET Enterprise Client License - Fifty Pack	56,118
--------------	---	--------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional fifty pack add on client licenses for Access It! Universal.NET.

E-CLIENT-100P	Access It! Universal.NET Enterprise Client License - One Hundred Pack	107,920
---------------	---	---------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Optional one hundred pack add on client licenses for Access It! Universal.NET.

E-DVR-[MFG]	Access It! Universal.NET Enterprise DVR/NVR Interface License - Single Pack	2,158
-------------	---	-------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Please list the DVR manufacturer's name on all purchase orders

See the rs2tech.com website for supported video manufacturers:

<https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR>

Optional add on DVR interface client license.

Supports unlimited digital video recorders.

E-DVR-[MFG]-5P	Access It! Universal.NET Enterprise DVR/NVR Interface License - Five Pack	8,634
----------------	---	-------

Requires one of the base Access It! Universal.NET - Enterprise software configurations

Please list the DVR manufacturer's name on all purchase orders

See the rs2tech.com website for supported video manufacturers:

<https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR>

Optional five pack add on DVR interface client licenses.

Supports unlimited digital video recorders.

PART NUMBER	DESCRIPTION	MSRP
E-DVR-[MFG]-10P	Access It! Universal.NET Enterprise DVR/NVR Interface License - Ten Pack	12,950
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional ten pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
E-DVR-[MFG]-25P	Access It! Universal.NET Enterprise DVR/NVR Interface License - Twenty-five Pack	17,267
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional twenty-five pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
E-DVR-[MFG]-50P	Access It! Universal.NET Enterprise DVR/NVR Interface License - Fifty Pack	25,901
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional fifty pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
E-DVR-[MFG]-100P	Access It! Universal.NET Enterprise DVR/NVR Interface License - One Hundred Pack	38,851
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Please list the DVR manufacturer's name on all purchase orders See the rs2tech.com website for supported video manufacturers: https://rs2tech.com/RS2WebApp/Products/PartnerIntegrations/DVR Optional one hundred pack add on DVR interface client licenses. Supports unlimited digital video recorders.</p>		
E-INTCM	Access It! Universal.NET Enterprise Intercom Interface License - Single Pack	2,158
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional add on intercom interface client license. Supports unlimited intercoms.</p>		
E-INTCM-5P	Access It! Universal.NET Enterprise Intercom Interface License - Five Pack	8,634
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional five pack add on intercom interface client licenses. Supports unlimited intercoms.</p>		
E-INTCM-10P	Access It! Universal.NET Enterprise Intercom Interface License - Five Pack	12,950
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional five pack add on intercom interface client licenses. Supports unlimited intercoms.</p>		
E-INTCM-25P	Access It! Universal.NET Enterprise Intercom Interface License - Twenty-five Pack	17,267
<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Supports the Zenitel AlphaCom – IP and analog Intercom Server System Optional twenty-five pack add on intercom interface client licenses. Supports unlimited intercoms.</p>		

Access It! Universal.NET Enterprise - System Wide Options

PART NUMBER	DESCRIPTION	MSRP
E-API	Access It! Universal.NET Enterprise - API License Key	12,950
	<p>API requires SSL Certificate</p> <p>Optional system site license enabling the use of the Access It! Universal.NET API.</p>	
E-BADGE	Access It! Universal.NET Enterprise - ID Badging License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the capturing and printing of ID badges.</p>	
E-BIO	Access It! Universal.NET Enterprise - Biometrics License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the use of biometrics readers.</p>	
E-COMPANIES	Access It! Universal.NET Enterprise - Companies License	4,317
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the use of companies.</p>	
E-DATAEXCHG	Access It! Universal.NET Enterprise - Data Exchange License	12,950
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the use of data exchange packages to manually or automatically add, modify, or delete cardholder/card records via external data sources. Supported data sources: Microsoft Access, Microsoft Active Directory, Microsoft Excel, Microsoft SQL Server, ODBC, and Text File</p>	
E-ENCODE	Access It! Universal.NET Enterprise - Encoding License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the encoding of smart cards.</p>	
E-IMPEXP	Access It! Universal.NET Enterprise- Import/Export/Batch Update Utilities	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the manual importing, exporting and updating of cardholders and cards. Supported data sources: Microsoft Access, Microsoft Excel, Microsoft SQL Server, and Text File</p>	
E-IP	Access It! Universal.NET Enterprise - IP Lock Software Interface License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Optional system site license enabling the use of IP lock sets.</p>	
E-KONE	Access It! Universal.NET Enterprise - KONE Destination Dispatching Solution	13,000
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p> <p>Requires (1) KONE-EP4502 per KONE Destination Dispatching Solution elevator system</p> <p>Additional KONE-EP4502 controllers may be added for systems requiring more than 64 readers</p> <p>Requires KONE-RDRLF for each COP or DOP reader</p> <p>Optional system site license enabling KONE Destination Dispatching Solution advanced elevator control.</p>	
E-MERCURY-PW-PRO-HARDWARE	Access It! Universal.NET Enterprise - Mercury PW/PRO Hardware License	Call For Pricing
	<p>DE-HNWL-INATE-## must be purchased to receive this system option</p> <p>Optional system site license enabling the ability to communicate to Honeywell system controllers and subpanels. DE-HNWL-INATE-## includes the system option.</p>	
E-MIPS	Milestone MIPS Integration	12,950
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations</p>	

PART NUMBER	DESCRIPTION	MSRP
	<p>Milestone licensing not included Optional system site license enabling the use of the Milestone MIPS integration.</p>	
E-MR-52-ALTERNATE-WIRING	Access It! Universal.NET Enterprise - MR-52 Alternate Wiring	Call For Pricing
	<p>DE-LENEL-INATE-## must be purchased to receive this system option Optional system site license enabling the use of alternate wiring for MR-52 panels. DE-LENEL-INATE-## includes the system option.</p>	
E-NOTIFY	Access It! Universal.NET Enterprise - Notification License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Optional system site license for e-mail and alpha-numeric paging of alarm and event notifications.</p>	
E-OTIS	Access It! Universal.NET Enterprise - Otis Compass Destination Dispatching Solution	13,000
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Requires one OTIS-EP4502 per Otis Compass Destination Dispatching Solution elevator system Additional standard EP4502s may be added for systems requiring more than 62 readers Requires either OTIS-VIRTUAL-RDRLF for the each integrated Destination Entry Computer (DEC) reader or OTIS-MERCURY-RDRLF for each reader connected to traditional Mercury hardware Optional system site license enabling Otis Compass Destination Dispatching Solution advanced elevator control.</p>	
E-PSIA	Access It! Universal.NET Enterprise - PSIA License	12,950
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Optional System site license enabling PSIA compliant service. Allows monitoring of inputs, readers, system events, alarms, and system history. Allows state changes to readers and outputs.</p>	
E-REPORT	Access It! Universal.NET Enterprise - Report Designer License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations This feature is designed for technically proficient users. The report designer requires knowledge of SQL scripting, VB scripting, and report design skills to use. Helping create/design reports in all aspects is outside the scope of technical support. Custom report design services are available. For more information on these services, please contact your RSM. Optional system site license enabling creation of custom reports.</p>	
E-SCHI-SOFT	Access It! Universal.NET Enterprise – Schindler PORT Technology Destination Dispatching Solution Annual License	31,000
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations This is a software integration to the Schindler PORT Technology Destination Dispatching Solution Elevator System E-SCHI-SOFT is an annual license fee and must be purchased on a yearly basis Optional system site license enabling Schindler PORT Technology Destination Dispatching Solution advanced elevator control.</p>	
E-TA	Access It! Universal.NET Enterprise - Time and Attendance License	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Optional system site license enabling the use of readers for time and attendance reporting.</p>	
E-TERM	Access It! Universal.NET Enterprise - Terminal Services License	1,079
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Requires an E-CLIENT license for each concurrent session on the server Optional system site license enabling the use of terminal services.</p>	
E-WBF	Access It! Universal.NET Enterprise - Barcodes	2,158
	<p>Requires one of the base Access It! Universal.NET - Enterprise software configurations Optional system site license enabling the use of barcodes.</p>	

PART NUMBER	DESCRIPTION	MSRP
E-WEB	Access It! Universal.NET Enterprise - WEB Client License	1,079

Requires one of the base Access It! Universal.NET - Enterprise software configurations
 Requires an E-CLIENT license for each concurrent session on the server
 Optional system site license enabling the use of WEB Clients.
 Includes: Device aware mobile interface

Access It! Universal.NET Enterprise - Integration Options

E-BURG-[MFG]	Access It! Universal.NET Enterprise - Burglar Alarm Panel Integration License	648
--------------	---	-----

Requires one of the base Access It! Universal.NET - Enterprise software configurations
 Please list the intrusion detection panel manufacturer's name on all purchase orders
 Priced per alarm panel
 Optional third party burglar alarm panel integration license.

Access It! Universal.NET Enterprise - Version Upgrades (VU)

VU-ESSL8	Access It! Universal.NET Enterprise Single Server - ESSL8 Version Upgrade	2,504
----------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either ESSL8-SOFT or ESSL8-USB.

VU-ESSL8-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL8 Multiple Version Upgrade	6,259
----------------	---	-------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-ESSL8
 Multiple(3+) major version licensing upgrade for either ESSL8-SOFT or ESSL8-USB.

VU-ESSL25	Access It! Universal.NET Enterprise Single Server - ESSL25 Version Upgrade	4,241
-----------	--	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either ESSL25-SOFT or ESSL25-USB.

VU-ESSL25-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL25 Multiple Version Upgrade	10,604
-----------------	--	--------

Used for upgrading to most current version of Access It! Universal.NET from 3 or versions back
 For systems 1 or 2 versions back use part number VU-ESSL25
 Multiple(3+) major version licensing upgrade for either ESSL25-SOFT or ESSL25-USB.

VU-ESSL100	Access It! Universal.NET Enterprise Single Server - ESSL100 Version Upgrade	6,648
------------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either ESSL100-SOFT or ESSL100-USB.

VU-ESSL100-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL100 Multiple Version Upgrade	16,620
------------------	---	--------

Used for upgrading to most current version of Access It! Universal.NET from 3 or more versions back
 For systems 1 or 2 versions back use part number VU-ESSL100
 Multiple(3+) major version licensing upgrade for either ESSL100-SOFT or ESSL100-USB.

VU-ESSL255	Access It! Universal.NET Enterprise Single Server - ESSL255 Version Upgrade	8,677
------------	---	-------

The purchase order must list the serial number of the qualifying licensing key/dongle
 One major version licensing upgrade for either ESSL255-SOFT or ESSL255-USB.

VU-ESSL255-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL255 Multiple Version Upgrade	21,692
------------------	---	--------

Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back

PART NUMBER	DESCRIPTION	MSRP
<p>For systems 1 or 2 versions back use part number VU-ESSL255 Multiple(3+) major version licensing upgrade for either ESSL255-SOFT or ESSL255-USB.</p>		
VU-ESSL500	Access It! Universal.NET Enterprise Single Server - ESSL500 Version Upgrade	10,911
<p>The purchase order must list the serial number of the qualifying licensing key/dongle One major version licensing upgrade for either ESSL500-SOFT or ESSL50-USB.</p>		
VU-ESSL500-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL500 Multiple Version Upgrade	27,278
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ESSL500 Multiple(3+) major version licensing upgrade for either ESSL500-SOFT or ESSL500-USB.</p>		
VU-ESSL1000	Access It! Universal.NET Enterprise Single Server - ESSL1000 Version Upgrade	13,630
<p>The purchase order must list the serial number of the qualifying licensing key/dongle One major version licensing upgrade for either ESSL1000-SOFT or ESSL1000-USB.</p>		
VU-ESSL1000-MULTI	Access It!® Universal.NET Enterprise Single Server - ESSL1000 Multiple Version Upgrade	34,077
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ESSL1000 Multiple(3+) major version licensing upgrade for either ESSL1000-SOFT or ESSL1000-USB.</p>		
VU-ERSL8	Access It! Universal.NET Enterprise Regional Server - ERSL8 Version Upgrade	5,957
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL8-SOFT or ERSL8-USB.</p>		
VU-ERSL8-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL8 Multiple Version Upgrade	14,893
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL8 Multiple(3+) major version licensing upgrade for either ERSL8-SOFT or ERSL8-USB.</p>		
VU-ERSL25	Access It! Universal.NET Enterprise Regional Server - ERSL25 Version Upgrade	7,889
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL25-SOFT or ERSL25-USB.</p>		
VU-ERSL25-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL25 Multiple Version Upgrade	19,723
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL25 Multiple(3+) major version licensing upgrade for either ERSL25-SOFT or ERSL25-USB.</p>		
VU-ERSL100	Access It! Universal.NET Enterprise Regional Server - ERSL100 Version Upgrade	10,447
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL100-SOFT or ERSL100-USB.</p>		
VU-ERSL100-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL100 Multiple Version Upgrade	26,117
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL100 Multiple(3+) major version licensing upgrade for either ERSL100-SOFT or ERSL100-USB.</p>		

PART NUMBER	DESCRIPTION	MSRP
VU-ERSL255	Access It! Universal.NET Enterprise Regional Server - ERSL255 Version Upgrade	12,422
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL255-SOFT or ERSL255-USB.</p>		
VU-ERSL255-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL255 Multiple Version Upgrade	31,055
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL255 Multiple(3+) major version licensing upgrade for either ERSL255-SOFT or ERSL255-USB.</p>		
VU-ERSL500	Access It! Universal.NET Enterprise Regional Server - ERSL500 Version Upgrade	14,850
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL500-SOFT or ERSL500-USB.</p>		
VU-ERSL500-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL500 Multiple Version Upgrade	37,124
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL500 Multiple(3+) major version licensing upgrade for either ERSL500-SOFT or ERSL500-USB.</p>		
VU-ERSL1000	Access It! Universal.NET Enterprise Regional Server - ERSL1000 Version Upgrade	18,562
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server One major version licensing upgrade for either ERSL1000-SOFT or ERSL1000-USB.</p>		
VU-ERSL1000-MULTI	Access It! Universal.NET Enterprise Regional Server - ERSL1000 Multiple Version Upgrade	46,405
<p>Used for upgrading to most current version of Access It! Universal.NET from more than 2 versions back For systems 1 or 2 versions back use part number VU-ERSL1000 Multiple(3+) major version licensing upgrade for either ERSL1000-SOFT or ERSL1000-USB.</p>		

Access It! Universal.NET Enterprise - Direct Support Agreement (DSA)

A Direct Support Agreement provides the end user with the right to contact the RS2 Technical Support team directly with Access It! Universal.NET software related issues.
 All version updates and upgrades are included at no additional charge.
 See the DIRECT SUPPORT AGREEMENTS (DSA) section at the front of this price schedule for specific details.
Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET

DS-ESSL8	Access It! Universal.NET Enterprise - ESSL8 Annual Direct Support Agreement	4,295
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET One year direct support agreement for either ESSL8-SOFT or ESSL8-USB. Includes all version updates and upgrades.</p>		
DS-ESSL25	Access It! Universal.NET Enterprise - ESSL25 Annual Direct Support Agreement	6,147
<p>The purchase order must list the serial number of the qualifying licensing key/dongle Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET One year direct support agreement for either ESSL25-SOFT or ESSL25-USB. Includes all version updates and upgrades.</p>		
DS-ESSL100	Access It! Universal.NET Enterprise - ESSL100 Annual Direct Support Agreement	7,773

The purchase order must list the serial number of the qualifying licensing key/dongle
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET

PART NUMBER	DESCRIPTION	MSRP
	One year direct support agreement for either ESSL100-SOFT or ESSL100-USB. Includes all version updates and upgrades.	
DS-ESSL255	Access It! Universal.NET Enterprise - ESSL255 Annual Direct Support Agreement	9,435
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ESSL255-SOFT or ESSL255-USB. Includes all version updates and upgrades.</p>	
DS-ESSL500	Access It! Universal.NET Enterprise - ESSL500 Annual Direct Support Agreement	11,558
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ESSL500-SOFT or ESSL500-USB. Includes all version updates and upgrades.</p>	
DS-ESSL1000	Access It! Universal.NET Enterprise - ESSL1000 Annual Direct Support Agreement	13,687
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ESSL1000-SOFT or ESSL1000-USB. Includes all version updates and upgrades.</p>	
DS-ERSL8	Access It! Universal.NET Enterprise Regional Server - ERS8 Annual Direct Support Agreement	8,582
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ERS8-SOFT or ERS8-USB. Includes all version updates and upgrades.</p>	
DS-ERSL25	Access It! Universal.NET Enterprise Regional Server - ERS25 Annual Direct Support Agreement	10,398
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ERS25-SOFT or ERS25-USB. Includes all version updates and upgrades.</p>	
DS-ERSL100	Access It! Universal.NET Enterprise Regional Server - ERS100 Annual Direct Support Agreement	12,717
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ERS100-SOFT or ERS100-USB. Includes all version updates and upgrades.</p>	
DS-ERSL255	Access It! Universal.NET Enterprise Regional Server - ERS255 Annual Direct Support Agreement	14,846
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ERS255-SOFT or ERS255-USB. Includes all version updates and upgrades.</p>	
DS-ERSL500	Access It! Universal.NET Enterprise Regional Server - ERS500 Annual Direct Support Agreement	16,815
	<p>The purchase order must list the serial number of the qualifying licensing key/dongle Priced per Regional Server Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET</p> <p>One year direct support agreement for either ERS500-SOFT or ERS500-USB. Includes all version updates and upgrades.</p>	
DS-ERSL1000	Access It! Universal.NET Enterprise Regional Server - ERS1000 Annual Direct Support Agreement	18,981

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

The purchase order must list the serial number of the qualifying licensing key/dongle
 Priced per Regional Server
 Before a Direct Support Agreement may be purchased, the end user must be running the latest version of Access It! Universal.NET
 One year direct support agreement for either ERSL1000-SOFT or ERSL1000-USB.
 Includes all version updates and upgrades.

Software Upgrades (SU)

**A Software Upgrade is applied as a credit when upgrading to a more valuable software license.
 See the SOFTWARE UPGRADES (SU) section at the front of this price schedule for specific details.**

SU-Lite.NET32-SOFT	Access It!® Lite.NET Software Upgrade - Lite.NET32-SOFT	-699
--------------------	---	------

All previously purchased Client and System Wide Option licenses will receive credit as outlined below
 The purchase order must list the serial number of the qualifying licensing key/dongle
 Discount for upgrading from Access It! Lite.NET32-SOFT to Lite.NET64-SOFT, Lite.NET64-USB, or any Access It! Universal.NET Standard or Enterprise configurations.

SU-Lite.NET32-USB	Access It!® Lite.NET Software Upgrade - Lite.NET32-USB	-430
-------------------	--	------

All previously purchased Client and System Wide Option licenses will receive credit as outlined below
 The purchase order must list the serial number of the qualifying licensing key/dongle
 Discount for upgrading from Access It! Lite.NET32-USB to Lite.NET64-SOFT, Lite.NET64-USB, or any Access It! Universal.NET Standard or Enterprise configurations.

SU-Lite.NET64-SOFT	Access It!® Lite.NET Software Upgrade - Lite.NET64-SOFT	-1,347
--------------------	---	--------

All previously purchased Client and System Wide Option licenses will receive credit as outlined below
 The purchase order must list the serial number of the qualifying licensing key/dongle
 Discount for upgrading from Access It! Lite.NET64-SOFT to any Access It! Universal.NET Standard or Enterprise configurations.

SU-Lite.NET64-USB	Access It!® Lite.NET Software Upgrade - Lite.NET64-USB	-1,077
-------------------	--	--------

All previously purchased Client and System Wide Option licenses will receive credit as outlined below
 The purchase order must list the serial number of the qualifying licensing key/dongle
 Discount for upgrading from Access It! Lite.NET64-USB to any Access It! Universal.NET Standard or Enterprise configurations.

SU-Lite.NET-CLIENT	Access It!® Lite.NET Software Upgrade - Lite.NET-CLIENT	-430
--------------------	---	------

Discount for upgrading from Access It! Lite.NET with an optional single add on client license to any Access It! Universal.NET Standard or Enterprise configuration.

SU-Lite.NET-CLIENT-5PK	Access It!® Lite.NET Software Upgrade - Lite.NET-CLIENT-5PK	Call For Pricing
------------------------	---	------------------

Discount for upgrading from Access It! Lite.NET with an optional five pack add on client license to any Access It! Universal.NET Standard or Enterprise configuration.

SU-Lite.NET-CLIENT-25PK	Access It!® Lite.NET Software Upgrade - Lite.NET-CLIENT-25PK	Call For Pricing
-------------------------	--	------------------

Discount for upgrading from Access It! Lite.NET with an optional twenty-five pack add on client license to any Access It! Universal.NET Standard or Enterprise configuration.

SU-Lite.NET-BADGE	Access It!® Lite.NET Software Upgrade - Lite.NET-BADGE	Call For Pricing
-------------------	--	------------------

Discount for upgrading from Access It! Lite.NET with an optional add on ID badging license to any Access It! Universal.NET Standard or Enterprise configuration.

SU-Lite.NET-WEB	Access It!® Lite.NET Software Upgrade - Lite.NET-WEB	Call For Pricing
-----------------	--	------------------

Discount for upgrading from Access It! Lite.NET with an optional add on web client license to any Access It! Universal.NET Standard or Enterprise configuration.

PART NUMBER	DESCRIPTION	MSRP
SU-Lite.NET-IMPEXP	Access It!® Lite.NET Software Upgrade - Lite.NET-IMPEXP	Call For Pricing
Discount for upgrading from Access It! Lite.NET with an optional add on import/export license to any Access It! Universal.NET Standard or Enterprise configuration.		
SU-Lite.NET-WBF	Access It!® Lite.NET Software Upgrade - Lite.NET-WBF	Call For Pricing
Discount for upgrading from Access It! Lite.NET with an optional add on barcode fonts license to any Access It! Universal.NET Standard or Enterprise configuration.		
SU-SL1-SOFT	Access It! Universal.NET Software Upgrade - SL1-SOFT	-1,401
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL1-SOFT to any Access It! Universal.NET SL8, SL25, SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL1-USB	Access It! Universal.NET Software Upgrade - SL1-USB	-861
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL1-USB to any Access It! Universal.NET SL8, SL25, SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL8-SOFT	Access It! Universal.NET Software Upgrade - SL8-SOFT	-2,048
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL8-SOFT to any Access It! Universal.NET SL25, SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL8-USB	Access It! Universal.NET Software Upgrade - SL8-USB	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL8-USB to any Access It! Universal.NET SL25, SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL25-SOFT	Access It! Universal.NET Software Upgrade - SL25-SOFT	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL25-SOFT to any Access It! Universal.NET SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL25-USB	Access It! Universal.NET Software Upgrade - SL25-USB	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL25-USB to any Access It! Universal.NET SL100, SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		
SU-SL100-SOFT	Access It! Universal.NET Software Upgrade - SL100-SOFT	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply</p> <p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET SL100-SOFT to any Access It! Universal.NET SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>		

PART NUMBER	DESCRIPTION	MSRP
	any Access It! Universal.NET Enterprise configurations.	
SU-SL100-USB	Access It! Universal.NET Software Upgrade - SL100-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL100-USB to any Access It! Universal.NET SL255, SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL255-SOFT	Access It! Universal.NET Software Upgrade - S255-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL255-SOFT to any Access It! Universal.NET SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL255-USB	Access It! Universal.NET Software Upgrade - SL255-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL255-USB to any Access It! Universal.NET SL500, SL1000, or any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL500-SOFT	Access It! Universal.NET Software Upgrade - SL500-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL500-SOFT to any Access It! Universal.NET SL1000, or any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL500-USB	Access It! Universal.NET Software Upgrade - SL500-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL500-USB to any Access It! Universal.NET SL1000, or any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL1000-SOFT	Access It! Universal.NET Software Upgrade - SL1000-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL1000-SOFT to any Access It! Universal.NET Enterprise configurations.</p>	
SU-SL1000-USB	Access It! Universal.NET Software Upgrade - SL1000-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET SL1000-USB to any Access It! Universal.NET Enterprise configurations.</p>	
SU-ESSL8-SOFT	Access It! Universal.NET Software Upgrade - ESSL8-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL8-SOFT to any Access It! Universal.NET ESSL25, ESSL100, ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL8-USB	Access It! Universal.NET Software Upgrade - ESSL8-USB	Call For Pricing

PART NUMBER	DESCRIPTION	MSRP
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL8-USB to any Access It! Universal.NET ESSL25, ESSL100, ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL25-SOFT	Access It! Universal.NET Software Upgrade - ESSL25-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL25-SOFT to any Access It! Universal.NET ESSL100, ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL25-USB	Access It! Universal.NET Software Upgrade - ESSL25-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL25-USB to any Access It! Universal.NET ESSL100, ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL100-SOFT	Access It! Universal.NET Software Upgrade - ESSL100-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL100-SOFT to any Access It! Universal.NET ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL100-USB	Access It! Universal.NET Software Upgrade - ESSL100-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL100-USB to any Access It! Universal.NET ESSL255, ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL255-SOFT	Access It! Universal.NET Software Upgrade - ESSL255-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL255-SOFT to any Access It! Universal.NET ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL255-USB	Access It! Universal.NET Software Upgrade - ESSL255-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL255-USB to any Access It! Universal.NET ESSL500, or ESSL1000 configuration.</p>	
SU-ESSL500-USB	Access It! Universal.NET Software Upgrade - ESSL500-USB	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle Discount for upgrading from Access It! Universal.NET ESSL500-USB to any Access It! Universal.NET ESSL1000 configuration.</p>	
SU-ESSL500-SOFT	Access It! Universal.NET Software Upgrade - ESSL500-SOFT	Call For Pricing
	<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle</p>	

PART NUMBER	DESCRIPTION	MSRP
Discount for upgrading from Access It! Universal.NET ESSL500-SOFT to any Access It! Universal.NET ESSL1000 configuration.		
SU-ESSL1000-USB	Access It! Universal.NET Software Upgrade - ESSL1000-USB	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET ESSL1000-USB to any Access It! Universal.NET ERSL1000, ECSL1000, or ERSCL1000 configuration.</p>		
SU-ESSL1000-SOFT	Access It! Universal.NET Software Upgrade - ESSL1000-SOFT	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET ESSL1000-SOFT to any Access It! Universal.NET ERSL1000, ECSL1000, or ERSCL1000 configuration.</p>		
SU-SLx-ESSLx	Access It! Universal.NET Software Upgrade - SLx-ESSLx	Call For Pricing
<p>All previously purchased Client and System Wide Option licenses will carry over with the exception of upgrading to Enterprise edition, additional fees apply The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET Standard to any Access It! Universal.NET Enterprise configuration.</p>		
SU-ESSLx-ERSLx	Access It! Universal.NET Software Upgrade - ESSLx-ERSLx	Call For Pricing
<p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET ESSLx to any Access It! Universal.NET ERSLx configuration.</p>		
SU-ESSLx-ECSLx	Access It! Universal.NET Software Upgrade - ESSLx-ECSLx	Call For Pricing
<p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET ESSLx to any Access It! Universal.NET ECSLx configuration.</p>		
SU-ESSLx-ERCSLx	Access It! Universal.NET Software Upgrade - ESSLx-ERCSLx	Call For Pricing
<p>The purchase order must list the serial number of the qualifying licensing key/dongle</p> <p>Discount for upgrading from Access It! Universal.NET ESSLx to any Access It! Universal.NET ERCSLx configuration.</p>		

Access Control Systems

Access It!® First Step

FS1RAO-PLUS-S3	Access It!® First Step - Single Portal Two Reader 10/100Base-T Ethernet Add-On	676
<p>Requires one of the following: FS1RE-PoE-S3, FS1RE-PLUS-S3, FS2RE-PLUS-S3, or FS4RE-PLUS-S3 Not compatible with 2g series controller</p> <p>Access It!® First Step - Single Portal Single Reader Add-On Includes: (1) MR-50-S3 - 1 portal/1 reader/1 aux output SIO (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure (1) 1A linear power supply with battery charger (1) 1.3 Ah 12 Volt battery (1) 16.5VAC 40VA plug-in transformer</p>		
FS1RE-PLUS-S3	Access It!® First Step Plus - Single Portal Single Reader System	1,079

Access It! First Step Plus single portal single reader 10/100Base-T Ethernet system.
 Includes:
 (1) Access It! Lite.NET eight reader downloadable software
 (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP
 (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure

PART NUMBER	DESCRIPTION	MSRP
	(1) 1A linear power supply with battery charger (1) 1.3 Ah 12 Volt battery	
FS1RE-POE-S3	Access It!® First Step - PoE Single Portal Single Reader System	861
	<p>No enclosure, power supply, battery, or transformer provided LP-1501PLUS may be mounted within a customer supplied 3-gang electrical box</p> <p>Access It! First Step PoE single portal single reader 10/100Base-T Ethernet system. Includes: (1) Access It! Lite.NET eight reader software (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP</p>	
FS1REAO-PLUS	Access It!® First Step - Single Portal Two Reader Add-On	796
	<p>Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE-PLUS, or FS4RE-PLUS</p> <p>The EP Series Controllers and Series 2 Subpanels are being transitioned to the LP Series Controllers and Series 3 Subpanels. The Series 3 version of this product contains the "-S3" suffix. Please be aware that there are limited supplies of these models. Please verify with your Regional Sales Manager or customerservice@rs2tech.com to verify availability.</p> <p>Access It! First Step Plus single portal two reader 10/100Base-T Ethernet add-on. Includes: (1) MR-51E - 1 portal/2 readers/2 aux inputs/1 aux output SIO (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure (1) 1A linear power supply with battery charger (1) 1.3 Ah 12 Volt battery (1) 16.5VAC 40VA plug-in transformer</p>	
FS2RAO-PLUS-S3	Access It!® First Step - Two Portal Two Reader Add-On	1,135
	<p>Requires one of the following: FS1RE-PoE-S3, FS1RE-PLUS-S3, FS2RE-PLUS-S3, or FS4RE-PLUS-S3 Not compatible with 2g series controller</p> <p>Access It! First Step Plus two portal two reader add-on. Includes: (1) MR-52-S3 - 2 portals/2 readers/4 aux inputs/4 aux outputs SIO (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure (1) 1A linear power supply with battery charger (1) 1.3 Ah 12 Volt battery (1) 16.5VAC 40VA plug-in transformer</p>	
FS2RE-PLUS-S3	Access It!® First Step - Two Portal Two Reader System	1,748
	<p>Access It! First Step Plus two portal two reader 10/100Base-T Ethernet system. Includes: (1) Access It! Lite.NET eight reader downloadable software (1) LP-1502 - 2 portals/2 readers/4 aux inputs/2 aux outputs SCP (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure (1) 1A linear power supply with battery charger (1) 1.3 Ah 12 Volt battery (1) 16.5VAC 40VA plug-in transformer</p>	
FS4RE-PLUS-S3	Access It!® First Step - Four Portal Four Reader System	2,894
	<p>Access It! First Step Plus four portal four reader system 10/100Base-T Ethernet system. Includes: (1) FS2RE-PLUS-S3 - Access It! First Step Plus Two Reader Ethernet System (1) FS2RAO-PLUS-S3 - Access It! First Step Plus Two Reader Add-On</p>	
FS16IAO-PLUS	Access It!® First Step - Sixteen Input Add-On	1,103
	<p>Requires one of the following FS1RE-PoE, FS1RE-PLUS, FS2RE-PLUS, or FS4RE-PLUS</p> <p>The EP Series Controllers and Series 2 Subpanels are being transitioned to the LP Series Controllers and Series 3 Subpanels. The Series 3 version of this product contains the "-S3" suffix. Please be aware that there are limited supplies of these models. Please verify with your Regional Sales Manager or customerservice@rs2tech.com to verify availability.</p> <p>Access It! First Step Plus sixteen input add-on. Includes: (1) MR-16IN - 16 aux inputs/2 aux outputs SIO (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure (1) 1A linear power supply with battery charger</p>	

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

- (1) 1.3 Ah 12 Volt battery
- (1) 16.5VAC 40VA plug-in transformer

FS16IAO-PLUS-S3	Access It!® First Step - Sixteen Input Add-On	1,254
-----------------	---	-------

Requires one of the following: **FS1RE-PoE-S3, FS1RE-PLUS-S3, FS2RE-PLUS-S3, or FS4RE-PLUS-S3**
 Not compatible with 2g series controller

- Access It! First Step Plus sixteen input add-on.
 Includes:
- (1) MR-16IN-S3 - 16 aux inputs/2 aux outputs SIO
 - (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure
 - (1) 1A linear power supply with battery charger
 - (1) 1.3 Ah 12 Volt battery
 - (1) 16.5VAC 40VA plug-in transformer

FS16OAO-PLUS	Access It!® First Step - Sixteen Output Add-On	1,103
--------------	--	-------

Requires one of the following **FS1RE-PoE, FS1RE-PLUS, FS2RE-PLUS, or FS4RE-PLUS**

The EP Series Controllers and Series 2 Subpanels are being transitioned to the LP Series Controllers and Series 3 Subpanels. The Series 3 version of this product contains the "-S3" suffix. Please be aware that there are limited supplies of these models. Please verify with your Regional Sales Manager or customerservice@rs2tech.com to verify availability.

- Access It! First Step Plus sixteen output add-on.
 Includes:
- (1) MR-16OUT - 16 aux outputs SIO
 - (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure
 - (1) 1A linear power supply with battery charger
 - (1) 1.3 Ah 12 Volt battery
 - (1) 16.5VAC 40VA plug-in transformer

FS16OAO-PLUS-S3	Access It!® First Step - Sixteen Output Add-On	1,254
-----------------	--	-------

Requires one of the following: **FS1RE-PoE-S3, FS1RE-PLUS-S3, FS2RE-PLUS-S3, or FS4RE-PLUS-S3**
 Not compatible with 2g series controller

- Access It! First Step Plus sixteen output add-on.
 Includes:
- (1) MR-16OUT-S3 - 16 aux outputs SIO
 - (1) 12"(H) x 10"(W) x 4"(D) SBE metal enclosure
 - (1) 1A linear power supply with battery charger
 - (1) 1.3 Ah 12 Volt battery
 - (1) 16.5VAC 40VA plug-in transformer

Access It!® First Step PLUS Bundled Packages

FS1RE-POE-AWID-S3	Access It!® First Step - PoE Single Portal Single Reader System	1,075
-------------------	---	-------

- No enclosure, power supply, battery, or transformer provided
 LP-1501PLUS may be mounted within a customer supplied 3-gang electrical box
- Access It! First Step PoE single portal single reader 10/100Base-T Ethernet system bundled with an AWID reader and cards.
 Includes:
- (1) Access It! Lite.NET eight reader downloadable software
 - (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP
 - (1) SR-2400 - Reader
 - (25) PROX-LINC-CS - Cards

FS1RE-PLUS-AWID-S3	Access It!® First Step - Single Portal Single Reader AWID System	1,211
--------------------	--	-------

- Access It! First Step Plus single portal single reader 10/100Base-T Ethernet system bundled with AWID readers and cards.
 Includes:
- (1) FS1RE-PLUS-S3 - Access It! First Step - Single Portal Single Reader System
 - (1) SR-2400 - Reader
 - (25) PROX-LINC-CS - Cards RS2 format

FS2RE-PLUS-AWID-S3	Access It!® First Step - Two Portal Two Reader AWID System	1,958
--------------------	--	-------

- Access It! First Step Plus two portal two reader 10/100Base-T Ethernet system bundled with AWID readers and cards.
 Includes:
- (1) FS2RE-PLUS-S3 - Access It! First Step - Two Portal Two Reader System

PART NUMBER	DESCRIPTION	MSRP
	(1) SR-2400 - Reader (25) PROX-LINC-CS - Cards RS2 format	
FS4RE-PLUS-AWID-S3	Access It!® First Step - Four Portal Four Reader AWID System	3,259
	Access It! First Step Plus four portal four reader 10/100Base-T Ethernet system bundled with AWID readers and cards. Includes: (1) FS4RE-PLUS-S3 - Access It! First Step - Four Portal Four Reader System (4) SR-2400 - Reader (25) PROX-LINC-CS - Cards	
FS1RE-POE-FP-SC-S3	Access It!® First Step - PoE Single Portal Single Reader Farpointe Data MAXSecure™ System	1,060
	No enclosure, power supply, battery, or transformer provided LP-1501PLUS may be mounted within a customer supplied 3-gang electrical box Access It! First Step PoE single portal single reader 10/100Base-T Ethernet system bundled with Farpointe Data readers and MAXSecure cards. Includes: (1) Access It! Lite.NET eight reader downloadable software (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP (1) P-300-MAX - Reader (25) PSC-1-MAX - MAXSecure cards RS2 format	
FS1RE-PLUS-FP-SC-S3	Access It!® First Step - Single Portal Single Reader Farpointe Data MAXSecure™ System	1,232
	Access It! First Step Plus single portal single reader 10/100Base-T Ethernet system bundled with Farpointe Data readers and MAXSecure cards. Includes: (1) FS1RE-PLUS-S3 - Access It! First Step - Single Portal Single Reader System (1) P-300-MAX - Reader (25) PSC-1-MAX - MAXSecure cards RS2 format	
FS2RE-PLUS-FP-SC-S3	Access It!® First Step - Two Portal Two Reader Farpointe Data MAXSecure™ System	1,997
	Access It! First Step Plus two portal two reader 10/100Base-T Ethernet system bundled with Farpointe Data readers and MAXSecure cards. Includes: (1) FS2RE-PLUS-S3 - Access It! First Step - Two Portal Two Reader System (2) P-300-MAX - Reader (25) PSC-1-MAX - MAXSecure cards RS2 format	
FS4RE-PLUS-FP-SC-S3	Access It!® First Step - Four Portal Four Reader Farpointe Data MAXSecure™ System	3,333
	Access It! First Step Plus four portal four reader 10/100Base-T Ethernet system bundled with Farpointe Data readers and MAXSecure cards. Includes: (1) FS4RE-PLUS-S3 - Access It! First Step - Four Portal Four Reader System (4) P-300-MAX - Reader (25) PSC-1-MAX - MAXSecure cards RS2 format	
FS1RE-POE-HID-SC-S3	Access It!® First Step - PoE Single Portal Single Reader HID Smart Card System	1,109
	No enclosure, power supply, battery, or transformer provided LP-1501PLUS may be mounted within a customer supplied 3-gang electrical box Access It! First Step PoE single portal single reader 10/100Base-T Ethernet system bundled with HID readers and smart cards. Includes: (1) Access It! Lite.NET eight reader downloadable software (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP (1) 900NTNNEK00000 - Reader (25) 2080PGSMV/3 - Smart cards RS2 format	
FS1RE-PLUS-HID-SC-S3	Access It!® First Step - Single Portal Single Reader HID Smart Card System	1,267
	Access It! First Step Plus single portal single reader 10/100Base-T Ethernet system bundled with HID readers and smart cards. Includes: (1) FS1RE-PLUS-S3 - Access It! First Step - Single Portal Single Reader System (1) 900NTNNEK00000 - Reader (25) 2080PGSMV/3 - Smart cards RS2 format	

PART NUMBER	DESCRIPTION	MSRP
FS2RE-PLUS-HID-SC-S3	Access It!® First Step - Two Portal Two Reader HID Smart Card System	2,055
Access It! First Step Plus two portal two reader 10/100Base-T Ethernet system bundled with HID readers and smart cards. Includes: (1) FS2RE-PLUS-S3 - Access It! First Step - Two Portal Two Reader System (2) 900NTNNEK00000 - Reader (25) 2080PGSMV/3 - Smart cards RS2 format		
FS4RE-PLUS-HID-SC-S3	Access It!® First Step - Four Portal Four Reader HID Smart Card System	3,434
Access It! First Step Plus four portal four reader 10/100Base-T Ethernet system bundled with HID readers and smart cards. Includes: (1) FS4RE-PLUS-S3 - Access It! First Step - Four Portal Four Reader System (4) 900NTNNEK00000 - Readers (25) 2080PGSMV/3 - Smart cards RS2 format		
FS1RE-POE-APTIQ-SC-S3	Access It!® First Step - PoE Single Portal Single Reader aptiQ Smart Card System	1,133
<p style="color: red;">No enclosure, power supply, battery, or transformer provided LP-1501PLUS may be mounted within a customer supplied 3-gang electrical box</p> Access It! First Step PoE single portal single reader 10/100Base-T Ethernet system bundled with aptiQ readers and smart cards. Includes: (1) Access It! Lite.NET eight reader downloadable software (1) LP-1501PLUS - 1 portal/1 reader/2 aux inputs/1 aux output SCP (1) SM10-BLK - Reader (25) 9420-RS2 - Smart cards RS2 format		
FS1RE-PLUS-APTIQ-SC-S3	Access It!® First Step - Single Portal Single Reader aptiQ Smart Card System	1,327
Access It! First Step Plus single portal single reader 10/100Base-T Ethernet system bundled with aptiQ readers and smart cards. Includes: (1) FS1RE-PLUS-S3 - Access It! First Step - Single Portal Single Reader System (1) SM10 - Reader (25) 9420-RS2 - Smart cards RS2 format		
FS2RE-PLUS-APTIQ-SC-S3	Access It!® First Step - Two Portal Two Reader aptiQ Smart Card System	2,085
Access It! First Step Plus two portal two reader 10/100Base-T Ethernet system bundled with aptiQ readers and smart cards. Includes: (1) FS2RE-PLUS-S3 - Access It! First Step - Two Portal Two Reader System (2) SM10-BLK - Reader (25) 9420-RS2 - Smart cards RS2 format		
FS4RE-PLUS-APTIQ-SC-S3	Access It!® First Step - Four Portal Four Reader aptiQ Smart Card System	3,488
Access It! First Step Plus four portal four reader 10/100Base-T Ethernet system bundled with aptiQ readers and smart cards. Includes: (1) FS4RE-PLUS-S3 - Access It! First Step - Four Portal Four Reader System (4) SM10-BLK - Reader (25) 9420-RS2 - Smart cards RS2 format		

Access It!® NEXt Step

NEXT-STEP-2RN-S3	Access It!® NEXt Step - Two Reader Network Appliance System	5,342
------------------	---	-------

Supports 1 SCP only
 Expansion options:
 · Four reader configuration via one LP-1502 SCP and one MR-52-S3 SIO - 4 portals/4 readers/8 aux inputs/6 aux outputs
 · Six reader configuration via one LP-1502 SCP and one 4AP adapter plate with four MR-50-S3 SIOs - 6 portals/6 readers/4 aux inputs/6 aux outputs

Access It! NEXt Step two reader network appliance system supporting up to eight readers and expandable to thirty-two or sixty-four readers.
 Includes:
 (1) Lite.NET8 - Access It! Lite.NET 8 reader software
 (1) Access It!® NEXt Step solid state network appliance
 (5) Concurrent Web client connections
 (1) LP-1502 - 2 portals/2 readers/4 aux inputs/2 aux outputs SCP

PART NUMBER	DESCRIPTION	MSRP
	(1) 18"(H) x 15"(W) x 4"(D) NCL metal enclosure (1) 12VDC 4A switching power supply with battery charger (1) 7 Ah 12 Volt battery (1) 24VAC 40VA plug-in transformer	
NEXT-STEP-4RN-S3	Access It!® NEXt - Step Four Reader Network Appliance System	6,421
	<p>Supports 1 SCP only</p> <p>Access It! NEXt Step four reader network appliance system supporting up to eight readers and expandable to thirty-two or sixty-four readers. Includes: (1) Lite.NET8 - Access It! Lite.NET 8 reader software (1) Access It!® NEXt Step solid state network appliance (5) Concurrent Web client connections (1) LP-1502 - 2 portals/2 readers/4 aux inputs/2 aux outputs SCP (1) MR-52-S3 - 2 portals/2 readers/4 aux inputs/4 aux outputs SIO (1) 18"(H) x 15"(W) x 4"(D) NCL metal enclosure (1) 12VDC 4A switching power supply with battery charger (1) 7 Ah 12 Volt battery (1) 24VAC 40VA plug-in transformer</p>	
NEXt-STEP-UPGRADE	Access It!® NEXt Step - Existing Hardware Appliance Upgrade	2,989
	<p>All previously purchased Client and System Wide Option licenses will carry over to the new hardware appliance provided that the purchase order lists the serial number of the existing hardware appliance and the licensing key/dongle if one exists. Upgrades an existing Access It! NEXt Step hardware appliance. Includes: (1) Access It!® NEXt Step solid state network appliance (1) Mounting plate (1) 24" network cable</p>	
NEXt-STEP32	Access It!® NEXt Step - Thirty-two Reader Capacity Upgrade	861
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle) Upgrades base Access It! NEXt Step eight reader software to support thirty-two readers.</p>	
NEXt-STEP64	Access It!® NEXt Step - Sixty-four Reader Capacity Upgrade	1,940
	<p>Ships with a Software Certificate and instructions (no licensing key/dongle) Upgrades base Access It! NEXt Step eight reader software to support sixty-four readers.</p>	
NEXt-STEP-BADGE	Access It!® NEXt Step - ID Badging	861
	<p>Requires one of the base Access It!® NEXt Step software configurations Optional system site license enabling the capturing and printing of ID badges.</p>	
NEXt-STEP-IMPEXP	Access It!® NEXt Step - Import/Export/Batch Update Utilities	861
	<p>Requires one of the base Access It!® NEXt Step software configurations Optional system site license enabling the manual importing, exporting and updating of cardholders and cards.</p>	
NEXt-STEP-WBF	Access It!® NEXt Step - Barcodes	861
	<p>Requires one of the base Access It!® NEXt Step software configurations Optional system site license enabling the use of barcodes.</p>	

Access Control Modules

System Controllers

LP-1501	LP-1501 - Intelligent Single Portal Two Reader PoE Controller	861
---------	---	-----

· LP-1501 mode: 1 portal/2 readers/1 aux outputs - Standalone mode with no SIO expandability - Compatible with Access It!

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Universal.NET and DOES NOT ADD to the total SCP count
 · LP-1501-PLUS mode: 1 portal/2 reader/1 aux outputs with RS-485 downstream bus - Expandable with up to 8 downstream: MR-16IN, MR-16IN-S3, MR-16OUT, MR-16OUT-S3, MR-50, MR-50-S3, MR-51E, MR-52, MR-52-S3, MR-62E SIOs for a maximum of 17 doors
 LP-1501-PLUS mode with Access It! Universal.NET DOES ADD to the total SCP count
 Intelligent single portal two reader PoE combination controller with 10/100Base-T Ethernet and support for separate IN/OUT readers capable of Wiegand, clock and data, OSDP, magstripe, keypad, LCD, and biometric technologies.
 Supports Multi-Drop mode with OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out configuration.
 Capacity: 240,000 cardholders and 50,000 transactions.
 May be configurable as either an LP-1501 or an LP-1501-PLUS.

LP-1502	LP-1502 - Intelligent Two Portal Four Reader Combination Controller	1,530
---------	---	-------

Compatible SIOs: MR-16IN, MR-16IN-S3, MR-16OUT, MR-16OUT-S3, MR-50, MR-50-S3, MR-51E, MR-52, MR-52-S3, and MR-62E
 Intelligent two portal two reader combination controller with 10/100Base-T Ethernet, and dual reader interface module capable of Wiegand, clock and data, OSDP, magstripe, keypad, LCD, and biometric technologies.
 Supports Multi-Drop mode with OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out configuration.
 A secondary RS-232 port may be used for redundant host communication.
 A single two-wire RS-485 channel provides expansion for up to thirty-one downstream SIOs controlling a maximum of sixty-four portals.
 Capacity: 240,000 cardholders and 50,000 transactions.
 Support for: 2 portals/4 readers/4 aux inputs/2 aux outputs

LP-2500	LP-2500 - Intelligent System Control Processor	2,288
---------	--	-------

Compatible SIOs: MR-16IN, MR-16IN-S3, MR-16OUT, MR-16OUT-S3, MR-50, MR-50-S3, MR-51E, MR-52, MR-52-S3, and MR-62E
 Intelligent system control processor with 10/100Base-T Ethernet.
 A secondary RS-232 port may be used for redundant host communication.
 Dual two-wire RS-485 channel provides expansion for up to thirty-two downstream SIOs controlling a maximum of sixty-four portals.
 Capacity: 600,000 cardholders and 50,000 transactions.

LP-4502	LP-4502 - Intelligent Two Portal Four Reader Combination Controller	2,698
---------	---	-------

Compatible SIOs: MR-16IN, MR-16IN-S3, MR-16OUT, MR-16OUT-S3, MR-50, MR-50-S3, MR-51E, MR-52, MR-52-S3, and MR-62E
 Intelligent two portal four reader combination controller with 10/100Base-T Ethernet, and dual reader interface module capable of Wiegand, clock and data, OSDP, magstripe, keypad, LCD, and biometric technologies.
 Supports Multi-Drop mode via OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out configuration.
 Dual two-wire RS-485 channel provides expansion for up to thirty-one downstream SIOs controlling a maximum of sixty-four portals.
 Support for extended features such as BACnet and Destination Dispatch Elevator Control.
 Capacity: 2,000,000 cardholders and 50,000 transactions.
 Support for: 2 portals/4 readers/4 aux inputs/2 aux outputs

System Controller Options

2GL-2G	2G Lite Board To 2G Upgrade	378
--------	-----------------------------	-----

Removes the 8 card reader/5,000 cards limitation of a 2GL board resulting in a full capacity 2G board.

Door Controllers

MR-50-S3	MR-50 - Series 3 Single Portal Two Reader SIO	458
----------	---	-----

Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, EP/LP-4502, or MINI-SCP/SCP system controller
 The 4AP adapter plate is required when mounting up to four MR-50s within an NCL enclosure
 Series 3 SIOs are not backwards compatible with the 2G series of hardware
 Single portal two reader SIO with reader interface capable of Wiegand, OSDP, clock and data, magstripe, keypad, LCD, and biometric technologies.
 Supports Multi-Drop mode with OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out

PART NUMBER	DESCRIPTION	MSRP
	configuration. Support for: 1 portal/2 reader/1 aux output.	
MR-52-S3	MR-52 - Series 3 Two Portal Four Reader SIO	917
	<p>Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, EP/LP-4502, or MINI-SCP/SCP system controller Series 3 SIOs are not backwards compatible with the 2G series of hardware</p> <p>Two portal four reader SIO with reader interface capable of Wiegand, clock and data, OSDP, magstripe, keypad, LCD, and biometric technologies. Supports Multi-Drop mode via OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out configuration. Support for: 2 portal/4 reader/4 aux inputs/4 aux outputs</p>	
MR-62E	MR-62E - Two Portal Four Reader PoE+ SIO	1,114

Requires OSDP enabled readers
 Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, or EP/LP-4502 system controller
 Series 3 SIOs are not backwards compatible with the 2G series of hardware

PoE+ two portal four reader Ethernet SIO with OSDP reader interface.
 Provides up to 1.5A for reader/lock power.
 Supports Multi-Drop mode via OSDP allowing for two OSDP readers to be wired to a single reader port for paired in/out configuration.
 Support for: 2 portal/4 readers/2 aux inputs/2 aux output.

Input And Output Controllers

MR-16IN-S3	MR-16IN - Series 3 Sixteen Input Monitor SIO	1,036
	<p>Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, EP/LP-4502, or MINI-SCP/SCP system controller Series 3 SIOs are not backwards compatible with the 2G series of hardware</p> <p>Sixteen input monitor SIO configurable for normally open or closed and non-supervised or supervised circuits. May be used to monitor vital alarm points or provide elevator floor selection control. Support for: 16 aux inputs/2 aux outputs Includes: (32) 1K ohm resistors for supervised input monitoring</p>	

MR-16OUT-S3	MR-16OUT - Series 3 Sixteen Output SIO	1,036
	<p>Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, EP/LP-4502, or MINI-SCP/SCP system controller Series 3 SIOs are not backwards compatible with the 2G series of hardware</p> <p>Sixteen Form C output SIO configurable as fail-safe or fail-secure supporting on, off, or pulse modes. May be used for elevator control or any device requiring dry contacts. Support for: 16 aux outputs</p>	

Communication Multiplexer

MUX-8	MUX-8 - Eight Channel Multiplexer	723
	<p>Requires an EP/LP-1501-PLUS, EP/LP-1502, EP/LP-2500, or EP/LP-4502 system controller</p> <p>Eight channel multiplexer converts one RS-485 two-wire channel into eight separate RS-485 two-wire channels. Useful in star topologies where the reader interface may be located above the door and not centrally. The MUX-8 rejuvenates the signal making runs longer than 4,000' possible.</p>	

M5 Hardware

M5-IC	M5-IC - Intelligent System Control Processor	1,457
	<p>Backplane compatible SIOs: M5-2K, M5-2RP, M5-2SRP, M5-8RP, M5-20IN, M5-16DO, or M5-16DOR Two-wire RS-485 compatible SIOs: MR-50, MR-51E, MR-52, MR-16IN, or MR-16OUT</p> <p>Intelligent system control processor with 10/100Base-T Ethernet and 32MB of non-expandable RAM used as a replacement panel for the Casi PX, PXN, and PXNplus CPU controller. A secondary RS-232 port may be used for redundant host communication. One two-wire RS-485 channel provides expansion for up to thirty-two SIOs and sixty-four portals.</p>	
M5-2K	M5-2K - Intelligent Four Portal Four Reader Combination Controller	2,741

PART NUMBER	DESCRIPTION	MSRP
	<p>Includes a M5-IC system controller</p> <p>Intelligent four portal four reader combination controller used as a replacement panel for the Casi M2000 reader controller. Reader interface modules are capable of F/2F and supervised F/2F protocols only. Support for: 4 portals/4 readers/2 aux inputs/4 aux outputs Includes: (1) M5-2K (1) M5-IC</p>	
M5-2RP	M5-2RP - Two Portal Two Reader SIO	788
	<p>Requires an M5-IC system controller</p> <p>Two portal two reader SIO used as a replacement panel for the Casi 2RP reader controller with reader interface capable of Wiegand, clock and data, magstripe, F/2F, and supervised F/2F technologies. Support for: 2 portal/2 reader/4 aux outputs</p>	
M5-2SRP	M5-2SRP - Two Portal Two Reader Supervised Digital Input SIO	788
	<p>Requires an M5-IC system controller</p> <p>Two portal two reader supervised digital input SIO used as a replacement panel for the Casi 2SRP reader controller with reader interface capable of Wiegand, clock and data, magstripe, F/2F, and supervised F/2F technologies. The supervised digital inputs are used for the door contacts and request to exits. Support for: 2 portal/2 reader/4 aux outputs</p>	
M5-8RP	M5-8RP - Eight Portal Eight Reader SIO	1,222
	<p>Requires an M5-IC system controller</p> <p>Eight portal eight reader SIO used as a replacement panel for the Casi 8RP reader controller. Reader interface modules are capable of F/2F and supervised F/2F protocols only. Support for: 8 portal/8 reader</p>	
M5-COM	M5-COM - System Combination Power and RS-485 Communication Bridge	358
	<p>Each downstream bridged enclosure needs one M5-COM for complete Mercury functionality A maximum of eight M5-COMs are supported per M5-IC</p> <p>System combination power and RS-485 communication bridge used as a replacement panel for the Casi power and communications controller.</p>	
M5-20IN	M5-20IN - Twenty Input Monitor SIO	809
	<p>Requires an M5-IC system controller Uses two SIO addresses per panel</p> <p>Twenty input monitor SIO used as a replacement panel for the Casi 20DI input control device. Support for: 20 aux inputs</p>	
M5-16DO	M5-16DO - Sixteen Solid State Digital Output SIO	701
	<p>Requires an M5-IC system controller</p> <p>Sixteen solid state digital output SIO used as a replacement panel for the Casi 16DO output control device. Support for: 16 aux outputs</p>	
M5-16DOR	M5-16DOR - Sixteen Output SIO	766
	<p>Requires an M5-IC system controller</p> <p>Sixteen Form C output SIO used as a replacement panel for the Casi 16DOR output control device. Support for: 16 aux outputs</p>	
M5-MUX8	M5-MUX8 - Eight Channel Multiplexer	853
	<p>Requires a M5-IC system controller</p> <p>Eight channel multiplexer which plugs into an M5 backplane in place of or in addition to the existing M5-8RP module. Used to eliminate existing WIUs or Casi readers with inputs on-board by replacing them with MR-50 SIOs. Provides eight separate RS-485 two wire channels while supplying 12 VDC for MR-50 SIOs.</p>	

MS Hardware

PART NUMBER	DESCRIPTION	MSRP
MS-ICS	MS-ICS - Intelligent System Control Processor	2,061
<p>MS-ACS ribbon compatible SIOs: MS-ACS (maximum two per MS-ICS) MS-ACS two-wire RS-485 compatible SIOs: MS-I8S and MS-R8S (maximum two per MS-ACS RS-485 port) Two-wire RS-485 compatible SIOs: MR-50, MR-51E, MR-52, MR-16IN, or MR-16OUT</p> <p>Intelligent system control processor with 10/100Base-T Ethernet used as a replacement panel for the Software House iStar Pro GCM controller. A secondary RS-232 port may be used for redundant host communication. One MS-ACS ribbon channel and one two-wire RS-485 channel provides expansion for up to thirty-two SIOs and sixty-four portals.</p>		
MS-ACS	MS-ACS - Eight Portal Eight Reader SIO	1,759
<p>Requires an MS-ICS system controller Uses two SIO addresses per panel Maximum of two MS-ACS panels per MS-ICS Compatible SIOs: MS-I8S and MS-R8S (maximum two per MS-ACS RS-485 port)</p> <p>Eight portal eight reader SIO used as a replacement panel for the Software House iStar Pro ACM controller with reader interface capable of Wiegand, clock and data, magstripe, keypad, LCD, and biometric technologies. Support for: 8 portal/8 reader</p>		
MS-I8S	MS-I8S - Eight Input Monitor SIO	540
<p>Requires an MS-ICS system controller Requires an MS-ACS reader SIO</p> <p>Eight input monitor SIO used as a replacement panel for the Software House iStar Pro I8 input monitor SIO. Support for: 8 aux inputs</p>		
MS-R8S	MS-R8S - Eight Output SIO	604
<p>Requires an MS-ICS system controller Requires an MS-ACS reader SIO</p> <p>Eight Form C output SIO used as a replacement panel for the Software House iStar Pro R8 input monitor SIO. Support for: 8 aux outputs</p>		

Advanced Elevator Control

KONE Destination Solutions

KONE-LP4502	KONE LP-4502 Advanced Elevator Controller	4,306
<p>Requires either the S-KONE standard or E-KONE enterprise system wide license Additional KONE-LP4502s may be added for systems requiring more than 64 readers</p> <p>KONE LP-4502 advanced elevator controller with 10/100Base-T Ethernet, USB 2.0 to Ethernet adapter, 128MB of non-expandable RAM, and hardware licensing. Support for: 1 Elevator System/Up to 64 DOP or COP readers Includes: (1) KONE-LP4502 - KONE primary LP-4502 advanced elevator controller</p>		
KONE-RDRLF	KONE Reader License Fee	200
<p>Required for each COP or DOP reader</p> <p>Reader license fee for each KONE COP or DOP reader. Includes: (1) Integrated reader count increment applied to an existing dongle</p>		

Otis Compass Destination Solutions

OTIS-LP4502	Otis Primary LP-4502 Advanced Elevator Controller	5,821
<p>Requires either the S-OTIS standard or E-OTIS enterprise system wide license Requires (1) reader license for each kiosk reader: Mercury based readers require OTIS-MERCURY-RDRLF part number Destination Entry Computer (DEC) virtual readers require OTIS-VIRTUAL-RDRLF part number Secondary LP-4502s may be added for systems requiring more than 62 readers Secondary LP-4502s support up to 62 additional physical and/or virtual readers</p>		

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Secondary LP-4502s use the standard LP-4502 part number
 Refer to the Access Control Modules | System Controllers section for pricing on the LP-4502
 Otis primary LP-4502 advanced elevator controller with 10/100Base-T Ethernet, USB 2.0 to Ethernet adapter for private Otis networking, 128MB of non-expandable RAM, and preloaded Over-Watch communication service.
 Support for: 1 Elevator System/62 physical and/or virtual readers
 Includes:
 (1) OTIS-LP4502 - Otis primary LP-4502 advanced elevator controller
 (1) USB2-E100 - USB 2.0 to Ethernet adapter
 (1) Over-Watch communication service

OTIS-MERCURY-RDRLF	OTIS Mercury Reader License Fee	200
--------------------	---------------------------------	-----

When using built in Destination Entry Computer (DEC) readers use part number OTIS-VIRTUAL-RDRLF
 Mercury reader license fee for each Mercury based reader added to a system using the Compass Destination Dispatching Solution.
 Includes:
 (1) Integrated reader count increment applied to an existing dongle

OTIS-VIRTUAL-RDRLF	OTIS Virtual Reader License Fee	540
--------------------	---------------------------------	-----

Virtual reader licenses are required when using built in Destination Entry Computer (DEC) readers
 When using traditional readers wired to compatible SIOs such as the MR-50-S3, MR-52, and MR-62e use part OTIS-MERCURY-RDRLF
 Virtual reader license fee for each additional virtual reader added to a system using the Compass Destination Dispatching Solution.
 Includes:
 (1) Integrated reader count increment applied to an existing dongle

Biometrics

Allegion HandKey® Geometry Reader

For additional information, visit the Allegion HandKey® website at <http://us.allegion.com/Products/biometrics/handkey2/pages/default.aspx>.
 RS2 offers the entire line Allegion HandKey® geometry readers. Please contact an RS2 sales representative for pricing and availability of items not listed.

HK-2-F3	HandKey® Control Reader	3,838
---------	-------------------------	-------

F series hand geometry biometric reader with memory for 512 users. No on board inputs or outputs.

BioConnect - Readers

For additional information, visit the BioConnect website at <https://bioconnect.com/>
 RS2 offers the entire BioConnect line. Please contact an RS2 sales representative for pricing and availability of items not listed.

All hardware and reader devices require software licensing as outlined in the BioConnect - Software section

BC-BWD	Suprema BioEntry W2 (EM)	1,025
--------	--------------------------	-------

Fingerprint Biometric Reader, Dual RFID (125kHz EM & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08

BC-BWH	Suprema BioEntry W2 (HID Prox)	1,095
--------	--------------------------------	-------

Fingerprint Biometric Reader, RFID (125kHz HID Prox), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08

BC-BWA	Suprema BioEntry W2 (Multiclass)	1,220
--------	----------------------------------	-------

Fingerprint Biometric Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, Live Finger Detection, IP67, IK08

PART NUMBER	DESCRIPTION	MSRP
BC-BPA	Suprema BioEntry Plus 2 (Multiclass) Biometric Fingerprint Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP6)	930
BC-BPD	Suprema BioEntry Plus 2 (Mifare) Biometric Fingerprint Reader, Dual RFID (125kHz EM & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP6)	825
BC-BND	Suprema BioLite Net 2 (Mifare/DesFire/EM) Biometric Fingerprint reader/controller, Dual RFID (125kHz EM & 13.56MHz MIFARE, MIFARE Plus, DESFire/EV1), 2.4GHz BLE, Optical Sensor (OP6), IP67, PIN pad / 3 factor	1,135
BC-BNA	Suprema BioLite N2 (Multiclass) Fingerprint Biometric Reader, MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR), Touch Keypad, 1.7" LCD IP67, 10:000 1:N, 10,000 1:1	1,385
BC-BIOMINI-2	Suprema BioMini 2 Second Generation Fingerprint Biometric USB enrollment scanner (Replaces BioMini)	320
BC-BSE	Suprema BioStation 2 (EM) Fingerprint Biometric Reader, RFID (125kHz EM), Optical Sensor (OP5), PoE, WiFi, IP65 rated	1,615
BC-BSM	Suprema BioStation 2 (Mifare) Fingerprint Biometric Reader, RFID (13.56Mhz MIFARE, DESFire/EV1, FeliCa, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, WiFi, IP65 rated	1,645
BC-BSH	Suprema BioStation 2 (HID) Fingerprint Biometric Reader, RFID (125kHz HID Prox), Optical Sensor (OP5), PoE, WiFi, IP65 rated	1,730
BC-BSI	Suprema BioStation 2 (iClass) Fingerprint Biometric Reader, RFID (13.56MHz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR, NFC, ISO14443A/B, ISO15693), Optical Sensor (OP5), PoE, WiFi, IP65 rated	1,825
BC-FSD	Suprema FaceStation 2 (EM) Facial Recognition Touchless Biometric Reader. Dual RFID (125kHz EM & 13.56Mhz MIFARE, DESFire/EV1, FeliCa), NFC, ISO14443A/B, ISO15693	1,980
BC-FSA	Suprema FaceStation 2 (Multiclass) Facial Recognition Touchless Biometric Reader. MultiCLASS SE and Dual RFID (125kHz EM, HID Prox & 13.56Mhz MIFARE, DESFire/EV1, FeliCa, iCLASS SE/SR), NFC, ISO14443A/B, ISO15693, WiFi, BLE (Bluetooth Low Energy)	2,245

BioConnect - Software

For additional information, visit the BioConnect website at <https://bioconnect.com/>

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

RS2 offers the entire BioConnect line. Please contact an RS2 sales representative for pricing and availability of items not listed.

BC-BCSW	BC-BCSW - BioConnect Pilot Edition	142
---------	------------------------------------	-----

BioConnect Pilot Edition device license add-on for devices NOT purchased through RS2 .

BC-BSC	BioConnect Enterprise - Basic for 1-20 Devices	0
--------	--	---

Includes 3 Months of BioConnect Basic Edition support

BioConnect Basic Edition required for all biometric device sales and installations from 1-20 devices.

BC-ENT-MAS	BioConnect Enterprise - Master Server for up to 300 biometric devices	54,700
------------	---	--------

Only required for biometric replication & scalability, not required for each Master/Regional Server

BioConnect Enterprise Master Server: required for installations requiring a Regional server architecture for scalability and replication of biometric deployments.

Licensed to connect up to 300 biometric readers.

Only required for replication for large scale biometric readers deployments.

Not required for each Access It! Universal.NET Regional Server.

Includes 1 year of support from initial software activation date.

BC-ENT-SAS	BioConnect Enterprise - Regional Server for up to 300 biometric devices	18,750
------------	---	--------

Only required for biometric replication & scalability, not required for each Regional Server

BioConnect Enterprise Regional Server: for standalone server installations for more than 100 readers or installations requiring a Regional server architecture for scalability and replication of biometric deployments.

Licensed to connect up to 300 biometric readers.

Only required for large scale biometric reader deployments either as a stand alone server or for replication.

Not required for each Access It! Universal.NET Regional Server.

Includes 1 year of support from initial software activation date.

BC-PRO	BioConnect Enterprise - Professional for 51-100 Devices	5,470
--------	---	-------

Includes 1 Year of BioConnect Professional Edition support

BioConnect Professional Edition required for all biometric device sales and installations from 51-100 devices.

BC-STND	BioConnect Enterprise - Standard for 21-50 Devices	2,345
---------	--	-------

Includes 1 Year of BioConnect Standard Edition support

BioConnect Standard Edition required for all biometric device sales and installations from 21-50 devices.

Eyelock Hardware

Uses API and requires SSL Certificate

See knowledgebase for more information about configuring the API

MYRIS-E	myris USB Enrollment Device	350
---------	-----------------------------	-----

Directory Authentication requires an EyeLock Identity Suite Directory Authentication license

Hand held, USB powered iris biometric authentication system for connecting to a PC and enabling iris enrollment directly from the Access It! Universal.NET software.

N-NXT	nano NXT	1,650
-------	----------	-------

Wall mounted iris biometric authentication system for replacing or enhancing traditional card reader based applications. Includes EyEnroll enrollment software, as well as a local matcher license (up to 20,000 users).

Eyelock Accessories

Uses API and requires SSL Certificate

See knowledgebase for more information about configuring the API

PART NUMBER	DESCRIPTION	MSRP
N-NXT-BOX-ANG	Angled Surface Mount Box	200
Powder coated metal box compatible with nano NXT for installations near a corner where mounting the nano NXT, angled toward the user, makes using the nano NXT easier.		
N-NXT-PT-D	Desktop Portable Template Reader/Writer	200
Desktop reader/writer for portable template applications (13.56 MHz and BLE)		
N-NXT-PT-M	Mullion Mount Portable Template Reader	200
Mullion reader for portable template applications (13.56 MHz and BLE)		
N-NXT-DEMO	Nano-NXT DEMO KIT	2,500
Plastic "pelican style" case containing a nano NXT, a USB powered PoE injector, a table mount (with suction cup) and CAT-5 cables for connection to a PC.		
N-NXT-PT-S	Single Gang Portable Template Reader	200
Single Gang reader for portable template applications (13.56 MHz and BLE)		
N-NXT-BOX-STD	Surface Mount Box	200
Powder coated metal box compatible with nano NXT for installations where a traditional 2-gang box is not feasible. Includes VESA hole pattern for desk mount, turnstile, and other specialty applications.		

Eyelock Software

Uses API and requires SSL Certificate
See knowledgebase for more information about configuring the API

EIS-NXT	EyeLock Identity Suite (NXT License)	100
Software license for connecting one (1) nano NXT device to the Eyelock Identity Suite. Eyelock Identity Suite includes Network Matching Service, Centralized Management Application, and Core Integration Service (with adapters).		

Eyelock Services

Uses API and requires SSL Certificate
See knowledgebase for more information about configuring the API

SER-SITE	Remote Support	Call For Pricing
<p>Not required for service. Traditional support is available through RS2 Technologies.</p> <p>On-Site support for installation or service of EyeLock Hardware or Software. On-Site support will be billable per hour with a four (4) hour minimum. On-Site Support provided by EyeLock.</p>		

Invixium Accessories

IXM-CHARGE	IXM CHARGE Backup Battery	39
<p>For use with Touch and Sense biometric readers</p> <p>1400 mAH Li-ion battery for 90 - 120 min operational back up for TOUCH/SENSE.</p>		

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

IXM-CHARGE+	IXM CHARGE+ Backup Battery	75
-------------	----------------------------	----

For use with Titan only
 5000 mAH Li-ion battery for 90 - 120 min operational back up for TITAN.

INVIXIUM-POWER-SUPPLY-1.5	Invixium 12VDC 1.5A Power Supply	51
---------------------------	----------------------------------	----

For use with MYCRO, MERGE, TOUCH, and SENSE only
 12VDC, 1.5A Power Supply for MYCRO, MERGE, TOUCH, SENSE

INVIXIUM-POWER-SUPPLY-2.0	Invixium 12VDC 2A Power Supply	179
---------------------------	--------------------------------	-----

For use with the TITAN only
 12VDC, 2A Power Supply for TITAN

Invixium Certified Products (ICP)

CredenceTAB-CR	CredenceTAB 10 inch mobile biometric and credential reading tablet	4,854
----------------	--	-------

CredenceTAB, full configuration, FAP 30 FP and smartcard reader plus IXM application

CredenceTAB-CR-MRZ	CredenceTAB 10 inch mobile biometric and credential reading tablet with MRZ	6,145
--------------------	---	-------

CredenceTab, full configuration, FAP 30 FP, smartcard and passport/MRZ READER plus IXM application

CredenceTWO	CredenceTWO Mobile Fingerprint Device	3,704
-------------	---------------------------------------	-------

CredenceTWO, without cardreader plus IXM application

CredenceTWO-CR	CredenceTWO Mobile Fingerprint + Smartcard Device	4,069
----------------	---	-------

CredenceTWO, with cardreader plus IXM application

INVIXIUM-FINGER-CAPTURE-DEVICE-OPTICAL	USB Optical Fingerprint Enrollment Reader	100
--	---	-----

Desktop optical fingerprint scanning and enrollment device with USB connectivity, integrated with IXM WEB.

INVIXIUM-FINGER-CAPTURE-DEVICE-MULTISPECTRAL	USB Multispectral Fingerprint Enrollment Reader	299
--	---	-----

Desktop multispectral fingerprint scanning and enrollment device with USB connectivity, integrated with IXM WEB.

Invixium IXM Convert

IXM-CONVERT-500	IXM 500 Template Conversions	895
-----------------	------------------------------	-----

500 Templates for 1 Year
Includes ONE Year of Phone & Email support
Contact Regional Sales Manager to verify compatibility of templates

Migrate from existing biometric solutions to Invixium. Eliminate the need for re-enrollment when switching from non proprietary fingerprint images and templates and stay future proof for your biometric installations. Biometric templates must be stored in a non-proprietary industry standard formats such as ANSI378, ISO19794-2, WSQ, or templates stored in an image file such as RAW, JPEG2K, or BMP.

PART NUMBER	DESCRIPTION	MSRP
IXM-CONVERT-1500	IXM 1,500 Template Conversions	1,335
<p>1500 Templates for 1 Year Includes ONE Year of Phone & Email support Contact Regional Sales Manager to verify compatibility of templates</p> <p>Migrate from existing biometric solutions to Invixium. Eliminate the need for re-enrollment when switching from non proprietary fingerprint images and templates and stay future proof for your biometric installations. Biometric templates must be stored in a non-proprietary industry standard formats such as ANSI378, ISO19794-2, WSQ, or templates stored in an image file such as RAW, JPEG2K, or BMP.</p>		
IXM-CONVERT-5000	IXM 5,000 Template Conversions	4,450
<p>5000 Templates for 1 Year Includes ONE Year of Phone & Email support Contact Regional Sales Manager to verify compatibility of templates</p> <p>Migrate from existing biometric solutions to Invixium. Eliminate the need for re-enrollment when switching from non proprietary fingerprint images and templates and stay future proof for your biometric installations. Biometric templates must be stored in a non-proprietary industry standard formats such as ANSI378, ISO19794-2, WSQ, or templates stored in an image file such as RAW, JPEG2K, or BMP.</p>		
IXM-CONVERT-1-YEAR	IXM Unlimited Template Conversions - 1 Year	8,895
<p>Unlimited Templates for 1 Year Includes ONE Year of Phone & Email support Contact Regional Sales Manager to verify compatibility of templates</p> <p>Migrate from existing biometric solutions to Invixium. Eliminate the need for re-enrollment when switching from non proprietary fingerprint images and templates and stay future proof for your biometric installations. Biometric templates must be stored in a non-proprietary industry standard formats such as ANSI378, ISO19794-2, WSQ, or templates stored in an image file such as RAW, JPEG2K, or BMP.</p>		
IXM-CONVERT-3-YEAR	IXM Unlimited Template Conversions - 3 Year	22,230
<p>Unlimited Templates for 3 Years Includes ONE Year of Phone & Email support Contact Regional Sales Manager to verify compatibility of templates</p> <p>Migrate from existing biometric solutions to Invixium. Eliminate the need for re-enrollment when switching from non proprietary fingerprint images and templates and stay future proof for your biometric installations. Biometric templates must be stored in a non-proprietary industry standard formats such as ANSI378, ISO19794-2, WSQ, or templates stored in an image file such as RAW, JPEG2K, or BMP.</p>		

Invixium - MYCRO Readers

MYCRO-FP1	MYCRO - Fingerprint Only Reader	685
<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>Security: Fingerprint Reader Only Sensor: Optical Sensor Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 10K, 1:1 User Capacity - 25K Log Capacity: 100K Weatherproof: IP65 Vandal Proof</p>		
MYCRO-FP2	MYCRO - Fingerprint + EM Prox/MiFARE/DESfire Reader	820
<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>Security: Fingerprint Reader + RFID Card Reader - EM Prox/MiFARE/DESfire Sensor: Optical Sensor Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 10K, 1:1 User Capacity - 25K Log Capacity: 100K Weatherproof: IP65 Vandal Proof</p>		
MYCRO-FP3	MYCRO - Fingerprint + HID Prox Reader	870

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Fingerprint Reader + RFID Card Reader - HID Prox
 Sensor: Optical Sensor
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 10K, 1:1 User Capacity - 25K
 Log Capacity: 100K
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

MYCRO-FP4	MYCRO - Fingerprint + iCLASS/MiFARE/DESFire Reader	970
-----------	--	-----

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Fingerprint Reader + RFID Card Reader - iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 10K, 1:1 User Capacity - 25K
 Log Capacity: 100K
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

MYCRO-FP5	MYCRO - Fingerprint + EM Prox/HID Prox/iCLASS/MiFARE/DESFire Reader	1,130
-----------	---	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Fingerprint Reader + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 10K, 1:1 User Capacity - 25K
 Log Capacity: 100K
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

Invixium - SENSE Readers

SENSE-2-FP1	SENSE 2 FP1	1,852
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 The ideal biometric device for all indoor access control needs.
 Security: Fingerprint Reader Only
 Sensor: Optical Sensor
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

SENSE-2-FP2	SENSE 2 FP2	2,063
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 The ideal biometric device for all indoor access control needs.
 Security: Fingerprint Reader + RFID Card Reader - EM Prox/MiFARE/DESfire
 Sensor: Optical Sensor
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

SENSE-2-FP3	SENSE 2 FP3	2,132
-------------	-------------	-------

PART NUMBER	DESCRIPTION	MSRP
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>The ideal biometric device for all indoor access control needs. Security: Fingerprint Reader + RFID Card Reader - HID Prox Sensor: Optical Sensor PoE+ Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -4°F to +140°F</p>	
SENSE-2-FP4	SENSE 2 FP4	2,288
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>The ideal biometric device for all indoor access control needs. Security: Fingerprint Reader + RFID Card Reader - iCLASS/MiFARE/DESFire Sensor: Optical Sensor PoE+ Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -4°F to +140°F</p>	
SENSE-2-FP5	SENSE 2 FP5	2,413
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>The ideal biometric device for all indoor access control needs. Security: Fingerprint Reader + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire Sensor: Optical Sensor PoE+ Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -4°F to +140°F</p>	
SENSE-2-FPL1	SENSE 2 FPL1	2,245
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>The ideal biometric device for a broad range of harsh outdoor environments. Security: Fingerprint Reader Only Sensor: MultiSpectral Imaging Sensor with Liveness Detection PoE+ Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -4°F to +140°F</p>	
SENSE-2-FPL2	SENSE 2 FPL2	2,456
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> <p>The ideal biometric device for a broad range of harsh outdoor environments. Security: Fingerprint Reader + RFID Card Reader - EM Prox/MiFARE/DESFire Sensor: MultiSpectral Imaging Sensor with Liveness Detection PoE+ Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -4°F to +140°F</p>	

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

SENSE-2-FPL3	SENSE 2 FPL3	2,525
--------------	--------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The ideal biometric device for a broad range of harsh outdoor environments.
 Security: Fingerprint Reader + RFID Card Reader - HID Prox
 Sensor: MultiSpectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K:1 User Capacity - 100K
 Log Capacity: 500K
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

SENSE-2-FPL4	SENSE 2 FPL4	2,681
--------------	--------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The ideal biometric device for a broad range of harsh outdoor environments.
 Security: Fingerprint Reader + RFID Card Reader - iCLASS/MiFARE/DESFire
 Sensor: MultiSpectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

SENSE-2-FPL5	SENSE 2 FPL5	2,806
--------------	--------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The ideal biometric device for a broad range of harsh outdoor environments.
 Security: Fingerprint Reader + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire
 Sensor: MultiSpectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -4°F to +140°F

Invixium - TOUCH Readers

TOUCH-2-FP1	TOUCH 2 FP1	2,301
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + PIN + Face Detection
 Sensor: Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: White/Gold, Black/Chrome

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

TOUCH-2-FP2	TOUCH 2 FP2	2,512
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/MiFARE/DESFire
 Sensor: Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: White/Gold, Black/Chrome

TOUCH-2-FP3	TOUCH 2 FP3	1,475
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - HID Prox
 Sensor: Optical Sensor | PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C | Colors: White/Gold, Black/Chrome

TOUCH-2-FP4	TOUCH 2 FP4	1,555
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: White/Gold, Black/Chrome

TOUCH-2-FP5	TOUCH 2 FP5	2,877
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera

PART NUMBER	DESCRIPTION	MSRP
	2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: White/Gold, Black/Chrome	
TOUCH-2-FP1-W	TOUCH 2 FP1-W	2,553
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN Sensor: Optical Sensor PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux, Wi-Fi, Bluetooth 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: White/Gold, Black/Chrome	
TOUCH-2-FP2-W	TOUCH 2 FP2-W	2,765
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/MiFARE/DESFire Sensor: Optical Sensor PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux, Wi-Fi, Bluetooth 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: White/Gold, Black/Chrome	
TOUCH-2-FP3-W	TOUCH 2 FP3-W	2,849
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - HID Prox Sensor: Optical Sensor PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux, Wi-Fi, Bluetooth 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Wi-Fi Bluetooth Operating Temperature: -20°C to +60°C Colors: White/Gold, Black/Chrome	
TOUCH-2-FP4-W	TOUCH 2 FP4-W	2,974

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux, Wi-Fi, Bluetooth
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: White/Gold, Black/Chrome

TOUCH-2-FP5-W	TOUCH 2 FP5-W	3,143
---------------	---------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire
 Sensor: Optical Sensor
 PoE+Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux, Wi-Fi, Bluetooth
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: White/Gold, Black/Chrome

TOUCH-2-FPL1	TOUCH 2 FPL1	2,834
--------------	--------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of outdoor applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN
 Sensor: Multispectral Imaging Sensor with Liveness Detection
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Presence Detect
 Vandal Proof
 Weatherproof: IP65
 Operating Temperature: -20°C to +60°C
 Colors: Black/Titanium, Black/Chrome

TOUCH-2-FPL2	TOUCH 2 FPL2	3,074
--------------	--------------	-------

Requires IXM-WEB and either S-BIO or E-BIO

The perfect biometric solution for a variety of outdoor applications including both time & attendance tracking and access control
 Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/MiFARE/DESFire
 Sensor: Multispectral Imaging Sensor with Liveness Detection
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity - 20K, 1:1 User Capacity - 100K
 Log Capacity: 500K
 5 MP Camera
 2.4" IPS Capacitive Touchscreen
 Corning Gorilla Glass 5

PART NUMBER	DESCRIPTION	MSRP
	Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: Black/Titanium, Black/Chrome	
TOUCH-2-FPL3	TOUCH 2 FPL3	3,158
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of outdoor applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - HID Prox Sensor: Multispectral Imaging Sensor with Liveness Detection PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: Black/Titanium, Black/Chrome	
TOUCH-2-FPL4	TOUCH 2 FPL4	3,270
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of outdoor applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - iCLASS/MiFARE/DESFire Sensor: Multispectral Imaging Sensor with Liveness Detection PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: Black/Titanium, Black/Chrome	
TOUCH-2-FPL5	TOUCH 2 FPL5	3,451
	<p>Requires IXM-WEB and either S-BIO or E-BIO</p> The perfect biometric solution for a variety of outdoor applications including both time & attendance tracking and access control Security: Fingerprint Reader + Face Detection + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire Sensor: Multispectral Imaging Sensor with Liveness Detection PoE+ Device Powers Door Strike Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux 1:N User Capacity - 20K, 1:1 User Capacity - 100K Log Capacity: 500K 5 MP Camera 2.4" IPS Capacitive Touchscreen Corning Gorilla Glass 5 Presence Detect Vandal Proof Weatherproof: IP65 Operating Temperature: -20°C to +60°C Colors: Black/Titanium, Black/Chrome	

Invixium - TITAN Readers

TITAN-FPLV1	TITAN FPLV1	6,762
-------------	-------------	-------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN
 Sensor: Multispectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F | Colors: Carbon Black

TITAN-FPLV2	TITAN FPLV2	6,946
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN + RFID Card Reader - MiFARE/DESFire/EM Prox
 Sensor: Multispectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux | 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million | 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K | Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67
 Operating Temperature: -13°F to +167°F
 Colors: Carbon Black

TITAN-FPLV5	TITAN FPLV5	7,282
-------------	-------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MIFARE/DESFire
 Sensor: Multispectral Imaging Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen | Corning Gorilla Glass 5
 Wi-Fi | Bluetooth Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Carbon Black

TITAN-FPU1	TITAN FPU1	4,954
------------	------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN
 Sensor: FBI Certified Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

TITAN-FPU2	TITAN FPU2	5,135
------------	------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN + RFID Card Reader - MiFARE/DESFire/EM Prox
 Sensor: FBI Certified Optical Sensor
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

TITAN-FPU5	TITAN FPU5	5,459
------------	------------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Fingerprint + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire
 Sensor: FBI Certified Optical Sensor
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Fingerprint - 50K, 1:1 User Capacity Fingerprint - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

TITAN-FV1	TITAN FV1	6,581
-----------	-----------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Finger Vein + PIN
 Sensor: Finger Vein Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Finger Vein - 1000, 1:1 User Capacity Finger Vein - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

TITAN-FV2	TITAN FV2	6,762
-----------	-----------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Finger Vein + PIN + RFID Card Reader - MiFARE/DESFire/EM Prox
 Sensor: Finger Vein Sensor with Liveness Detection
 PoE+
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Finger Vein - 1000, 1:1 User Capacity Finger Vein - 500K
 Log Capacity: 500K
 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

TITAN-FV5	TITAN FV5	7,099
-----------	-----------	-------

Requires IXM-WEB and either S-BIO or E-BIO
 Security: Face Recognition + Finger Vein + PIN + RFID Card Reader - EM Prox/HID Prox/iCLASS/MiFARE/DESFire Sensor:
 Finger Vein Sensor with Liveness Detection
 PoE+
 Device Powers Door Strike
 Communication: TCP/IP, 512 Bit Customizable Wiegand Input/Output, RS-485, RS-232, USB Aux
 1:N User Capacity Face - 100K, 1:1 User Capacity Face - 1 million
 1:N User Capacity Finger Vein - 1000, 1:1 User Capacity Finger Vein - 500K
 Log Capacity: 500K | 21 MP Camera with Autofocus and LED Flash | Ultra HD 4K Video Recording
 2.2 GHz Quad core Qualcomm Snapdragon Processor
 5.0" 1080p IPS Capacitive Touchscreen
 Corning Gorilla Glass 5
 Wi-Fi | Bluetooth
 Battery Backup
 Presence Detect
 Vandal Proof
 Weatherproof: IP67 | Operating Temperature: -13°F to +167°F
 Colors: Anodized Silver, Carbon Black

Invixium Software

IXM-REPORTS	IXM Reports	535
-------------	-------------	-----

Requires IXM WEB
Includes ONE Year of Phone & Email support
 IXM Reports - Track. Monitor. Control.
 A basic time and attendance module to generate up to 17 different types of reports to prevent time theft and improve workforce productivity.

IXM-WEB	IXM Web	0
---------	---------	---

Includes ONE Year of Phone & Email support
 The management software for IXM Device and User registration, configuration, monitoring and reporting. A complete and independent enterprise solution with licensed modules, making Invixium a one stop shop for all biometric needs.
 Free with IXM Devices
 Centralized web server installation
 Browser based | Remote Accessibility
 T&A
 User & Device Groups
 Scheduled Backups
 Transaction Logs
 Panel Feedback

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

ZKAccess - Software

**For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.
 RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

ZKBioPack-Access It	ZKBioPack-Access It	401
---------------------	---------------------	-----

ZKBioPack software is launched from inside the Access It! interface, making it completely seamless to the user. ZKBioPack allows the user to enroll fingerprints and then subsequently synchronize those fingerprint (templates) with all the ZKAccess biometric readers on the user's network inc. F18 indoor fingerprint reader, TF1600 and TF1700 outdoor fingerprint readers, FV350 combination fingerprint and finger-vein indoor reader, and MB700 combination fingerprint and face indoor reader. Each computer running Access It! needs a copy of ZKBioPack-Access It! Also required is a ZK4500 enrollment reader.

ZKAccess - Enrollment Reader

**For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.
 RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

ZK4500	ZK4500 - Enrollment Fingerprint Reader	237
--------	--	-----

Enrollment fingerprint reader connected to computer running Access It! and ZKBioPack via USB.

ZKAccess - Standalone Biometric + RFID Readers

**For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.
 RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

FV350	FV350 - Fingerprint + Finger-vein + RFID Reader	1,680
-------	---	-------

Fingerprint & Finger-vein + RFID Reader
 Communication: TCP/IP and USB Host
 Wiegand Input/Output
 Finger-vein and Fingerprint Capacity: 1,000
 Logs Capacity: 30,000

FV350-Mifare	FV350-Mifare - Fingerprint + Finger-vein + RFID Reader with Mifare	1,780
--------------	--	-------

Fingerprint & Finger-vein + RFID Reader with Mifare
 Communication: TCP/IP and USB Host
 Wiegand Input/Output
 Finger Vein and Fingerprint Capacity: 1,000
 Logs Capacity: 30,000

F18-ID	F18-ID - Fingerprint + RFID Reader	1,014
--------	------------------------------------	-------

Fingerprint + RFID Reader
 Communication: TCP/IP, RS-485, and USB-Host
 Wiegand Input/Output
 Fingerprint Capacity: 3,000
 Logs Capacity: 30,000

F18-Mifare	F18-Mifare - Fingerprint + RFID Reader	1,122
------------	--	-------

Fingerprint + RFID Reader
 Communication: TCP/IP, RS485, and USB- Host
 Wiegand Input/Output: Mifare
 Fingerprint Capacity: 3,000
 Logs Capacity: 30,000

F18-HID	F18-HID - Fingerprint + RFID Reader	1,230
---------	-------------------------------------	-------

PART NUMBER	DESCRIPTION	MSRP
	Fingerprint + RFID Reader Communication: TCP/IP, RS-485, and USB-Host Wiegand Input/Output: HID Fingerprint Capacity: 3,000 Logs Capacity: 30,000	
MB800-ID	MB700-ID - Facial + Fingerprint + RFID Reader	1,066
	Facial + Fingerprint + RFID Reader Communication: TCP/IP and USB Host Wiegand Input/Output Fingerprint Capacity: 2,000 Face Capacity: 1,200 Logs Capacity: 10,000	
MB700-Mifare	MB700-Mifare - Facial + Fingerprint + RFID Reader	1,174
	Facial + Fingerprint + RFID Reader Communication: TCP/IP and USB Host Wiegand Input/Output: Mifare Fingerprint Capacity: 2,000 Face Capacity: 1,500 Logs Capacity: 10,000	
MB700-HID	MB700-HID - Facial + Fingerprint + RFID Reader	1,254
	Facial + Fingerprint + RFID Reader Communication: TCP/IP and USB Host Wiegand Input/Output: HID Fingerprint Capacity: 2,000 Face Capacity: 1,500 Logs Capacity: 10,000	
TF1700	TF1700 - Weatherproof (IP-65) Fingerprint + RFID Reader	1,273
	Weatherproof (IP-65) Fingerprint + RFID Reader Communication: TCP/IP and USB Host 26-bit Wiegand Input/Output Fingerprint Capacity: 3,000 Card Capacity: 10,000 Logs Capacity: 30,000	
TF1700-Mifare	TF1700-Mifare - Weatherproof (IP-65) Fingerprint + RFID Reader	1,381
	Weatherproof (IP-65) Fingerprint + RFID Reader Communication: TCP/IP and USB Host 26-bit Wiegand Input/Output: Mifare Fingerprint Capacity: 3,000 Card Capacity: 10,000 Logs Capacity: 30,000	

ZKAccess - Weigand Only Readers

**For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.
RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

KR500E	KR500E - Mullion Mount Proximity Reader	65
	Proximity mullion mount reader 125kHz 26 bit.	
KR500M	KR500M - Mullion Mount Mifare Reader	95
	Mifare mullion mount reader 13.56MHz 34 bit.	

PART NUMBER	DESCRIPTION	MSRP
KR501E	KR501E - Proximity Reader	65

Proximity wall mount reader 125kHz 26 bit.

KR501M	KR501M - Mifare Reader	95
--------	------------------------	----

Mifare wall mount reader 13.56MHz 34 bit.

ZKAccess - POE Injector and Splitter

For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.

RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.

12V DC POE SPL	POE - Injector and Splitter Power over Ethernet	134
----------------	---	-----

12VDC @ 2A Output

ZKAccess - Accessories - Cards and Fobs

For additional information, visit the ZKAccess website at <http://www.zkaccess.com/>.

RS2 offers the entire ZKAccess line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PROX-CARD-CLAMSHELL	125 kHz Clamshell Prox Card	2.16
---------------------	-----------------------------	------

PROX-CARD-ISO	125 KHz ISO Graphics Prox Card	2.16
---------------	--------------------------------	------

PROX-KEY-FOB	125 KHz Prox Key Tag Fob	4.32
--------------	--------------------------	------

PROX-STICKER	125 KHz Prox Wafer Sticker	4.32
--------------	----------------------------	------

MIFARE-CARD	MF1 S50 Mifare Card	4.32
-------------	---------------------	------

Credentials

aptiQ - Single Frequency Proximity Credentials (125kHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.

RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

7410	7410 - Proximity Card	4.32
------	-----------------------	------

Minimum order of 100
Clamshell style proximity card.

7510	7510 - Proximity Graphics Card	6.48
------	--------------------------------	------

Minimum order of 100
ISO graphic quality proximity card.

7610	7610 - Proximity Key Tag	6.48
------	--------------------------	------

Minimum order of 100
Key tag proximity fob.

aptiQ - ISOX Lite Cards (13.56MHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.
RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

Typical lead time is 1-4 weeks depending on credential ordered

9420	9420 - Smart Card	4.32
------	-------------------	------

Minimum order of 100
14443 ISO clamshell style smart card.

9520	9520 - Smart Graphics Card	6.48
------	----------------------------	------

Minimum order of 100
14443 ISO graphic quality smart card.

aptiQ - MIFARE Cards (13.56MHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.
RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

Typical lead time is 1-4 weeks depending on credential ordered

9451	9451 - MIFARE Card	6.48
------	--------------------	------

Minimum order of 100
14443 ISO clamshell style MIFARE card with 1Kbyte/8k bit memory.

9551	9551 - MIFARE Graphics Card	6.48
------	-----------------------------	------

Minimum order of 100
14443 ISO graphic quality MIFARE card with 1Kbyte/8k bit memory.

9558	9558 - MIFARE Graphics Card	10.80
------	-----------------------------	-------

Minimum order of 100
14443 ISO graphic quality MIFARE card with 4Kbyte/32k bit memory.

9651	9651 - MIFARE Key Tag	8.64
------	-----------------------	------

Minimum order of 50
Classic key tag MIFARE fob with 1Kbyte/8k bit memory.

PART NUMBER	DESCRIPTION	MSRP
aptiQ - MIFARE DESFire Card (13.56MHz)		

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.

RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

Typical lead time is 1-4 weeks depending on credential ordered

8420	2Kbyte/16k bit memory/14443 Clamshell Card	8.64
------	--	------

Minimum order of 100

8520	2Kbyte/16k bit memory/14443 ISO Graphic Quality Card	8.64
------	--	------

Minimum order of 100

8440	4Kbyte/32k bit memory/14443 Clamshell Card	8.64
------	--	------

Minimum order of 100

8540	4Kbyte/32k bit memory/14443 ISO Graphic Quality Card	9.50
------	--	------

Minimum order of 100

AWID - Cards and Tags (125kHz)		
---------------------------------------	--	--

For additional information, visit the AWID website at <http://www.awid.com/>.

RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PROX-LINC-CS	PROX-LINC-CS - Proximity Card	3.41
--------------	-------------------------------	------

Minimum order of 100

Clamshell style proximity card.

PROX-LINC-GR	PROX-LINC-GR - Proximity Graphics Card	5.16
--------------	--	------

Minimum order of 100

ISO graphic quality proximity card.

PROX-LINC-GRMAG	PROX-LINC-GRMAG - Proximity Graphics Magnetic Stripe Card	5.83
-----------------	---	------

Minimum order of 100

ISO graphic quality proximity card with 3 tracks of High-Co ABA magnetic stripes.

PROX-LINC-KT	PROX-LINC-KT - Proximity Key Tag	5.68
--------------	----------------------------------	------

Minimum order of 100

Key tag proximity fob.

PROX-LINC-WAFER	PROX-LINC-WAFER - Proximity ID Tag	5.03
-----------------	------------------------------------	------

Minimum order of 100

Proximity ID tag or wafer.

AWID - Cards and Tags (902-928 MHz)		
--	--	--

For additional information, visit the AWID website at <http://www.awid.com/>.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

WS-1216-0-0	WS-1216-0-0 - Windshield Tag	14.68
-------------	------------------------------	-------

Minimum order of 100
 Compatible reader: LR-911 long range
 Windshield tag for vehicles using 900 MHz passive tag technology.

MT-1014-0-0	MT-1014-0-0 - Metal Mount Tag	14.68
-------------	-------------------------------	-------

Minimum order of 100
 Compatible reader: LR-911 long range
 Metal mount tag for vehicles using 900 MHz passive tag technology.

AWID - Cards and Tags (UHF)

For additional information, visit the AWID website at <http://www.awid.com/>.

RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

CS-UHF-0-0	CS-UHF-0-0 - UHF Card	6.67
------------	-----------------------	------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Clamshell style UHF card with AWID logo.

GR-UHF-0-0	GR-UHF-0-0 - UHF Graphics Card	6.86
------------	--------------------------------	------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 ISO graphic quality UHF card.

VT-UHF-0-0	VT-UHF-0-0 - UHF Visor Tag for vehicles	11.22
------------	---	-------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Visor UHF tag for vehicles.

RV-UHF-0-0	RV-UHF-0-0 - UHF Rear View Mirror Tag	14.14
------------	---------------------------------------	-------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Rear view mirror UHF tag.

WS-UHF-0-U	WS-UHF-0-U - UHF Windshield Tag	14.14
------------	---------------------------------	-------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Windshield UHF tag.

MT-UHF-0-0	MT-UHF-0-0 - Metal Mount Tag	15.15
------------	------------------------------	-------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Metal mount UHF tag.

HT-UHF-0-0	HT-UHF-0-0 - UHF Hang Tag	9.41
------------	---------------------------	------

Minimum order of 100
 Compatible readers: LR-2000, LR-3000, or UA-612
 Custom printed tags may be special ordered by contacting your RSM for pricing and details
 Hands-free UHF blank hang tag.

PART NUMBER

DESCRIPTION

MSRP

Farpointe Data - Proximity Credentials

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>.

RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PDT-1	Proximity Disc Tag	3.52
-------	--------------------	------

Minimum order of 100

Adhesive proximity disc tag.

Farpointe Data - CONEKT™ Credentials (2.4-GHz Mobile and 13.56-MHz Contactless Smartcard)

CMC-2	2.4-GHz Mobile credential supporting BLE-enabled smartphones	8.64
-------	--	------

Minimum order of 25

Mobile access credential

CSC-2	High-security clamshell-style card	8.64
-------	------------------------------------	------

Minimum order of 100

CSM-2P	High-security ISO-style composite card	8.64
--------	--	------

Minimum order of 100

CSM-2S	High-security ISO-style composite card with HiCo (2750Oe) magnetic stripe	8.64
--------	---	------

Minimum order of 100

CSK-2	High-security key fob-style tag	8.64
-------	---------------------------------	------

Minimum order of 100

Farpointe Data - MAXSecure™ Proximity Credentials

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>.

RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PDT-1-MAX	MAXSecure™ Proximity Disc Tag	3.52
-----------	-------------------------------	------

Minimum order of 100

Proximity disc tag with RS2 MAXSecure.

PSC-1-MAX	MAXSecure™ Standard Light Proximity Card	3.02
-----------	--	------

Minimum order of 100

Standard light proximity clamshell style card with RS2 MAXSecure.

PSI-4-MAX	MAXSecure™ Image Technology Proximity Card	3.02
-----------	--	------

PART NUMBER	DESCRIPTION	MSRP
	<p>Minimum order of 100 Image technology proximity .046" thick PVC graphic quality card with RS2 MAXSecure.</p>	
PSK-3-MAX	MAXSecure™ Proximity Key Ring Tag	6.69
	<p>Minimum order of 100 Proximity key ring tag with brass eyelet and RS2 MAXSecure.</p>	
PSM-2P-MAX	MAXSecure™ Multi-Technology Proximity Card	5.61
	<p>Minimum order of 100 Multi-technology proximity .031" thick ISO graphic quality card with RS2 MAXSecure.</p>	
PSM-2S-MAX	MAXSecure™ Multi-Technology Proximity With Magstripe Card	6.15
	<p>Minimum order of 100 Multi-technology proximity .031" thick ISO graphic quality card with magstripe and RS2 MAXSecure.</p>	

Farpointe Data - Pyramid Series Proximity® 125-kHz Credentials

PSC-1	Standard Light Proximity Card	3.02
	<p>Minimum order of 100 Standard light proximity clamshell style card.</p>	
PSI-4	Image Technology Proximity Card	3.02
	<p>Minimum order of 100 Thick PVC Printable (0.046-in.); (Farpointe) Pyramid Series Proximity® supported.</p>	
PSK-3	Proximity Key Ring Tag	6.69
	<p>Minimum order of 100 Proximity key ring tag with brass eyelet.</p>	
PSM-2P	Multi-Technology Proximity Card	5.61
	<p>Minimum order of 100 ISO-Style, PVC Printable; (Farpointe) Pyramid Series Proximity® supported</p>	
PSM-2S	Multi-Technology Proximity With Magstripe Card	6.15
	<p>Minimum order of 100 ISO-Style, PVC Printable, w/ magnetic stripe; (Farpointe) Pyramid Series Proximity® supported.</p>	

Farpointe Data - Delta Contactless Smartcards

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>. RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

DC1-1	DC1-1 - Delta Multi-Technology Smartcard	4.32
	<p>Minimum order of 100 Delta Multi-technology ISO 1K contactless clamshell style smartcard.</p>	
DM1-3S	DM1-3S - Delta Multi-Technology Graphics With Magstripe Smartcard	4.53

PART NUMBER	DESCRIPTION	MSRP
<p>Minimum order of 100 Delta Multi-technology ISO 1K contactless graphic quality smartcard with magnetic stripe.</p>		
DM1-3	DM1-3 - Delta Multi-Technology Graphics Smartcard	3.93
<p>Minimum order of 100 Delta Multi-technology ISO 1K contactless graphic quality smartcard.</p>		
DK1-3	DK1-3 - Delta Combo-Frequency Smartcard Key Tag	7.51
<p>Minimum order of 100 Delta Combo-frequency ISO 1K contactless smartcard key tag fob.</p>		

HID - Proximity Cards (125kHz)

When placing orders for HID iCLASS® products, include the full HID part numbers as outlined within the Readers and Credentials How To Order Guide https://www.hidglobal.com/sites/default/files/resource_files/pli-02630_a.0_readers_and_credentials_htog.pdf

1326	1326 - ProxCard® II Proximity Card	4.32
<p>Custom minimum order of 100 ProxCard II RF programmable proximity clamshell style card.</p>		
1336	1336 - DuoProx® II Graphics Proximity With Magstripe Card	6.93
<p>Custom minimum order of 100 DuoProx II RF programmable graphics quality proximity card with magstripe.</p>		
1346LNSMN/3	1346LNSMN/3 - ProxKey® III Proximity Key Tag	8.64
<p>Incremental orders of 25 for in house RS2 format ProxKey III RF programmable proximity key tag fob with 33-Bit F/C: 3 RS2 card format.</p>		
1346	1346 - ProxKey® III Proximity Key Tag	8.64
<p>Custom minimum order of 100 ProxKey III RF programmable proximity key tag fob.</p>		
1386LGGMN/3	1386LGGMN/3 - ISOProx® II Graphics Proximity Card	6.48
<p>Incremental orders of 50 for in house RS2 format ISOProx II RF programmable graphic quality proximity card with 33-Bit F/C: 3 RS2 card format.</p>		
1386	1386 - ISOProx® II Graphics Proximity Card	6.48
<p>Custom minimum order of 100 ISOProx II RF programmable graphic quality proximity card.</p>		
1391LSSMN/3	1391LSSMN/3 - MicroProx® Proximity Tag	4.58
<p>Incremental orders of 25 for in house RS2 format MicroProx RF programmable peel-off self-adhesive back 0.930" diameter proximity tag with 33-Bit F/C: 3 RS2 card format.</p>		
1391	1391 - MicroProx® Proximity Tag	4.58
<p>Custom minimum order of 100 MicroProx RF programmable peel-off self-adhesive back 0.930" diameter proximity tag.</p>		

PART NUMBER	DESCRIPTION	MSRP
1351	1351 - ProxPass® II Long Range Active Proximity Tag	39.08

Custom minimum order of 100

ProxPass II long range active proximity tag for vehicles.

HID - iCLASS® Cards (13.56MHz)

When placing orders for HID iCLASS® products, include the full HID part numbers as outlined within the Readers and Credentials How To Order Guide https://www.hidglobal.com/sites/default/files/resource_files/plt-02630_a.0_readers_and_credentials_htog.pdf

2000PGGMN/3	2000PGGMN/3 - iCLASS® Contactless Graphics Card	4.95
-------------	---	------

Incremental orders of 50 for in house RS2 format

iCLASS contactless graphics card with 2K bits, 2 application areas, and the 33-Bit F/C: 3 RS2 card format.

2000	iCLASS® Contactless Graphics Card	4.95
------	-----------------------------------	------

Custom minimum order of 100

iCLASS contactless graphicscard with 2K bits, 2 application areas.

2050PNNMN/3	2050PNNMN/3- iCLASS® Contactless Key Tag	6.43
-------------	--	------

Incremental orders of 25 for in house RS2 format

iCLASS contactless key tag fob with 2K bits, 2 application areas, and the 33-Bit F/C: 3 RS2 card format.

2050	2050 - iCLASS® Contactless Key Tag	6.43
------	------------------------------------	------

Custom minimum order of 100

iCLASS contactless key tag fob with 2K bits, 2 application areas.

2060	iCLASS® Contactless Smart Tag	4.33
------	-------------------------------	------

iCLASS® Contactless Smart Tag
2K bits with 2 application areas, adhesive back (minimum order of 100)

2080PGSMV/3	2080PGSMV/3 - iCLASS® Contactless Card	4.32
-------------	--	------

Incremental orders of 25 for in house RS2 format

iCLASS contactless clamshell style card with 2K bits, 2 application areas, and the 33-Bit F/C: 3 RS2 card format.

2080	2080 - iCLASS® Contactless Card	4.32
------	---------------------------------	------

Custom minimum order of 100

iCLASS contactless clamshell style card with 2K bits, 2 application areas.

HID - iCLASS Seos® Cards (13.56MHz)

When placing orders for HID iCLASS® products, include the full HID part numbers as outlined within the Readers and Credentials How To Order Guide https://www.hidglobal.com/sites/default/files/resource_files/plt-02630_a.0_readers_and_credentials_htog.pdf

5005	5005 - iCLASS Seos® Card (SIO)	10.08
------	--------------------------------	-------

Custom minimum order of 100

iCLASS Seos card with 16K bytes programmed with Secure Identity Object™.

5006	5006 - iCLASS Seos® Card (SIO)	4.95
------	--------------------------------	------

PART NUMBER	DESCRIPTION	MSRP
	Custom minimum order of 100 iCLASS Seos card with 8K bytes programmed with Secure Identity Object™.	
5105	5105 - iCLASS Seos® + Proximity Card	15.11
	Custom minimum order of 100 iCLASS Seos 16K bytes + proximity card.	
5106	5106 - iCLASS Seos® + Proximity Card	10.80
	Custom minimum order of 100 iCLASS Seos 8K bytes + proximity card.	
52060	52060 - iCLASS Seos® + iCLASS® + Proximity Card	15.11
	Custom minimum order of 100 iCLASS Seos 8K bytes + iCLASS 2K bits (256 bytes) with 2 application areas + proximity card.	

HID - iCLASS SE® Cards (13.56MHz)

When placing orders for HID iCLASS® products, include the full HID part numbers as outlined within the Readers and Credentials How To Order Guide https://www.hidglobal.com/sites/default/files/resource_files/plt-02630_a.0_readers_and_credentials_htog.pdf

3000PG1MN	3000 - iCLASS SE® Contactless Smart Card	6.48
	Custom minimum order of 100 iCLASS SE Contactless Smart Card, 2k bit with 2 application areas	

HID - Mobile Access® Cards (125kHz/13.56MHz/Bluetooth)

The HID Mobile Access Service Subscription provides the Enterprise Enduser access to the HID Mobile Access application on the Secure Identity Services portal and is auto-renewed and billed to the HID Channel Partner each year. On cancellation of the subscription, access to the Secure Identity Services portal and therefore management of the Mobile IDs is no longer possible.

xxxx is the personalized suffix and is unique for each Enterprise Enduser

MOBILE-ID	HID Mobile Access® - Mobile ID	10.80
	Custom minimum order of 100 MOB KEY REQUIRED HID Mobile Access mobile ID	
SEC9X-CRD-E-MKYD	HID Mobile Access® - Mobile Admin Card	40
	Custom minimum order - Contact RS2 to discuss. REQUIRED for all new mobile systems. Place on your order with initial card/reader order MOB KEY, Organization ID, Enduser Name REQUIRED on purchase order HID Mobile Access mobile admin card - used to load keys and activate a mobile-ready card reader	

Wavelynx LEAF Credentials

50h2	ISO Card LEAF.h2 (2 KB)	3.50
50h4	ISO Card LEAF.h4 (4 KB)	4.51

PART NUMBER	DESCRIPTION	MSRP
50h8	ISO Card LEAF.h8 (8 KB)	5.27
51h2	ISO Card LEAF.h2 (2 KB) w/ Magstripe	3.81
51h4	ISO Card LEAF.h4 (4 KB) w/ Magstripe	4.81
51h8	ISO Card LEAF.h8 (8 KB) w/ Magstripe	5.57
40h2	ISO Card LEAF.h2 (2 KB)	3.50
40h4	ISO Card LEAF.h4 (4 KB)	4.51
40h8	ISO Card LEAF.h8 (8 KB)	5.27
Wavelynx Multitech LEAF & Prox Credentials		
50h2-px	ISO Card LEAF.h2 (2 KB) + Prox	6.38
50h4-px	ISO Card LEAF.h4 (4 KB) + Prox	7.39
50h8-px	ISO Card LEAF.h8 (8 KB) + Prox	8.15
51h2-px	ISO Card LEAF.h2 (2 KB) w/ Magstripe + Prox	6.69

PART NUMBER	DESCRIPTION	MSRP
51h4-px	ISO Card LEAF.h4 (4 KB) w/ Magstripe + Prox	7.69

51h8-px	ISO Card LEAF.h8 (8 KB) w/ Magstripe + Prox	8.45
---------	---	------

Wavelynx MIFARE Credentials

5021	ISO Card Mifare Classic 1K	2.58
------	----------------------------	------

5024	ISO Card Mifare Classic 4K	3.36
------	----------------------------	------

5121	ISO Card Mifare Classic 1K w/ Magstripe	2.79
------	---	------

5124	ISO Card Mifare Classic 4K w/ Magstripe	3.56
------	---	------

Wavelynx Prox Credentials

4001	Clamshell Card - Prox	2.06
------	-----------------------	------

6001	Keyfob - Prox	2.84
------	---------------	------

7001	Disc Patch Tag - Prox	2.63
------	-----------------------	------

5001	ISO Card - Prox	2.16
------	-----------------	------

5101	ISO Card - Prox w/ Mag Stripe	2.16
------	-------------------------------	------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Wavelynx Mobile Credentials

BLX-ISSUER	BlueLynx Mobile Credential Issuer (SW+USB device + 50 credentials)	299
BLX-100	BlueLynx recharge card - 100 credentials	199
BLX-500	BlueLynx recharge card - 500 credentials	699
BLX-1000	BlueLynx recharge card - 1000 credentials	999

Enclosures Bruder

MSMB01	MSMB01 - Enclosure	138
<p style="color: red; margin: 0;">Accepts Mercury EP1501, MR50, or MR51e</p> <p style="margin: 0;">8”h x 7”w x 4” d non-metallic enclosure. Comes with two ½” knockouts top, bottom, and back and 3/4” knockouts top and bottom. Includes: Standoffs and screws for mounting with key and lock. No Tamper switch.</p>		
MSMB01T	MSMB01T Enclosure	153
<p style="color: red; margin: 0;">Accepts Mercury EP1501, MR50, or MR51e</p> <p style="margin: 0;">8”h x 7”w x 4”d non-metallic enclosure with two ½” knockouts top, bottom, and back and 3/4” knockouts top and bottom, Includes: Standoffs and screws for mounting with key and lock, Tamper switch installed.</p>		
MSMB02	MSMB02 Enclosure	162
<p style="color: red; margin: 0;">Accepts Mercury EP1502, EP2500, MR16 IN/OUT, MR52</p> <p style="margin: 0;">12”w x 12”h x 4”d non-metallic enclosure. Comes with ½” knockouts top, bottom, and back, ¾” knockouts top and bottom, and 1” knockouts top and bottom. Includes: Standoffs and screws for mounting with key and lock. No Tamper switch.</p>		
MSMB02T	MSMB02T Enclosure	177
<p style="color: red; margin: 0;">Accepts Mercury EP1502, EP2500, MR16 IN/OUT, MR52</p> <p style="margin: 0;">12”w x 12”h x 4”d non-metallic enclosure. Comes with ½” knockouts top, bottom, and back, ¾” knockouts top and bottom, and 1” knockouts top and bottom. Includes: Standoffs and screws for mounting with key and lock. Tamper switch installed.</p>		

LifeSafety Power - Battery Enclosures

BS1	BS1 BATTERY SHELF	40
BATTERY SHELF FOR E2, E4 ENCLOSURE		

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

E2	E2 Battery FLEXPOWER E Series Enclosure	176
----	---	-----

LSP - FLEXPOWER E Series Enclosures - E2 Enclosure 20"x16"x4.5"

E4	E4 Battery FLEXPOWER E Series Enclosure	194
----	---	-----

LSP - FLEXPOWER E Series Enclosures - E4 Enclosure 24"x20"x4.5"

LifeSafety Power - Door/Single Voltage

12VDC or 24VDC power supply.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

FPO75-D8PE2M	12/24VDC, 8 auxiliary Class 2 outputs	518
--------------	---------------------------------------	-----

Maximum Mercury panels: 1

2DR Single Voltage Integrated RS2 Power System: 75W power supply 6A/12V or 3A/24V, 8 auxiliary output class 2 power limited at 2.5A per output, E2M enclosure with RS2 controller back plate.
Enclosure: 20 x 16 x 4.5

FPO75-D8PE4M	12/24VDC, 8 auxiliary Class 2 outputs	461
--------------	---------------------------------------	-----

Maximum Mercury panels: 2

4DR Single Voltage Integrated RS2 Power System: 75W power supply 6A/12V or 3A/24V, 8 auxiliary output class 2 power limited at 2.5A per output, E4M enclosure with RS2 controller back plate.
Enclosure: 24 x 20 x 4.5

FPO150-D8PE4M	12/24VDC, 8 auxiliary Class 2 outputs	546
---------------	---------------------------------------	-----

Maximum Mercury panels: 4

8DR Single Voltage Integrated RS2 Power System: 150W power supply 12A/12V or 6A/24V, 8 auxiliary outputs class 2 power limited at 2.5A per output, E4M enclosure with RS2 controller back plate.
Enclosure: 24 x 20 x 4.5

FPO150-D8PE6M	12/24VDC, 8 auxiliary Class 2 outputs	902
---------------	---------------------------------------	-----

Maximum Mercury panels: 4

8DR Single Voltage Integrated RS2 Power System - larger enclosure: 150W power supply 12A/12V or 6A/24V, 8 auxiliary outputs class 2 power limited at 2.5A per output, E6M enclosure with RS2 controller back plate.
Enclosure: 30 x 23 x 6.5

FPO150-2D8PE4M1	12/24VDC, 16 auxiliary Class 2 outputs	680
-----------------	--	-----

Maximum Mercury panels: 9

16DR Single Voltage Integrated RS2 Power System: 150W power supply 12A/12V or 6A/24V, 16 auxiliary outputs class 2 power limited at 2.5A per output, E4M1 enclosure with RS2 controller back plate and door mount kit.
Enclosure: 24 x 20 x 4.5

FPO150-2D8PE6M1	12/24VDC, 16 auxiliary Class 2 outputs	1,092
-----------------	--	-------

Maximum Mercury panels: 9

16DR Single Voltage Integrated RS2 Power System - larger enclosure: 150W power supply 12A/12V or 6A/24V, 16 auxiliary outputs class 2 power limited at 2.5A per output, E6M1 enclosure with RS2 controller back plate and door mount kit.
Enclosure: 30 x 23 x 6.5

FPO150-2D8PE8M1	12/24VDC, 16 auxiliary Class 2 outputs	1,323
-----------------	--	-------

PART NUMBER	DESCRIPTION	MSRP
	<p>Maximum Mercury panels: 9 16DR Single Voltage Integrated RS2 Power System - largest enclosure: 150W power supply 12A/12V or 6A/24V, 16 auxiliary outputs class 2 power limited at 2.5A per output, E8M1 enclosure with RS2 controller back plate and door mount kit. Enclosure: 36 x 30 x 4.5</p>	
FPO150-2D8PE8M2	12/24VDC, 16 auxiliary Class 2 outputs	1,235

Maximum Mercury panels: 8
 16DR Single Voltage Integrated RS2 Power System - largest enclosure: 150W power supply 12A/12V or 6A/24V, 16 auxiliary outputs class 2 power limited at 2.5A per output, E8M2 enclosure with RS2 controller back plate.
 Enclosure: 36 x 30 x 4.5

LifeSafety Power - Door/Dual Voltage

12VDC and 24VDC power supply.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

FPO75-B100C4E2M	12 and 24VDC, 4 fused lock	464
-----------------	----------------------------	-----

Maximum Mercury panels: 1
 2DR Dual Voltage Integrated RS2 Power System: 75W 2A/12V and 2A/24V, 4 fused lock control outputs, E2M enclosure with RS2 controller back plate.
 Enclosure: 20 x 16 x 4.5

FPO75-B100C4D8PE4M	12 and 24VDC, 4 fused lock and 8 auxiliary Class 2 outputs	575
--------------------	--	-----

Maximum Mercury panels: 2
 4DR Dual Voltage Integrated RS2 Power System: 75W 2A/12V and 2A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 4 lock control outputs fused at 3A per output, E4M enclosure with RS2 controller back plate.
 Enclosure: 24 x 20 x 4.5

FPO150-B100C8D8PE4M	12 and 24VDC, 8 fused lock and 8 auxiliary Class 2 outputs	678
---------------------	--	-----

Maximum Mercury panels: 4
 8DR Dual Voltage Integrated RS2 Power System - small enclosure: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 lock control outputs fused at 3A per output, E4M enclosure with RS2 controller back plate.
 Enclosure: 24 x 20 x 4.5

FPO150-B100C8D8PE4M1	12 and 24VDC, 8 fused lock and 8 auxiliary Class 2 outputs	777
----------------------	--	-----

Maximum Mercury panels: 4
 8DR Dual Voltage Integrated RS2 Power System - medium enclosure: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 lock control outputs fused at 3A per output, E4M1 enclosure with RS2 controller back plate and door kit.
 Enclosure: 24 x 20 x 4.5

FPO150-B100C8D8PE6M	12 and 24VDC, 8 fused lock and 8 auxiliary Class 2 outputs	1,034
---------------------	--	-------

Maximum Mercury panels: 4
 8DR Dual Voltage Integrated RS2 Power System - larger enclosure: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 lock control outputs fused at 3A per output, E6M enclosure with RS2 controller back plate.
 Enclosure: 30 x 23 x 6.5

FPO150/250-2C82D8PE4M1	12 and 24VDC, 16 fused lock and 16 auxiliary Class 2 outputs	1,079
------------------------	--	-------

Maximum Mercury panels: 9
 16DR Dual Voltage Integrated RS2 Power System - smaller enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 lock control outputs fused at 3A per output, E4M1 enclosure with RS2 controller back plate and door mount kit.
 Enclosure: 24 x 20 x 4.5

FPO150/250-2C82D8PE6M1	12 and 24VDC, 16 fused lock and 16 auxiliary Class 2 outputs	1,490
------------------------	--	-------

PART NUMBER	DESCRIPTION	MSRP
	<p>Maximum Mercury panels: 8</p> <p>16DR Dual Voltage Integrated RS2 Power System - medium enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 lock control outputs fused at 3A per output, E6M1 enclosure with RS2 controller back plate and door mount kit. Enclosure: 30 x 23 x 6.5</p>	

FPO150/250-2C82D8PE8M1	12 and 24VDC, 16 fused lock and 16 auxiliary Class 2 outputs	1,721
------------------------	--	-------

	<p>Maximum Mercury panels: 9</p> <p>16DR Dual Voltage Integrated RS2 Power System - larger enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 lock control outputs fused at 3A per output, E8M1 enclosure with RS2 controller back plate and door mount kit. Enclosure: 36 x 30 x 4.5</p>	
--	--	--

FPO150/250-2C82D8PE8M2	12 and 24VDC, 16 fused lock and 16 auxiliary Class 2 outputs	2,452
------------------------	--	-------

	<p>Maximum Mercury panels: 8</p> <p>16DR Dual Voltage Integrated RS2 Power System - larger enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 lock control outputs fused at 3A per output, E8M2 enclosure with RS2 controller back plate. Enclosure: 36 x 30 x 4.5</p>	
--	---	--

LifeSafety Power - Door/Dual Voltage Networked

12VDC and 24VDC power supply with network monitoring.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

FPO150-B100D8PM8NL4E4M	12 and 24VDC, 8 managed fused and 8 auxiliary Class 2 outputs	1,039
------------------------	---	-------

	<p>Maximum Mercury panels: 4</p> <p>8DR Dual Voltage Integrated RS2 Networked Power System: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 managed control outputs fused at 3A per output, E4M enclosure with RS2 controller back plate. System monitors and reports on power supplies, battery set health and managed output condition. Enclosure: 24 x 20 x 4.5</p>	
--	---	--

FPO150-B100D8PM8NL4E4M1	12 and 24VDC, 8 managed fused and 8 auxiliary Class 2 outputs	1,138
-------------------------	---	-------

	<p>Maximum Mercury panels: 9</p> <p>8DR Dual Voltage Integrated RS2 Networked Power System: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 managed control outputs fused at 3A per output, E4M1 enclosure with RS2 controller back plate and door mount kit. System monitors and reports on power supplies, battery set health and managed output condition. Enclosure: 24 x 20 x 4.5</p>	
--	---	--

FPO150-B100D8PM8NL4E6M	12 and 24VDC, 8 managed fused and 8 auxiliary Class 2 outputs	1,395
------------------------	---	-------

	<p>Maximum Mercury panels: 4</p> <p>8DR Dual Voltage Integrated RS2 Networked Power System - larger enclosure: 150W 4A/12V and 4A/24V, 8 auxiliary class II outputs power limited at 2.5A per output and 8 managed control outputs fused at 3A per output, E6M enclosure with RS2 controller back plate. System monitors and reports on power supplies, battery set health and managed output condition. Enclosure: 30 x 23 x 6.5</p>	
--	--	--

FPO150/250-2D8P2M8NL4E6M1	12 and 24VDC, 16 managed fused and 16 auxiliary Class 2 outputs	1,972
---------------------------	---	-------

	<p>Maximum Mercury panels: 9</p> <p>16DR Dual Voltage Integrated RS2 Networked Power System: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 managed control outputs fused at 3A per output, E6M1 enclosure with RS2 controller back plate and door mount kit. System monitors and reports on power supplies, battery set health and managed output condition. Enclosure: 30 x 23 x 6.5</p>	
--	--	--

FPO150/250-2D8P2M8NL4E8M1	12 and 24VDC, 16 managed fused and 16 auxiliary Class 2 outputs	2,203
---------------------------	---	-------

	<p>Maximum Mercury panels: 9</p> <p>16DR Dual Voltage Integrated RS2 Networked Power System - larger enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 managed control outputs fused at 3A per output, E8M1 enclosure with RS2</p>	
--	--	--

PART NUMBER	DESCRIPTION	MSRP
	controller back plate and door mount kit. System monitors and reports on power supplies, battery set health and managed output condition. Enclosure: 36 x 30 x 4.5	
FPO150/250-2D8P2M8NL4E8M2	12 and 24VDC, 16 managed fused and 16 auxiliary Class 2 outputs	2,115

Maximum Mercury panels: 8

16DR Dual Voltage Integrated RS2 Networked Power System - larger enclosure: 400W 12A/12V and 20A/24V, 16 auxiliary class II outputs power limited at 2.5A per output and 16 managed control outputs fused at 3A per output, E8M2 enclosure with RS2 controller back plate. System monitors and reports on power supplies, battery set health and managed output condition.
Enclosure: 36 x 30 x 4.5

LifeSafety Power - Mercury Rackmount/Single Voltage

12VDC or 24VDC power supply.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

RGM75-D8PZ	75W Mercury rack mount system, 8 aux out / Z bracket	832
------------	--	-----

Maximum Mercury panels: 3

4DR Single Voltage Integrated RS2 Rack Mount Power System: 75W power supply 6A/12V or 3A/24V, 8 auxiliary output class 2 power limited at 2.5A per output, R2U locking rack mount enclosure mounts two RS2 controllers. Z wire mgmt arm included.
Enclosure: R2U

LifeSafety Power - Mercury Rackmount/Dual Voltage

12VDC and 24VDC power supply.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

RGM75B-C4PZ	75W Mercury rack mount system, Dual Voltage, 4 lock out / Z bracket	986
-------------	---	-----

Maximum Mercury panels: 2

4DR Dual Voltage Integrated RS2 Rack Mount Power System: 75W 2A/12V and 2A/24V, 4 lock control outputs class 2 power limited at 2.5A per outputs, R2U locking rack mount enclosure mounts two RS2 controllers. Z wire mgmt arm included.
Enclosure: R2U

LifeSafety Power - Mercury Rackmount/Dual Voltage Networked

12VDC and 24VDC power supply with network monitoring.

To use the LifeSafety Power managed power integration to control LifeSafety Power devices through the Mercury controller, the LifeSafety Power enclosure must be purchased through RS2 Technologies in order to work. If the device is not purchased through RS2 Technologies, the managed power integration will not work and no support will be provided for the integration.

RGM75B-M8PNZ	75W Mercury rack mount system/networked, 12 & 24VDC, 8 managed out, Z bracket	1,420
--------------	---	-------

Maximum Mercury panels: 2

4DR Dual Voltage Integrated RS2 Networked Rack Mount Power System: 75W 2A/12V and 2A/24V, 8 managed control outputs class 2 power limited at 2.5A per outputs, R2U locking rack mount enclosure mounts two RS2 controllers. Z wire mgmt arm included.
Enclosure: R2U

NCL Series

NCL-SBE	NCL-SBE - Single Board Enclosure	229
---------	----------------------------------	-----

Compatible boards: LP-1501, LP-1502, LP-4502, MR-50-S3, MR-52-S3, MR-62e, MR-16IN-S3, and MR-16OUT-S3

Single board metal enclosure for SCP family boards 12"(H) x 10"(W) x 4"(D), finished in cool grey powder coat inside and out.
Includes:

- (1) 1A Linear power supply with battery charger
- (1) 1.3 Ah 12 Volt battery
- (1) 16.5VAC 40VA plug-in transformer

PART NUMBER	DESCRIPTION	MSRP
NCL-SBE-CAB	NCL-SBE-CAB - Single Board Enclosure - Cabinet Only	117
<p>Cabinet only Compatible boards: LP-4502, LP-1502, LP-1501, MR-52-S3, MR-50-S3, MR-62E, MR-16IN-S3, and MR-16OUT-S3 Single board metal enclosure for SCP family boards 12"(H) x 10"(W) x 4"(D), finished in cool grey powder coat inside and out.</p>		
NCL	NCL - Enclosure	317
<p>Recommended (1) LIN-PS 12-24VDC 2.5A, linear power supply or (1) SW-PS 12-24VDC 4A, switching power supply - sold separately Recommended (1) BAT-70 7.0 Ah, 12 Volt battery - sold separately 18 gauge steel hardware enclosure 18"(H) x 15"(W) x 4"(D), finished in cool grey powder coat inside and out. Includes: (1) Cabinet lock (1) Tamper switch (1) Metal quick reference pocket (1) Installation legend (1) Mounting hardware pack for the access control modules</p>		
NCL-KIT-U	NCL-KIT-U - NCL Unassembled Package	490
<p>This enclosure ships unassembled NCL Unassembled Package - 18 gauge steel hardware enclosure 18"(H) x 15"(W) x 4"(D) with cabinet lock, tamper switch, metal quick reference pocket, installation legend and mounting hardware pack for the access control modules, finished in cool grey powder coat inside and out. Includes: (1) LIN-PS - 12-24VDC 2.5A, Linear power supply (1) BAT-70 - 7.0 Ah, 12 Volt battery (1) TP1640 - 16.5VAC 40VA Plug-in transformer</p>		
NCL-KIT-A	NCL-KIT-A - NCL Assembled Package	619
<p>This enclosure ships assembled NCL Assembled Package - 18 gauge steel hardware enclosure 18"(H) x 15"(W) x 4"(D) with cabinet lock, tamper switch, metal quick reference pocket, installation legend and mounting hardware pack for the access control modules, finished in cool grey powder coat inside and out. Includes: (1) LIN-PS - 12-24VDC 2.5A, Linear power supply (1) BAT-70 - 7.0 Ah, 12 Volt battery (1) TP1640 - 16.5VAC 40VA Plug-in transformer</p>		
NCL-8-SPW-FUSED	NCL-8-SPW-FUSED - Enclosure	3,080
<p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted) NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Semi Pre-Wired (SPW) Enclosure – Pre-Wired for Board Power, RS485 communications and Door Control for up to four boards (LP-1502, MR-52-S3, MR-16IN-S3, & MR-16OUT-S3). Includes: 12/24VDC 20A power supply/charger, (1) ACM8 door control relay board w/Fire Alarm Interface and 1" x 3" wire management system with cover. Field connected by 1 ½" - 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, finished in cool grey powder coat inside and out.</p>		
NCL-8-SPW-BREAKER	NCL-8-SPW-BREAKER - Enclosure	3,080
<p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted) NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Semi Pre-Wired (SPW) Enclosure – Pre-Wired for Board Power, RS485 communications and Door Control for up to four boards (LP-1502, MR-52-S3, MR-16IN-S3, & MR-16OUT-S3). Includes: 12/24VDC 20A power supply/charger, (1) ACM8 door control relay board w/Fire Alarm Interface and 1" x 3" wire management system with cover. Field connected by 1 ½" - 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, finished in cool grey powder coat inside and out.</p>		
NCL-12	NCL-12 - Enclosure	809
<p>NEMA Type 1 lockable enclosure 24"(H) x 18"(W) x 4.5"(D) 110VAC direct wire ready, 18 gauge steel vented hardware enclosure for up to 12 readers with built in cable management. Includes: 110VAC illuminated reset switch/breaker, 6 amp super clean linear performance power supply charger, switched DC power distribution module with 4 (1.93A) thermally protected circuit breaker outputs and status LED's, rechargeable lead acid 7.0</p>		

PART NUMBER	DESCRIPTION	MSRP
	Ah, 12 Volt battery, cabinet lock, tamper switch, metal quick reference pocket, and mounting hardware pack for up to 6 access control modules, finished in cool grey powder coat inside and out.	
NCL-12UL	NCL-12UL - UL Security Listed Enclosure	1,457
	<p>Devices compatible with 7th edition of UL294: EP-1502, LP-1502, EP-2500, LP-2500, MR-52, MR52-S3, MR-16IN, MR16IN-S3, MR-16OUT, MR16OUT-S3, MUX-8 Only Stand-Alone system was evaluated by UL Refer to NCL-12UL Hardware Installation Manual DOCNCL12UL-R1</p> <p>NEMA Type 1 lockable enclosure 24"(H) x 18"(W) x 4.5"(D) 110VAC direct wire ready, 18 gauge steel vented hardware enclosure for up to 12 readers with built in cable management. Includes: built-in cable management, illuminated switch, 6A super clean linear performance power supply/charger, switched DC power distribution module with 4 (1.93A) thermally protected breaker outputs & stat LED's, 12V 7.0 Ah lead acid battery, cabinet lock, tamper switch, quick ref pocket, & mounting hardware, finished in cool grey powder coat inside and out.</p>	
NCL-12-WMS	NCL-12-WMS - Enclosure	1,327
	<p>NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Configured for up to six boards (LP-1502, MR-52-S3, MR-16IN-S3, & MR-16OUT-S3). Includes 1" x 3" Wire Management System (WMS) with cover. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, finished in cool grey powder coat inside and out.</p>	
NCL-MAX-8	NCL-MAX-8 - Enclosure	4,895
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-1502 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (4) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out.</p>	
NCL-MAX-8-LP-1502	NCL-MAX-8-EP-1502 - Enclosure	4,895
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-2500 or MINI-SCPE</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (3) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out.</p>	
NCL-MAX-12	NCL-MAX-12 - Enclosure	6,883
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-1502 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (6) MR-52-S3' S (2 MR-52-S3'S are on Large Door) Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out.</p>	
NCL-MAX-12-LP-1502	NCL-MAX-12-LP-1502 - Enclosure	6,883
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-2500 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (5) MR-52-S3' S (2 MR-52-S3'S are on Large Door) Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knockouts, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1"</p>	

PART NUMBER	DESCRIPTION	MSRP
	edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keys and finished in cool grey powder coat inside and out.	
NCL-MAX-4ADD	NCL-MAX-4ADD - Enclosure	2,238
	<p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>Backplane pre-wired for up to (2) MR-52' S Includes: Backplane to mount on Large Door of NCL-MAX-8. Each pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 18"(W) x 1/2"(D), flanged on two sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs and finished in cool grey powder coat inside and out.</p>	
NCL-MAX-PSADD	NCL-MAX-PSADD - Power Supply	602
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately</p> <p>12/24VDC 10/5A power supply addition to the NCL-MAX8 or NCL-MAX12 enclosure.</p>	
NCL/SPW 24V PS	NCL/SPW 24V PS - Power Supply	643
	12/24VDC 20A power supply/charger that includes standoffs, screws, and 14ga SOW input cable.	
NCL-8-SPW-LS	NCL-8-SPW-LS - Enclosure	3,166
	<p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Semi Pre-Wired (SPW) Enclosure – Pre-Wired for Board Power, RS485 communications and Door Control for up to four boards (LP-1502, MR-52-S3, MR-16IN-S3, & MR-16OUT-S3). Includes: 12/24VDC 20A power supply/charger, (1) ACM8 door control relay board w/Fire Alarm Interface and 1" x 3" wire management system with cover. Field connected by 1 ½" - 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, and finished in cool grey powder coat inside and out. Includes: LifeSafety FPO150 12/24 power supply B100 12 v step down board, M8 controller board.</p>	
NCL-8-SPW-LSNL2	NCL-8-SPW-LSNL2 - Enclosure	3,674
	<p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA Type 1 lockable enclosure 36"(H) x 24"(W) x 5"(D), Semi Pre-Wired (SPW) Enclosure – Pre-Wired for Board Power, RS485 communications and Door Control for up to four boards (LP-1502, MR-52-S3, MR-16IN-S3, & MR-16OUT-S3). Includes: 12/24VDC 20A power supply/charger, (1) ACM8 door control relay board w/Fire Alarm Interface and 1" x 3" wire management system with cover. Field connected by 1 ½" - 2" and 1/2" knock-outs, as installation requires. Door is removable and includes two standard 217 Keyway locks with (2) Keys, tamper switch, metal quick reference pocket and mounting hardware pack for the access control modules, and finished in cool grey powder coat inside and out with a NL2 Network board.</p>	
NCL-MAX-8-LS	NCL-MAX-8-LS - Enclosure	5,245
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately</p> <p>Does not accept LP-1502</p> <p>WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (4) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: LifeSafty FPO150 12/24 P/S, 3 B100 12v step down boards.</p>	
NCL-MAX-8-LP-1502-LS	NCL-MAX-8-LP-1502-LS - Enclosure	5,245
	<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately</p> <p>Does not accept LP-2500</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (3) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: LifeSafety FPO150 12/24 P/S, 3 B100 12v step down boards.</p>	

PART NUMBER	DESCRIPTION	MSRP
NCL-MAX-8-LSNL2	NCL-MAX-8-LSNL2 - Enclosure	6,020
<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-1502 Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (4) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: NL2 Network Board</p>		
NCL-MAX-8-LP-1502-LSNL2	NCL-MAX-8-LP-1502-LSNL2 - Enclosure	6,020
<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-2500</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (3) MR-52-S3' S Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: NL2 Network Board</p>		
NCL-MAX-12-LS	NCL-MAX-12-LS - Enclosure	7,237
<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-1502 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (6) MR-52-S3' S (2 MR-52-S3'S are on Large Door) Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: LifeSafty FPO150 12/24 P/S, 3 B100 12v step down boards.</p>		
NCL-MAX-12-LP-1502-LS	NCL-MAX-12-LP-1502-LS - Enclosure	7,237
<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-2500 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (5) MR-52-S3' S (2 MR-52'S are on Large Door) Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes LifeSafety FPO150 12/24 P/S, 3 B100 12v step down boards.</p>		
NCL-MAX-12-LSNL2	NCL-MAX-12-LSNL2 - Enclosure	7,656
<p>Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately Does not accept LP-1502 Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)</p> <p>NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-2500 and (6) MR-52-S3' S (2 MR-52-S3'S are on Large Door) Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out. Includes: NL2 Network Board</p>		

PART NUMBER	DESCRIPTION	MSRP
NCL-MAX-12-LP-1502-LSNL2	NCL-MAX-12-EP-1502-LSNL2 - Enclosure	7,656

Recommended (2) BAT-70 7.0 Ah, 12 Volt batteries - sold separately
 Does not accept LP-2500
 WARNING: Lock Output Power is set to 24 VDC (12 VDC optional - Field Converted)
 NEMA 1 Type (non-rated) lockable enclosure 30"(H) x 30"(W) x 8"(D) pre-wired for up to (1) LP-1502 and (5) MR-52-S3' S (2 MR-52-S3'S are on Large Door)
 Includes: 12/24VDC 20A power supply/charger, (1) command 12/24V 30A fire drop-out relay. Field connected by 2" and 1/2-3/4" concentric knock-outs, as installation requires. Each enclosure comes with a removable pre-wired back panel fabricated from 16 gauge steel. Panel dimensions 28"(H) x 28"(W) x 1/2"(D), flanged on four sides with four holes one in each corner centered 1" edge-to-edge mounted on collar studs. Doors are hinged 67/33 split locked in center and includes a standard 217 Keyway with (2) Keys and finished in cool grey powder coat inside and out with a NL2 Network board.

Enclosure Options

4AP	4 MR-50 Mounting Adapter Plate for NCL Enclosure	41
-----	--	----

Adapter plate for mounting up to four MR-50 boards within the NCL enclosure.
 Includes:
 (1) Adapter plate
 (16) 6-32x3/8" zinc plated Philips machine screws
 (16) #6 zinc plated split lock-washers

MS6X8BMK	Mounting Kit for Mounting Mercury Security Boards to Existing Enclosures	71
----------	--	----

Compatible boards: LP-1502, LP-2500, LP-4502, MR-52-S3, MR-16IN-S3, and MR-16OUT-S3
 Mounting kit for mounting Mercury Security Boards to existing enclosures.
 Includes:
 (1) 6"x8" cool gray mounting play
 (4) 1/8"x1/8" rivetsfor mounting
 (4) #10 self tapping screws
 (4) 1/4" standoffs
 (8) Standoff screws

LIN-PS	12-24VDC 2.5A Linear Power Supply	140
--------	-----------------------------------	-----

May be used for powering access control modules, proximity and magstripe readers
 Requires an external transformer, see TP1640, T1656, or T1656C
 Recommended (1) BAT-70 7.0 Ah 12 Volt battery - sold separately
 12-24VDC 2.5A linear power supply.
 Includes:
 (1) Battery charger
 (1) Power fail detection
 (4) 6-32x3/8" zinc plated Philips machine screws
 (4) #6 zinc plated split lock-washers

TP1640	16.5VAC 40VA Plug-in Transformer	28
--------	----------------------------------	----

16.5VAC 40VA Plug-in transformer UL listed for use with the LIN-PS.

T1656	16VAC 56VA Open Frame Transformer	69
-------	-----------------------------------	----

16VAC 56VA open frame transformer UL recognized for use with the LIN-PS.

T1656CP	16VAC 56VA Open Frame Transformer	160
---------	-----------------------------------	-----

16VAC 56VA Open Frame Transformer UL recognized for use with the LIN-PS mounted within a gray 8.5"(H) x 7.75"(W) x 3.5"(D) enclosure.

PART NUMBER	DESCRIPTION	MSRP
SW-PS	12-24VDC 4A switching power supply	155
	<p>May be used for powering access control module and magstripe readers May NOT be used for powering proximity readers Requires an external transformer, see TP2440, T24130 or T24130C Recommended (1) BAT-70 7.0 Ah 12 Volt battery - sold separately</p> <p>12-24VDC 4A switching power supply. Includes: (1) Battery charger (1) Power fail detection (4) 6-32x3/8" zinc plated Philips machine screws (4) #6 zinc plated split lock-washers</p>	
TP2440	24VAC 40VA Plug-in Transformer	26
	24VAC 40VA Plug-in Transformer UL listed for use with the SW-PS.	
T2428100	24VAC 100VA Open Frame Transformer	69
	24VAC 100VA Open Frame Transformer UL recognized for use with the SW-PS.	
T2428100CP	24VAC 100VA Open Frame Transformer	183
	24VAC 100VA Open Frame Transformer UL recognized for use with the SW-PS mounted within a gray 8.5"(H) x 7.75"(W) x 3.5"(D) enclosure.	
BAT-70	Rechargeable battery, 7.0 Ah ,12 Volt	43
	<p>Rechargeable battery, 7.0 Ah ,12 Volt. Includes: (1) Set of battery leads (1) Battery bracket for NCL enclosure</p>	
BAT-13	Access It! First Step Replacement Battery, 1.3 Ah ,12 Volt	22
	Access It! First Step Replacement Battery, 1.3 Ah ,12 Volt.	

Integrated Readers and Locksets

ALL locking devices NOT purchased through RS2 will be subject to a Lock License Fee.

Lock License Fees

Locking devices purchased through RS2 include their associated lock license. Locking devices purchased through other channels require the purchase of a lock license fee (LLF) detailed within their appropriate section.

Allegion Locksets

AD300, AD400, and NDE

As many of these items are custom orders up to 65% restocking fee may apply!

ALLEGION-LOCKSETS	Allegion Locksets	MSRP
	<p>Average lead time of 4 - 6 weeks Contact your Regional Sales Manager for product descriptions and MSRP pricing.</p>	
PIM400-TD2	Two Door Wiegand or Clock & Data Panel Interface Module	950

Requires external 12 VDC power

PART NUMBER	DESCRIPTION	MSRP
	<p>Requires RLBD Requires one traditional reader port wired Wiegand or clock & data per door Compatible SIOs: LP-1501, LP-1502, MR-50-S3, MR-52-S3, or MR-62e Panel interface module supporting up to two wireless AD series devices with outdoor enclosure standard.</p>	
RLBD	AD Series Dry Contact Relay Board	274
	AD series dry contact relay add on board for either the PIM400-TD2 or PIB300-2D required for use when wiring to traditional reader ports.	
593PI-12	12 Vdc Power Supply	132
	<p>Requires LP-2500 System Control Panel (SCP) 120 VAC to 12 VDC power supply used to power PIM400-TD2, PIM400-485 and WRI400.</p>	
HHD-KIT	Handheld Device With Allegion Utility Software With HH-SERIAL Cable	1,396
	<p>HH-SERIAL cable is used to connect the hand held device to the computer interface peripheral (CIP) when programming legacy CM/CL/KC products Handheld Device with Allegion Utility Software installed, HHD-USB cable, and touch screen operation. Used to initialize lock and accessories with SUS and configure and test devices. Includes: (1) HH-SERIAL cable</p>	
HHD-KIT-USB	Handheld Device With Allegion Utility Software	1,396
	<p>Only works with AD and CO devices Handheld Device with Allegion Utility Software installed, HHD-USB cable, and touch screen operation. Used to initialize lock and accessories with SUS and configure and test devices.</p>	
PIM400-1501-S3	Sixteen Door AD Series Intelligent Controller	3,292
	<p>Unit is internally pre-wired in enclosure with external USB connection for programming the PIM400 and external RJ-45 jack for LP-1501 PoE and network connectivity Panel interface module with integrated Mercury-Security PoE LP-1501 intelligent controller supporting up to sixteen wireless AD series devices.</p>	
PIM400-485	Sixteen Door Wireless AD Series RS-485 Panel Interface Module	1,750
	<p>Compatible SCPs: LP-2500 Requires external 12 VDC Power Panel interface module supporting up to sixteen wireless AD series devices with outdoor enclosure standard.</p>	
NDE-ENGAGE-GATEWAY	Engage Gateway with IP (PoE) and RS-485 Communication	860
	<p>Up to 16 ENGAGE Gateways can be installed to a single controller Recommended using no more than 8 ENGAGE Gateways per RS-485 bus Each ENGAGE Gateway can control up to 10 lock devices Compatible SCPs: · LP-1501 supports up to 16 NDE lock devices · LP-2500 supports up to 64 NDE lock devices Engage gateway with IP (PoE) and RS-485 communication.</p>	
TK400	AD Series Wireless Test Kit	1,856
	<p>AD series wireless test kit used to evaluate system design and signal strength before installation. Includes: (1) WPR400-DT - Wireless portable signal tester (1) PIM400-TD2 - Panel interface module (1) Power Supply for PIM400-TD2 (1) Rechargeable batteries (1) Battery charger (1) Carrying case</p>	

PART NUMBER	DESCRIPTION	MSRP
WPR400-MT	AD Series Multi-Technology Wireless Portable Reader	2,215
<p>Requires: PIM400-TD2, PIM400-1501, or PIM400-485</p> <p>AD series multi-technology wireless portable reader used to extend a facilities access control to remote locations. Includes: (1) WPR400-MT - AD series multi-technology wireless portable reader (1) WPR400/TK400 - Battery charger</p>		
WRI400	Wireless Reader Interface	1,118
<p>Requires PIM400-TD2, PIM400-1501, or PIM400-485</p> <p>Wireless reader interface for hard to reach openings providing wireless connectivity to traditional access control components such as card readers, door contacts, and request to exit switches.</p>		
GCK400	Wireless Gate Control Kit	3,296
<p>Wireless gate control kit Includes: (1) ANT400-REM-I/O (1) WRI400 (1) PIM400-TD2 (1) 593PI-12 (1) MGB-MCA5</p>		
ECK400	Wireless Elevator Control Kit	3,153
<p>Wireless elevator control kit Includes: (1) ANT400-REM-I/O (1) WRI400 (1) PIM400-TD2 (1) 593PI-12</p>		

ASSA ABLOY Wiegand-Compatible / IP Enabled Locksets

The selling and installation of ASSA ABLOY Locksets requires certification by RS2 Technologies and ASSA ABLOY. Certified ASSA ABLOY dealers have logins to the Intelligent Openings website where the product pricing is available. Contact your Regional Sales Manager for details regarding training certification.

As many of these items are custom orders up to 65% restocking fee may apply

ASSA-LOCKSETS	ASSA ABLOY Wiegand-Compatible / IP Enabled Locksets	MSRP
<p>Requires one of the Access It! Universal.NET IP Lock Software Interface License (S-IP or E-IP)</p> <p>Login to the Intelligent Openings website for product descriptions and MSRP pricing at http://www.intelligentopenings.com/en/site/intelligentopenings.</p>		
IN120-LLF	IN120 Lock License Fee	200
<p>You must provide the serial number for each device connected to Access It! Universal.NET if NOT purchased through RS2</p> <p>Lock License connection fee for all IN120 locking devices not purchased through RS2. Includes: (1) Integrated reader count addition to existing dongle license</p>		
APERIO-LLF	APERIO Lock License Fee	200
<p>You must provide the serial number for each device connected to Access It! Universal.NET if NOT purchased through RS2</p> <p>Lock License connection fee for all APERIO locking devices not purchased through RS2. Includes: (1) Integrated reader count addition to existing dongle license</p>		
ASSA-IP-LLF	ASSA Wiegand-Compatible / IP Enabled Lock License Fee	200
<p>You must provide the serial number for each device connected to Access It! Universal.NET if NOT purchased through RS2</p> <p>Lock License connection fee for certain variations of Sargent, Corbin Russwin, and YALE locking devices not purchased through RS2.</p>		

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Includes:
(1) Integrated reader count addition to existing dongle license

SALTO

SALLIS and SHIP

As many of these items are custom orders up to 65% restocking fee may apply

SALTO-LOCKSETS	SALTO Wireless Locksets	MSRP
----------------	-------------------------	------

Contact your Regional Sales Manager for product descriptions and MSRP pricing.

SALTO-LLF	SALTO Lock License Fee	200
-----------	------------------------	-----

Lock license connection fee for all SALTO locking devices not purchased through RS2.
Includes:
(1) Integrated reader count addition to existing dongle license

CU42E0US	XS4 2.0 Read-Write Ethernet Control Unit	1,437
----------	--	-------

SALTO XS4 2.0 Read-Write Ethernet control unit.

UBOX9000US	IP Updater - UBOX	578
------------	-------------------	-----

SALTO IP Updater - UBOX used for integrating through a traditional Mercury reader port.

WRDB0A4	XS4 2.0 Wall Reader	505
---------	---------------------	-----

Specify black or white
SALTO XS4 2.0 Wall Reader; BLE; Mifare/DESfire; ANSI; use with CU42 CU; IP66.

CB250N60CSB3	XS4 Mini Electronic Escutcheon	575
--------------	--------------------------------	-----

SALTO XS4 mini electronic escutcheon; BLE; N handle; 2 3/8 backset; satin chrome finish.

PPD800	Portable Programming Device	816
--------	-----------------------------	-----

SALTO portable programming device with contactless capabilities for compatibility with XS4 2.0 products.
Includes:
(1) Cable included to connect to the lock
(1) USB connection to the PC

EC90ENUS	Proximity Card Encoder Mifare/DESfire	1,243
----------	---------------------------------------	-------

SALTO proximity card encoder Mifare/DESfire with Ethernet connection.

SPAONLINE	ProAccess SPACE Software - Online	1,222
-----------	-----------------------------------	-------

SALTO ProAccess SPACE Software - Online, web-based software.
Including all the functions from the Basic package, plus Lockdown, Antipassback, Event Stream, Automatic Key Assignment, Roll Call, and Limited Occupancy.

PFM04KR-10PACK	Contactless Smart FOB Mifare 4KByte	72
----------------	-------------------------------------	----

Package of 10 fobs.
SALTO contactless smart FOB Mifare 4KByte with red frame & white center and SALTO logo.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

SimonsVoss

NOT available within the United States
As many of these items are custom orders up to 65% restocking fee may apply

SIMONSSVOSS-LOCKSETS	SimonsVoss Wireless Locksets	MSRP
<p>Not available in the United States Only one Mercury-Security compatible SimonsVoss router per downstream port may be used Contact your Regional Sales Manager for product descriptions and MSRP pricing.</p>		

SVOSS-LLF	SimonsVoss Lock License Fee	200
<p>Lock license connection fee for all SimonsVoss locking devices not purchased through RS2. Includes: (1) Integrated reader count addition to existing dongle license</p>		

Telaeris

XPRESS-ENTRY-SERVER, TELAERIS-PACS-INTEGRATION, and XPE-XPRESSAT-TERMINAL parts must all be purchased together from RS2 Technologies to receive support in the configuration of this integration.
All readers not purchased through RS2 Technologies require TELAERIS-RDRLF

TELAERIS-PACS-INTEGRATION	Telaeris PACS Integrations	5,000
<p>Requires XPRESS-ENTRY-SERVER and XPE-XPRESSAT-TERMINAL Integration module connecting Access It! Universal.NET XPRESS-ENTRY-SERVER and Access It! Universal.NET Supports real-time access events from mobile reader Supports live-mustering and tracking in Access It! Universal.NET Displays cardholder image on XPE XPressAT Terminal</p>		

TELAERIS-RDRLF	Telaeris Reader License Fee	400
<p>Telaeris Reader License Fee Reader license fee for Telaeris readers not purchased through RS2 Technologies. Includes: (2) Integrated reader count increment applied to an existing dongle</p>		

XPE-XPRESSAT-TERMINAL	Telaeris XPE XPressAT Terminal Multi-Tech Card Reader	5,000
<p>Requires XPRESS-ENTRY-SERVER and TELAERIS-PACS-INTEGRATION Includes (2) integrated readers license All readers not purchased through RS2 Technologies require TELAERIS-RDRLF Mobile credential reader that integrates with Access It! Universal.NET to provide mobile access control and mustering solutions. Card Technology: iClass, Prox, Indala, Mifare, PIV Weather Rating: IP65 Communication: GPRS, WiFi, Bluetooth</p>		

XPE-XPRESSAT-TERMINAL-BARCODE	Telaeris XPE XPressAT Terminal Barcode Only Reader	3,750
<p>Requires XPRESS-ENTRY-SERVER and TELAERIS-PACS-INTEGRATION Includes (2) integrated readers license All readers not purchased through RS2 Technologies require TELAERIS-RDRLF Mobile credential reader that integrates with Access It! Universal.NET to provide mobile access control and mustering solutions. Card Technology: Barcode reader only Communication: GPRS, WiFi, Bluetooth Weather Rating: IP65</p>		

XPRESS-ENTRY-SERVER	Telaeris XPressEntry Server	4,000
<p>Requires TELAERIS-PACS-INTEGRATION and XPE-XPRESSAT-TERMINAL The management software for Telaeris Device and User registration, configuration, monitoring, and reporting.</p>		

Intercoms

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Zenitel Adaptor Plates

1072160000	1600TA TURBINE Sub Plate	129
------------	--------------------------	-----

1008140050	TA-5 - Bracket-US 2-Gang Backbox	39
------------	----------------------------------	----

Zenitel AlphaCom Software & Licenses

1009291120	92911 AlphaPro Professional - US	2,990
------------	----------------------------------	-------

1009641001	9641-001 1 Station License	500
------------	----------------------------	-----

1009641006	9641-006 6 Station License	2,000
------------	----------------------------	-------

1009640008	9640-008 8 Dynamic License	3,900
------------	----------------------------	-------

1009643001	9643-001 SIP Station License - 1	297
------------	----------------------------------	-----

1009642002	9642-002 SIP Trunking 2 - Lines	2,750
------------	---------------------------------	-------

1009648501	Enhanced Auto Message License	3,250
------------	-------------------------------	-------

1009649901	API License-40 Users	968
------------	----------------------	-----

Zenitel AlphaCom XE Audio Server

PART NUMBER	DESCRIPTION	MSRP
1009601003	AlphaCom XE1 Audio Server	2,500

Zenitel Back boxes

1008140010	TA-1 Surface Back Box-Turbine	91
------------	-------------------------------	----

1008140020	Flush Back Box-Turbine	29
------------	------------------------	----

Zenitel Emergency Help Points - Stanchions/Wall Units

2809016000	1600 Deluxe Tower	6,311
------------	-------------------	-------

2809016010	1601 Econo Tower	4,558
------------	------------------	-------

2809016002	1600 Tower w/ Mass Notification	15,425
------------	---------------------------------	--------

2809016020	1602 Deluxe Wall Unit	2,577
------------	-----------------------	-------

2809016029	1602 Deluxe Wall Unit-Slim Line	2,577
------------	---------------------------------	-------

2809016030	1603 Econo Wall Unit	1,907
------------	----------------------	-------

2809016039	1603 Econo Wall Unit - Slim Line	1,907
------------	----------------------------------	-------

Zenitel Exigo & Exigo PA Panels

PART NUMBER	DESCRIPTION	MSRP
1023301310	ELSII-10H IP Horn Loudspeaker	840

1023300010	ELSIR-10C IP Ceiling Speaker-1	845
------------	--------------------------------	-----

Zenitel IC-Edge System Licenses

1009661001	IC-EDGE IP Station License	319
------------	----------------------------	-----

Required above 32 IP stations

1009662001	IC-EDGE Telephone Trunk	880
------------	-------------------------	-----

1009661201	1 x IC-EDGE SIP-Client Extensions	355
------------	-----------------------------------	-----

1009661206	6 x IC-EDGE SIP-Client Extensions	2,118
------------	-----------------------------------	-------

Zenitel IP Gateways & Accessories

3006204094	MP-114 SIP Gateway	999
------------	--------------------	-----

2200002000	MP-11x Rack Mounting Kit	100
------------	--------------------------	-----

Zenitel IP Master Stations

1008000000	80000 IP Desk Master-Display-White	825
------------	------------------------------------	-----

1008001000	80010 IP Desk Master-Handset & Display - White	1,050
------------	--	-------

PART NUMBER	DESCRIPTION	MSRP
1008007000	IP Desk Dual Display Station	1,035
1008015000	8015 IP OR Wall Master & Display	1,565
1008031000	8031 IP Wall Master & Display	1,100
Zenitel IP Substations		
1008111010	TCIS-1, Yellow 1-Button w/M&C Keys	999
1008111020	TCIS-2, SS 1-Button	999
1008111030	TCIS-3, Black 1-Button	875
1008111040	TCIS-4, Black 1-But w-Display	1,059
1008111050	TCIS-5, Black 2-But w-Display	1,159
1008111060	TCIS-6, Black Scroll-Display	1,259
100811191	TCIS-C1 2 Button Emergency / Info	1,500
1008116010	TMIS-1, 1-Button	677

PART NUMBER	DESCRIPTION	MSRP
1008116020	TMIS-2, SS 1-Button	787

Zenitel IP Video Stations

1008115020	TCIV-2 Vandal/Stainless Steel	1,875
------------	-------------------------------	-------

1008115030	TCIV-3 Black Single Button	1,705
------------	----------------------------	-------

1008115060	TCIV-6 Black Scrolling	2,045
------------	------------------------	-------

1490001010	ITSV-1 Video Master	535
------------	---------------------	-----

Zenitel Station Kits/Accessories

1008131020	TKIS-2 VoIP Intercom Module	435
------------	-----------------------------	-----

1008132020	TKIE-2 Turbine Extended Module	905
------------	--------------------------------	-----

TV3-KIT	TCIV-3 Video Door Entry IC-EDGE Kit	2,199
---------	-------------------------------------	-------

Part 1009661001 - IC-EDGE IP Station License required for over 32 stations

- Includes:
 (1) TA-1
 (1) TCIV-3
 (1) ITSV-1

Intrusion Detection Equipment

Mercury Intelligent Keypad

MR-DT	Keypad with Display Terminal	619
-------	------------------------------	-----

16 position keypad with an integrated 2 line by 16 character back-lit LCD display and a reader port.

PART NUMBER	DESCRIPTION	MSRP
PIV Integration		
Codebench® - pivCLASS Validation Work Station and MS		

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PVC-D/S	PVC-D/S - PIVCheck Desktop Software	2,530
---------	-------------------------------------	-------

PIVCheck desktop software that allows a solid, three-step authentication process, extract cardholder data from a FIPS 201-compliant smart card, and on-card biometrics using a fingerprint capture device capable of single fingerprint capture.

PVC-D/S-MS	PVC-D/S-MS - Annual Technical Support Plan	330
------------	--	-----

Annual technical support plan for PIVCheck Plus desktop software only.

PVCAT-D	PVCAT-D - PIVCheck Desktop Audit Trail Software	1,484
---------	---	-------

PIVCheck desktop audit trail software enables PCs running PIVCheck desktop edition to upload their validation activity logs to a central database for consolidated validation activity and exception reporting.

PVCAT-D-MS	PVCAT-D-MS - Validation Workstation Audit Trail Maintenance and Annual Support	194
------------	--	-----

First year included with purchase
Monday - Friday, 8AM to 5PM Central Time

Validation workstation audit trail maintenance and annual support subscription service.

Codebench® - pivCLASS Registration Engine and Certificate Manager		
--	--	--

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PVCP-D/S-19-00	PVCP-D/S-19-00 - PIVCheck Plus Desktop Software	12,299
----------------	---	--------

PIVCheck plus desktop software audit trail software with 1 plug-in.

PVCP-D/S-MS	PVCP-D/S-MS - Annual Technical Support Plan for PIVCheck Plus Desktop Software	1,604
-------------	--	-------

PVC-CM	PVC-CM - PIVCheck Certificate Manager Software	18,670
--------	--	--------

PIVCheck certificate manager software revalidates imported cardholder certificates at regular intervals, ensuring that the credentials used PACS are backed by a valid set of digital certificates.

PVC-CM-MS	PVC-CM-MS - Annual Technical Support Plan for PIVCheck Certificate Manager Software	1,928
-----------	---	-------

PVC-CM-REDNT	PVC-CM-REDNT - pivCLASS Certificate Manager - Redundant Copy	7,391
--------------	--	-------

One license per PACS
Primary PVC-CM required
First year maintenance and support included in purchase price

PART NUMBER	DESCRIPTION	MSRP
	pivCLASS certificate manager - redundant copy for use as hot backup.	
PVC-CM-REDNT-MS	PVC-CM-REDNT-MS - pivCLASS Certificate Manager Redundant Copy Maintenance and Support	964

First year included with purchase

Monday - Friday, 8AM to 5PM Central Time

pivCLASS certificate manager redundant copy maintenance and support annual subscription service.

Codebench® - pivCLASS Passage

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PVC-PAS	PVC-PAS - PIVCheck Passage	489
	PIVCheck Passage allows a PC running PIVCheck or PIVCheck Plus, or a mobile reader running OMNICheck Plus or OMNICheck Plus with PACS Registration, to send a Wiegand signal to a PACS control panel to open a door or gate after a successful card validation .	
PVC-PAS-REDNT	PVC-PAS-REDNT - pivCLASS Passage Software - Redundant Copy	245

One license per PACS

Primary PVC-PAS required

First year maintenance and support included in purchase price

pivCLASS passage software - redundant copy for use as hot backup.

PVC-PCB	PVC-PCB - pivCLASS Passage Converter Board	782
	Hardware board that converts the received valid identifier into Wiegand format and sends to PACS. One board per access point is required.	

Codebench® - pivCLASS Reader Services

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PVC-FXRDR	PVC-FXRDR - PIVCheck Fixed Reader Service	251
	One per fixed bio reader	
	PIVCheck Fixed Reader Service provides a programmable interface between the PIVCheck PACS Service database and certain fixed, biometric readers, enabling those readers to request information related to a given FASC-N. Based on XML-RPC, the Fixed Reader Service module exposes a simple, yet secure API for cardholder information requests.	
PVC-FXRDR-MS	PVC-FXRDR-MS - Annual Technical Support Plan for PIVCheck Fixed Reader Service	33

One per fixed bio reader

Codebench® - pivCLASS Mobile Validation Software

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

OMNPR-SW-19-00	OMNPR-SW-19-00 - pivCLASS Mobile Registration Engine	12,299
----------------	--	--------

Does not include mobile reader

pivCLASS mobile registration engine includes software and support documentation.

PART NUMBER	DESCRIPTION	MSRP
OMNP-SW	OMNP-SW - pivCLASS Mobile Validator	3,807
	<p>Does not include mobile reader</p> <p>pivCLASS mobile validator includes software and supporting documentation.</p>	
OMNP-MS	OMNP-MS - pivCLASS Mobile Validator Maintenance and Support	497
	<p>First year included with purchase</p> <p>Monday - Friday, 8AM to 5PM Central Time</p> <p>pivCLASS mobile validator maintenance and support annual subscription service.</p>	
OMNPR-MS	OMNPR-MS - pivCLASS Mobile Registration Engine Maintenance and Support Annual	1,604
	<p>First year included with purchase</p> <p>Monday - Friday, 8AM to 5PM Central Time</p> <p>pivCLASS mobile registration engine maintenance and support annual subscription service.</p>	

Codebench® - USB Reader and Biometric Sensor

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

MSO1300e	MSO1300e - Desktop MorphoSmart Optic	510
	Desktop MorphoSmart optic with FBI certified sensor (USB) with contact reader.	

Codebench® - pivCLASS Authentication Module - Hardware, Firmware and M&S

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

91000ABNNN	91000ABNNN - M2000 - pivCLASS Authentication Module	2,325
	<p>First year included with purchase</p> <p>M2000 - pivCLASS authentication module (PAM) FIPS-201 hardware module, preloaded firmware and documentation (with plastic enclosure back plate & cover).</p>	
91000-MS	91000-MS - PAM Firmware Maintenance and Support	65
	<p>First year included with purchase</p> <p>Monday - Friday, 8AM to 5PM Central Time</p> <p>PAM firmware maintenance and support, annual fee (per unit), first year included with purchase.</p>	

Codebench® - pivCLASS Bundles

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

B920NHR	B920NHR - pivCLASS 2 Reader Bundle for CHUID, CAK Authentication	2,741
	<p>First year PAM maintenance and support included with purchase</p> <p>pivCLASS 2 Reader Bundle for CHUID, CAK Authentication Includes: One (1) PAM with cover and back plate, two (2) R40-H Contactless Finished Smart Card Readers, Wall Switch, No Prox, FDX. Supports FIPS 201 CHUID and CAK authentication modes.</p>	

PART NUMBER	DESCRIPTION	MSRP
B920PHR	B920PHR - pivCLASS 2 Reader Bundle for CHUID, CAK Authentication	2,847

First year PAM maintenance and support included with purchase

pivCLASS 2 Reader Bundle for CHUID, CAK Authentication Includes: One (1) PAM with cover and back plate, two (2) RP40-H Contactless Finished Smart Card Readers, Wall Switch, with Prox, FDX. Supports FIPS 201 CHUID and CAK authentication modes and all (Std) Prox.

B923NPR	B923NPR - pivCLASS 2 Reader Bundle for PIV Authentication	3,607
---------	---	-------

First year PAM maintenance and support included with purchase

pivCLASS 2 Reader Bundle for PIV Authentication, Key Pad, LCD Includes: One (1) PAM with cover and back plate, two (2) RKCL40-H Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, No Prox, FDX. Supports FIPS 201 CHUID, CAK and PIV+PIN authentication modes.

B923PPR	B923PPR - pivCLASS 2 Reader Bundle for PIV Authentication	3,712
---------	---	-------

First year PAM maintenance and support included with purchase

pivCLASS 2 Reader Bundle for PIV Authentication, Key Pad, LCD Includes: One (1) PAM with cover and back plate, two (2) RPKCL40-H Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, with Prox, FDX. Supports FIPS 201 CHUID, CAK, PIV+PIN authentication modes and all (Std) Prox.

Codebench® - pivCLASS Readers

For additional information, visit the Codebench website at <https://www.hidglobal.com/products/software/pivclass>. RS2 offers the entire Codebench line. Please contact an RS2 sales representative for pricing and availability of items not listed.

923NPR	923NPR - RKCL40-P Contactless and Contact Finished Smart Card Reader	853
--------	--	-----

RKCL40-P Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, No Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

923PPR	923PPR - RPKCL40-P Contactless and Contact Finished Smart Card Reader	895
--------	---	-----

RPKCL40-P Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, With Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

924NPR	924NPR - RKCLB40-P Contactless and Contact Finished Smart Card Reader	1,445
--------	---	-------

RKCLB40-P Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, FDX No Prox, & Biometric Sensor Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

900NHR	900NHR - R10-H Contactless Finished Smart Card Reader	186
--------	---	-----

R10-H Contactless Finished Smart Card Readers Mini Mullion No Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

900PHR	900PHR - RP10-H Contactless Finished Smart Card Reader	229
--------	--	-----

RP10-H Contactless Finished Smart Card Readers Mini Mullion With Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

920NHR	920NHR - R40-H Contactless Finished Smart Card Reader	310
--------	---	-----

R40-H Contactless Finished Smart Card Readers Wall Switch, No Prox, FDX. Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

920PHR	920PHR - RP40-H Contactless Finished Smart Card Reader	352
--------	--	-----

RP40-H Contactless Finished Smart Card Readers Wall Switch, with Prox, FDX. Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC

PART NUMBER	DESCRIPTION	MSRP
921NHR	921NHR - RK40-H Contactless Finished Smart Card Reader	540
RK40-H Contactless Finished Smart Card Readers with Keypad, Wall Switch, No Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC		
921PHR	921PHR - RPK40-H Contactless Finished Smart Card Reader	580
RPK40-H Contactless Finished Smart Card Readers with Keypad, Wall Switch, With Prox, FDX Supports PKI-Based FIPS 201 Credentials including PIV, PIC-I, CIV, CAC, TWIC, FRAC		

Printers

Consumables

045200	DTC4500e YMCKO Print Ribbon - 500 images	227
084051	HDP5000 YMCK Print Ribbon - 500 images	291
084053	HDP5000 Clear HDP Film - 1500 images	205

Secure Issuance Card Printers

055000	Fargo DTC4500e Single-Sided ID Card Printer for Badge Printing Side Printing: Single Print Method: Dye-sublimation / resin thermal transfer Resolution: 300 dpi Print Speed: 16 seconds per card / 225 cards per hour (YMCKO) Included Software: Embedded Swift ID® badging application and FARGO Workbench™ printer maintenance and diagnostic software with Color Assist™ spot-color matching Data protection: AES-256 encryption on the printer over a secure network Card capacity: 200 card input (with dual input hopper), 100 card output Accepted Card Sizes: CR-80 & CR-79 Adhesive Back	4,481
055100	Fargo DTC4500e Dual-Sided ID Card Printer for Badge Printing Side Printing: Dual Print Method: Dye-sublimation / resin thermal transfer Resolution: 300 dpi Print Speed: 16 seconds per card / 225 cards per hour (YMCKO) Included Software: Embedded Swift ID® badging application and FARGO Workbench™ printer maintenance and diagnostic software with Color Assist™ spot-color matching Data protection: AES-256 encryption on the printer over a secure network Card capacity: 200 card input (with dual input hopper), 100 card output Accepted Card Sizes: CR-80 & CR-79 Adhesive Back	5,908
089600	Fargo HDP5000 Single-Sided ID Card Printer for Badge Printing Sided Printing: Single Print Method: HDP Dye-Sublimation / Resin Thermal Transfer Resolution: 300 dpi	5,426

PART NUMBER	DESCRIPTION	MSRP
	Print Speed: up to 24 seconds per card / 150 cards per hour (YMC with transfer)* Accepted Card Sizes: CR-80 Warranty: 3 years (printer); Lifetime (printhead)	
089640	Fargo HDP5000 Dual-Sided ID Card Printer for Badge Printing	6,853
	Sided Printing: Dual Print Method: HDP Dye-Sublimation / Resin Thermal Transfer Resolution: 300 dpi Print Speed: up to 24 seconds per card / 150 cards per hour (YMC with transfer)* Accepted Card Sizes: CR-80 Warranty: 3 years (printer); Lifetime (printhead)	

Readers

Allegion Scramble Keypad Reader

For additional information, visit the Allegion Scramble Keypad website at <http://us.allegion.com/products/readers/addreaders/seriiiw/pages/default.aspx>. RS2 offers the entire line Allegion Scramble Keypad readers. Please contact an RS2 sales representative for pricing and availability of items not listed.

SERIII	Scramble Keypad Reader	3,130
	Prevents onlookers from detecting the keypad code by continually scrambling the number placement on the keypad. 8-14VDC, weatherized for outdoors, Wiegand output. Standard color is gray.	
PMK-2-GR	Scramble Mount Kit	330
	Panel mount kit in gray.	
SMK-2-GR	Scramble Keypad Surface Mount Kit	408
	Surface mount kit and tamper proof screws in gray.	

aptiQ - Single Frequency Proximity Readers (125kHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>. RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PR10	aptiQ™ Mini-Mullion Proximity Reader	171
	aptiQ mini-mullion proximity reader.	

aptiQ - Multi-Frequency Series (125kHz/13.56MHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>. RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

MT11BLK	aptiQ™ Multi-Technology Mullion Reader	352
	aptiQ multi-technology mullion reader, 6-16VDC, black with pigtail.	
MT15BLK	aptiQ™ Multi-Technology Single-Gang Reader	352
	aptiQ multi-technology single-gang reader, 6-16VDC, black with pigtail.	

PART NUMBER	DESCRIPTION	MSRP
MTK15BLK	aptiQ™ Multi-Technology Single-Gang Keypad Reader	563

aptiQ multi-technology single-gang keypad reader, 6-16VDC, black with pigtail.

aptiQ - Single Frequency Smart Only Series (13.56MHz)

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.
 RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

SM10	aptiQ™ Mini-Mullion MIFARE Reader	171
------	-----------------------------------	-----

aptiQ multi-technology mini-mullion MIFARE reader, 6-16VDC, black with pigtail.

aptiQ - Mounting Plate

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.
 RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

23846355	Mini- Mullion Reader Mounting Plate (PR10, SM10)	32
----------	--	----

23846397	Mullion Reader Mounting Plate (MT11)	32
----------	--------------------------------------	----

23846439	Single Gang Mounting Plate (MT15, MTK15)	32
----------	--	----

aptiQ - Custom Configuration Card Option

For additional information, visit the aptiQ website at <http://us.allegion.com/brands/ptiq/pages/default.aspx>.
 RS2 offers the entire aptiQ line. Please contact an RS2 sales representative for pricing and availability of items not listed.

M1	Magstripe Optional Add On	0.70
----	---------------------------	------

Add M1 to the part number to specify the addition of a magstripe to a card part number.
 Example: 9540 becomes 9540M1

AWID - Proximity Access Control Readers (125kHz)

For additional information, visit the AWID website at <http://www.awid.com/>.
 RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

SR-2400	Sentinel-Prox™ Proximity Reader	127
---------	---------------------------------	-----

Sentinel-Prox proximity reader gray with a 4~5.5 inch read range, metal compensated for maximum read range when mounted on a metal mullion.

SR-2400-HP	Sentinel-Prox™ HID Protocol Compatible Proximity Reader	127
------------	---	-----

Sentinel-Prox HID protocol compatible proximity reader gray with a 4~5.5 inch read range, metal compensated for maximum read range when mounted on a metal mullion

PART NUMBER	DESCRIPTION	MSRP
SP-6820	Sentinel-Prox™ Switch Plate Reader Sentinel-Prox switch plate reader gray with a 6~8 inch read range	194
MM-6800	Sentinel-Prox™ Mullion Mount Reader Sentinel-Prox mullion mount reader gray with a 6~8 inch read range, metal compensated for maximum read range when mounted on a metal mullion.	194
KP-6840-C8	Sentinel-Prox™ Switch Plate Reader w/Integrated Keypad Sentinel-Prox switch plate reader with integrated keypad gray with a 6~8 inch read range.	311
MR-1824	Sentinel-Prox™ Medium Range Reader Sentinel-Prox medium range reader gray with a 10~24 inch read range.	350
MR-1824MC	Sentinel-Prox™ Metal Compensated Medium Range Reader Sentinel-Prox medium range reader gray with a 10~24 inch read range and metal compensated for maximum read range when mounted on metal surfaces.	486
MR-1824HILO	Sentinel-Prox™ Medium Range Reader Sentinel-Prox medium range reader -gray with a 10~24 inch read range, HiLo two unit extension of the MR-1824 family.	887

AWID - Proximity Access Control Reader (13.56MHz)

For additional information, visit the AWID website at <http://www.awid.com/>.
 RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

SC-2300	Sentinel-Prox™ HF Smart Card Reader Sentinel-Prox™ HF smart card reader gray with a 2~3 inch read range, Desfire and Mifare card compatible.	244
---------	---	-----

AWID - UHF Access Proximity Readers

For additional information, visit the AWID website at <http://www.awid.com/>.
 RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

UA-612-M-U	UHF Access Proximity Reader UHF access proximity reader midnight black with a 6~12 inch read range.	505
LR-2000	LR-2000 - UHF Extra Long Range Reader Requires PS-123.3A-0-0 power supply UHF extra long range reader beige with up a 8~15 foot read range, operates at 902 MHz to 928 MHz for USA, utilizes passive RFID technology, no battery required for tags.	2,316
LR-3000	LR-3000 - UHF Extra Long Range Reader	2,795

PART NUMBER	DESCRIPTION	MSRP
	<p>Requires PS-123.3A-0-0 power supply</p> <p>UHF extra long range reader beige with up to 25 foot read range, operates at 902 MHz to 928 MHz for USA, utilizes passive RFID technology; no battery required for tags.</p>	

AWID - UHF Proximity Access Control Reader Accessories

For additional information, visit the AWID website at <http://www.awid.com/>.

RS2 offers the entire AWID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

LR-MB-0-0	Mounting Bracket for LR Readers	76
PS-123.3A-0-0	12V-3.3A Power Supply for LR Readers	76

Farpointe Data - CONEKT™ Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support

CSR-35L	CSR-35L - CONEKT™ Mobile-Ready Long-Range Contactless Smartcard Reader	246
Long-range mobile-ready contactless smartcard reader; mullion and single-gang mount		
CSR-35L-OSDP	CSR-35L - CONEKT™ Mobile-Ready Long-Range Contactless Smartcard Reader with OSDP	346
Long-range mobile-ready contactless smartcard reader; mullion and single-gang mount with OSDP communication.		
CSR-35P	CSR-35P - Presentation Mobile-Ready Contactless Smartcard Reader	246
Presentation-style mobile-ready contactless smartcard reader; mullion and single-gang mount.		
CSR-35P-OSDP	CSR-35P - Presentation Mobile-Ready Contactless Smartcard Reader with OSDP	346
Presentation-style mobile-ready contactless smartcard reader; mullion and single-gang mount with OSDP communication.		

Farpointe Data - MAXSecure™ Proximity Readers

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>.

RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

P-300-MAX	P-300-MAX - Cascade Proximity Mullion MAXSecure™ Reader	123
<p>Requires RS2 MAXSecure proximity credentials</p> <p>Cascade proximity mullion (door frame) mount MAXSecure reader with black and white covers.</p>		
P-500-MAX	P-500-MAX - Alps Proximity MAXSecure™ Reader	140
<p>Requires RS2 MAXSecure proximity credentials</p> <p>Alps proximity wall (US single gang box) mount MAXSecure reader with black and white covers.</p>		

PART NUMBER	DESCRIPTION	MSRP
P-530-MAX	P-530 - EuroMount Proximity MAXSecure™ Reader	140
<p>Requires RS2 MAXSecure proximity credentials EuroMount proximity wall (European and Asian) mount MAXSecure reader with black and white covers.</p>		
P-620-MAX	P-620 - Denali Proximity and Keypad Mullion MAXSecure™ Reader	348
<p>Requires RS2 MAXSecure proximity credentials Denali proximity and keypad mullion (door frame) mount MAXSecure reader with black and white covers.</p>		
P-640-MAX	P-640 - Patagonia Proximity and Keypad MAXSecure™ Reader	348
<p>Requires RS2 MAXSecure proximity credentials Patagonia proximity wall (US single gang box) mount MAXSecure reader and backlit keypad combination with black and white covers.</p>		
P-710-MAX	P-710 Andes Proximity MAXSecure™ Reader	393
<p>Requires RS2 MAXSecure proximity credentials Andes proximity wall (US single gang box) mount medium range (max. 15") MAXSecure reader with black cover only.</p>		
P-900-MAX	P-900 Andes Proximity MAXSecure™ Reader	768
<p>Requires RS2 MAXSecure proximity credentials Andes proximity wall (US single or double gang box) mount MAXSecure long range (max. 20") reader with black cover only.</p>		

Farpointe Data - Delta® 13.56-MHz Contactless Smartcard Readers — MIFARE® DESFire® EV1 and EV2 Support

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>. RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

Delta3	Delta3 - Multi-Technology Contactless Smartcard Mullion Reader	216
<p>Multi-technology contactless smartcard mullion (door frame) mount reader with black cover only.</p>		
Delta3-OSDP	Description Delta3 - Multi-Technology Contactless Smartcard Mullion Reader with OSDP	356
<p>Multi-technology contactless smartcard mullion (door frame) mount reader with black cover only with OSDP communication.</p>		
Delta5	Delta5 - Multi-Technology Contactless Smartcard Reader	244
<p>Multi-technology contactless smartcard wall (US single gang box) mount reader with black cover only.</p>		
Delta5-OSDP	Delta5 - Multi-Technology Contactless Smartcard Reader with OSDP	384
<p>Multi-technology contactless smartcard wall (US single gang box) mount reader with black cover only with OSDP communication.</p>		
Delta5.3	Delta5 - EuroMount Multi-Technology Contactless Smartcard Reader	244
<p>EuroMount multi-technology contactless smartcard wall (European and Asian) mount reader with black cover only.</p>		

PART NUMBER	DESCRIPTION	MSRP
Delta5.3-OSDP	Delta5 - EuroMount Multi-Technology Contactless Smartcard Reader with OSDP	384
	EuroMount multi-technology contactless smartcard wall (European and Asian) mount reader with black cover only with OSDP communication.	
Delta6.4	Delta6.4 - Multi-Technology Contactless Smartcard and Keypad Reader	427
	Multi-technology contactless Smartcard wall (US single gang box) mount reader and backlit keypad combination with black cover only.	
Delta6.4-OSDP	Delta6.4 - Multi-Technology Contactless Smartcard and Keypad Reader with OSDP	568
	Multi-technology contactless Smartcard wall (US single gang box) mount reader and backlit keypad combination with black cover only and OSDP communication.	

Farpointe Data - Gibraltar™ 125-kHz Bullet-Resistant Readers

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>.

RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

P-453	P-453 - Gibraltar Vandal-Resistant Proximity Mullion Reader	734
	Gibraltar vandal-resistant proximity mullion (door frame) mount reader.	
P-455	P-455 - Gibraltar Vandal-Resistant Proximity Reader	805
	Gibraltar vandal-resistant proximity wall (US single gang box) mount reader.	

Farpointe Data - Guardian™ 125-kHz Vandal-Resistant Readers

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>.

RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

P-403-HA	P-403 - Guardian Proximity Reader	475
	Vandal-resistant reader designed to mount to a metal door and window frame.	
P-405-HA	P-405 - Guardian Proximity Reader	553
	Vandal-resistant reader designed to mount to a standard North American single-gang wall switch box.	
P-410-HA	P-410 - Guardian Proximity Reader	693
	Vandal-resistant reader designed to mount to a standard North American double-gang wall switch box.	

Farpointe Data - Pyramid Series Proximity® 125-kHz Proximity Readers

P-300	P-300 - Cascade Proximity Mullion Reader	78
	Cascade proximity mullion (door frame) mount reader with black and white covers.	

PART NUMBER	DESCRIPTION	MSRP
P-300-OSDP	P-300-OSDP - Cascade Proximity Mullion Reader with OSDP Cascade proximity mullion (door frame) mount reader with black and white covers and OSDP communication.	178
P-300-H	P-300-H - Cascade Proximity Mullion HID Compatible Reader Supports Farpointe + certain HID® 125-kHz Proximity protocols; mullion mount.	78
P-300-H-OSDP	P-300-H-OSDP - Cascade Proximity Mullion HID Compatible Reader with OSDP Supports certain HID® 125-kHz Proximity protocols; mullion mount with OSDP communication.	178
P-300-A	P-300-A - Cascade Proximity Mullion AWID Compatible Reader Supports Farpointe + certain AWID® 125-kHz Proximity protocols; mullion mount.	78
P-300-A-OSDP	P-300-A-OSDP - Cascade Proximity Mullion Reader with OSDP Supports Farpointe + certain AWID® 125-kHz Proximity protocols; mullion mount with OSDP communication.	178
P-300-HA	P-300-HA - Cascade Proximity Mullion HID & AWID Compatible Reader with OSDP Supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols; mullion mount	78
P-300-HA-OSDP	P-300-HA-OSDP - Cascade Proximity Mullion HID & AWID Compatible Reader with OSDP Supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols; mullion mount with OSDP communication.	178
P-500	P-500 - Alps Proximity Reader Alps proximity wall (US single gang box) mount reader with black and white covers.	90
P-500-OSDP	P-500-OSDP - Alps Proximity Reader with OSDP Supports Farpointe's 125-kHz proximity protocol; single-gang mount with OSDP communication.	190
P-500-H	P-500-H - Alps Proximity HID Compatible Reader Supports Farpointe + certain HID® 125-kHz Proximity protocols; single-gang mount.	90
P-500-H-OSDP	P-500-H-OSDP - Alps Proximity HID Compatible Reader with OSDP Supports Farpointe + certain HID® 125-kHz Proximity protocols; single-gang mount with OSDP communication.	190
P-500-A	P-500-A - Alps Proximity AWID Compatible Reader Supports Farpointe + certain AWID® 125-kHz Proximity protocols; single-gang mount.	90

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

P-530	P-530 - EuroMount Proximity Reader	127
-------	------------------------------------	-----

EuroMount proximity wall (European and Asian) mount reader with black and white covers.

P-620	P-620 - Denali Proximity and Keypad Mullion Reader	338
-------	--	-----

Denali proximity and keypad mullion (door frame) mount reader with black and white covers.

P-640	P-640 - Patagonia Proximity and Keypad Reader	335
-------	---	-----

Patagonia proximity wall (US single gang box) mount reader and backlit keypad combination with black and white covers.

P-710	P-710 Andes Proximity Reader	380
-------	------------------------------	-----

Andes proximity wall (US single gang box) mount medium range (max. 15") reader with black cover only.

P-900	P-900 Andes Proximity Reader	755
-------	------------------------------	-----

Andes proximity wall (US single or double gang box) mount long range (max. 20") reader with black cover only.

Farpointe Data - Ranger® 433-MHz Long-Range Receivers

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>. RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

WRR-22	WRR-22 - Ranger Long-Range Receiver	278
--------	-------------------------------------	-----

Compatible Ranger long-range transmitter fobs: WRT-2, WRT-2-A, WRT-2H, WRT-4, WRT-4-A, or WRT-4-H
 Ranger long-range (max. 100') receiver designed to output data from buttons 1 and 2 of either the WRT-2 or the WRT-4 Ranger long-range transmitter standard Farpointe Data format fobs.

WRR-22-OSDP	WRR-22 - Ranger Long-Range Receiver with OSDP	559
-------------	---	-----

Compatible Ranger long-range transmitter fobs: WRT-2, WRT-2-A, WRT-2H, WRT-4, WRT-4-A, or WRT-4-H
 Ranger long-range (max. 100') receiver designed to output data from buttons 1 and 2 of either the WRT-2 or the WRT-4 Ranger long-range transmitter standard Farpointe Data format fobs. Uses OSDP for communication.

WRR-44	WRR-44 - Ranger Long-Range Receiver	421
--------	-------------------------------------	-----

Compatible Ranger long-range transmitter fobs: WRT-2, WRT-2-A, WRT-2H, WRT-4, WRT-4-A, or WRT-4-H
 Ranger long-range (max. 200') receiver designed to output data from buttons 1, 2, 3, and 4 of either the WRT-2 or the WRT-4 Ranger long-range transmitter standard Farpointe Data format fobs.

WRR-44-OSDP	WRR-44 - Ranger Long-Range Receiver with OSDP	982
-------------	---	-----

Compatible Ranger long-range transmitter fobs: WRT-2, WRT-2-A, WRT-2H, WRT-4, WRT-4-A, or WRT-4-H
 Ranger long-range (max. 200') receiver designed to output data from buttons 1, 2, 3, and 4 of either the WRT-2 or the WRT-4 Ranger long-range transmitter standard Farpointe Data format fobs. Uses OSDP for communication.

Farpointe Data - Ranger® 433-MHz Long-Range Transmitters

For additional information, visit the Farpointe Data website at <http://www.farpointedata.com/>. RS2 offers the entire Farpointe Data line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PART NUMBER	DESCRIPTION	MSRP
WRT-2	WRT-2 - Ranger Long-Range 2-Button Transmitter	39
<p>Compatible Ranger long-range receivers: WRR-22 or WRR-44 Minimum order of 20 2-Button Transmitter w/ Farpointe 125-kHz proximity protocol supported.</p>		
WRT-2-A	WRT-2-A - Ranger Long-Range 2-Button AWID Compatible Transmitter	39
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 2-Button Transmitter w/ certain AWID® 125-kHz Proximity protocols supported.</p>		
WRT-2-B	WRT-2-B - Ranger Long-Range 2-Button Transmitter	39
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 2-Button Transmitter. No proximity insert.</p>		
WRT-2-H	WRT-2-H - Ranger Long-Range 2-Button HID Compatible Transmitter	39
<p>Compatible Ranger long-range receivers: WRR-22-H or WRR-44-H Minimum order of 20 Ranger long-range 2-button transmitter with HID format.</p>		
WRT-2-M	WRT-2-M - Ranger Long-Range 2-Button Mini Transmitter	28
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 Mini 2-button Transmitter in a smaller design than standard Ranger Transmitters. No proximity insert.</p>		
WRT-2-S1	WRT-2-S1 - Ranger Long-Range 2-Button Transmitter	45
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 2-Button Transmitter w/ Farpointe 13.56-MHz 1K memory smartcard insert</p>		
WRT-2-S4	WRT-2-S4 - Ranger Long-Range 2-Button Transmitter	47
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 2-Button Transmitter w/ Farpointe 13.56-MHz 4K memory smartcard insert</p>		
WRT-4	WRT-4 - Ranger Long-Range 4-Button Transmitter	41
<p>Compatible Ranger long-range receivers: WRR-22 or WRR-44 Minimum order of 20 4-Button Transmitter w/ Farpointe 125-kHz proximity protocol supported.</p>		
WRT-4-A	WRT-4-A - Ranger Long-Range 4-Button AWID Compatible Transmitter	41
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 4-Button Transmitter w/ certain AWID® 125-kHz Proximity protocols supported.</p>		
WRT-4-B	WRT-4-B - Ranger Long-Range 4-Button Transmitter	41
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 4-Button Transmitter. No proximity insert.</p>		

PART NUMBER	DESCRIPTION	MSRP
WRT-4-H	WRT-4-H - Ranger Long-Range 4-Button HID Compatible Transmitter	41
<p>Compatible Ranger long-range receivers: WRR-22-H or WRR-44-H Minimum order of 20 4-Button Transmitter w/ certain HID® 125-kHz Proximity protocols supported.</p>		
WRT-4-S1	WRT-4-S1 - Ranger Long-Range 4-Button Transmitter	45
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 4-Button Transmitter w/ Farpointe 13.56-MHz 1K memory smartcard insert</p>		
WRT-4-S4	WRT-4-S4 - Ranger Long-Range 4-Button Transmitter	50
<p>Compatible Ranger long-range receivers: WRR-22-A or WRR-44-A Minimum order of 20 4-Button Transmitter w/ Farpointe 13.56-MHz 4K memory smartcard insert</p>		

HID - Proximity Readers (125kHz)

**For additional information, visit the HID website at <https://www.hidglobal.com/>.
 RS2 offers the entire HID line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

5355G	5355G - ProxPro® Proximity Reader	317
<p>ProxPro proximity 12VDC gray reader with terminal strip.</p>		
5355G-K	5355G-K - ProxPro® Proximity Keypad Reader	503
<p>Keypad option: "09" = Motorola/Indala - Wiegand 8-bit burst ProxPro® proximity keypad 12VDC grey reader with terminal strip configured for the "09" keypad option.</p>		
5365K	5365K - MiniProx® Proximity Mullion Reader	276
<p>MiniProx® proximity mullion 5-16VDC reader black with 18" pigtail.</p>		
5375G	5375G - MaxiProx® Long Range Proximity Reader	740
<p>MaxiProx® long range proximity 24VDC gray reader with terminal strip.</p>		
5395K	5395K - ThinLine II® Proximity Reader	253
<p>ThinLine II switch plate proximity 5-16VDC black reader with 18" pigtail.</p>		
5455K	5455K - ProxPro® II Proximity Reader	286
<p>ProxPro II proximity 5-16VDC black reader with 18" pigtail.</p>		
6005K	6005K - ProxPoint® Plus Proximity Reader	142
<p>ProxPoint Plus proximity 5-16VDC black reader with 18" pigtail.</p>		

PART NUMBER	DESCRIPTION	MSRP
FP4511A	Indala Prox 125KhZ Black Linear Slim Reader	283

Indala Prox 125KhZ Linear Slim 5" Read Range, Black Reader, Wiegand Output

HID - iCLASS SE® Readers (13.56MHz)

For additional information, visit the HID website at <https://www.hidglobal.com/>.
RS2 offers the entire HID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

900NT	900NT - R10 iCLASS SE® Mini-Mullion Reader	153
-------	--	-----

iCLASS SE R10 mini-mullion reader, SIO, SEOS, & Legacy enabled.

910NT	910NT - RP15 iCLASS SE® Mullion Reader	270
-------	--	-----

iCLASS SE R15 mullion reader, SIO, SEOS, & Legacy enabled.

920NT	920NT - R40 iCLASS SE® Reader	270
-------	-------------------------------	-----

iCLASS SE R40 wall switch reader, SIO, SEOS, and legacy enabled.

921NT	921NT - RK40 iCLASS SE® Keypad Reader	503
-------	---------------------------------------	-----

iCLASS SE RK40 wall switch keypad reader, SIO, SEOS, and legacy enabled.

922NT	922NT - RM40 iCLASS SE® Magstripe Reader	490
-------	--	-----

iCLASS SE RM40 wall switch magstripe reader, SIO, SEOS, and legacy enabled.

925NT	925NT - RMK40 iCLASS SE® Magstripe Keypad Reader	718
-------	--	-----

iCLASS SE RMK40 wall switch magstripe keypad reader, SIO, SEOS, and legacy enabled.

930NT	930NT - R30 iCLASS SE® Reader	265
-------	-------------------------------	-----

iCLASS SE R30 wall switch (EU/Asian) reader, SIO, SEOS, and legacy enabled.

940NT	940NT - R90 iCLASS SE® Reader	795
-------	-------------------------------	-----

iCLASS SE R90 extended range reader, SIO, SEOS, and legacy enabled.

HID - multiCLASS SE® Readers (125kHz/13.56MHz)

For additional information, visit the HID website at <https://www.hidglobal.com/>.
RS2 offers the entire HID line. Please contact an RS2 sales representative for pricing and availability of items not listed.

900PT	900PT - RP10 multiCLASS SE® Mini-Mullion Reader	194
-------	---	-----

multiCLASS SE RP10 mini-mullion reader, SIO, SEOS, and legacy enabled.

PART NUMBER	DESCRIPTION	MSRP
910PT	910PT - RP15 multiCLASS SE® Mullion Reader multiCLASS SE RP15 mullion reader, SIO, SEOS, and legacy enabled.	311
920PT	920PT - RP40 multiCLASS SE® Reader multiCLASS SE RP40 wall switch reader, SIO, SEOS, and legacy enabled.	311
921PT	921PT - RPK40 multiCLASS SE® Keypad Reader multiCLASS SE RPK40 wall switch keypad reader, SIO, SEOS, and legacy enabled.	545
922PT	922PT - RMP40 multiCLASS SE® Magstripe Reader multiCLASS SE RMP40 wall switch magstripe reader, SIO, SEOS, and legacy enabled.	532
925PT	925PT - RMPK40 multiCLASS SE® Magstripe Keypad Reader multiCLASS SE RMPK40 wall switch magstripe keypad reader, SIO, SEOS, and legacy enabled.	760
930PT	930PT - RP30 multiCLASS SE® Reader multiCLASS SE RP30 wall switch (EU/Asian) reader, SIO, SEOS, and legacy enabled.	307

HID - multiCLASS SE® Mobile Readers (125kHz/13.56MHz/Bluetooth)

Reader options can be found in the HID How to Order Guides
<https://www.hidglobal.com/documents/how-to-order>
 RS2 offers the entire HID line. Please contact an RS2 sales representative for pricing and availability of items not listed.
Mobile-Enabled Readers have the personalized Mobile Keypad preloaded on shipment
Mobile-Ready Readers require a Mobile Key Card to load personalized Mobile Keypad in the field

900PM	900PM - RPM10 multiCLASS SE® Mini-Mullion Mobile Reader OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RPM10 mini-mullion reader with mobile capability using Bluetooth, and OSDP ready.	278
920PM	920PM - RPM40 multiCLASS SE® Mobile Reader OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RPM40 wall switch reader with mobile capability using Bluetooth, and OSDP ready.	395
921PM	921PM - RPKM40 multiCLASS SE® Keypad Mobile Reader OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RPKM40 wall switch keypad reader with mobile capability using Bluetooth, and OSDP ready.	619
922PM	922PM - RMPM40 multiCLASS SE® Magstripe Mobile Reader OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RMPM40 wall switch magstripe reader with mobile capability using Bluetooth and OSDP ready.	617

PART NUMBER	DESCRIPTION	MSRP
925PM	925PM - RMPKM40 multiCLASS SE® Magstripe Keypad Mobile Reader	845
OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RMPKM40 wall switch magstripe keypad reader with mobile capability using Bluetooth, and OSDP ready.		
930PM	930PM - RPM30 multiCLASS SE® Mobile Reader	392
OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RPM30 wall switch (EU/Asian) reader with mobile capability using Bluetooth, and OSDP ready.		
940PM	940PM - RPM90 multiCLASS SE® Mobile Reader	922
OSDP, Mobile-Enabled, and Mobile-Ready options are configured in the reader options of the full part number multiCLASS SE RPM90 extended range reader with mobile capability using Bluetooth, and OSDP ready.		

Mercury-Security - MR-5 Magnetic Stripe Readers

The MR-5 is a weatherized magnetic stripe reader supporting standard access control card formats in both high and low coercivity and includes both a bi-colored LED and buzzer standard.

Recommended for standard access control magstripe applications

36012-OW-T2	36012-OW-T2 - Track 2 Magnetic Stripe Reader	285
Voltage rating: 12VDC only MR-5 track 2 magnetic stripe reader in beige.		
36012-OW-T2B	36012-OW-T2B - Track 2 Magnetic Stripe Reader	285
Voltage rating: 12VDC only MR-5 track 2 magnetic stripe reader in black.		
36011-OW-T1	36011-OW-T1 - Track 1 Magnetic Stripe Reader	285
Voltage rating: 12VDC only MR-5 track 1 magnetic stripe reader in beige.		
36011-OW-T1B	36011-OW-T1B - Track 1 Magnetic Stripe Reader	285
Voltage rating: 12VDC only MR-5 track 1 magnetic stripe reader in black.		
36002-OW-T2	36002-OW-T2 - Track 2 Magnetic Stripe Reader	285
Voltage rating: 5VDC only MR-5 track 2 magnetic stripe reader in beige.		
36002-OW-T2B	36002-OW-T2B - Track 2 Magnetic Stripe Reader	285
Voltage rating: 5VDC only MR-5 track 2 magnetic stripe reader in black.		
36001-OW-T1	36001-OW-T1 - Track 1 Magnetic Stripe Reader	285
Voltage rating: 5VDC only MR-5 track 1 magnetic stripe reader in beige.		
36001-OW-T1B	36001-OW-T1B - Track 1 Magnetic Stripe Reader	285

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Voltage rating: 5VDC only

MR-5 track 1 magnetic stripe reader in black.

Mercury-Security - MR-10 Magnetic Stripe Readers

The MR-10 is a weatherized magnetic stripe reader supporting standard access control and expanded card formats in both high and low coercivity and includes a red and green colored LED as well as a buzzer standard.

Should only be used for specific non-access control applications

30012-OW-T2	30012-OW-T2 - Track 2 Magnetic Stripe Reader	371
-------------	--	-----

Voltage rating: 12VDC only

MR-10 track 2 magnetic stripe reader in beige.

30012-OW-T2B	30012-OW-T2B - Track 2 Magnetic Stripe Reader	371
--------------	---	-----

Voltage rating: 12VDC only

MR-10 track 2 magnetic stripe reader in black.

30011-OW-T1	30011-OW-T1 - Track 1 Magnetic Stripe Reader	371
-------------	--	-----

Voltage rating: 12VDC only

MR-10 track 1 magnetic stripe reader in black.

30011-OW-T1B	30011-OW-T1B - Track 1 Magnetic Stripe Reader	371
--------------	---	-----

Voltage rating: 12VDC only

MR-10 track 1 magnetic stripe reader in black.

30002-OW-T2	36002-OW-T2 - Track 2 Magnetic Stripe Reader	371
-------------	--	-----

Voltage rating: 5VDC only

MR-10 track 2 magnetic stripe reader in beige.

30002-OW-T2B	30002-OW-T2B - Track 2 Magnetic Stripe Reader	371
--------------	---	-----

Voltage rating: 5VDC only

MR-10 track 2 magnetic stripe reader in black.

30001-OW-T1	30001-OW-T1 - Track 1 Magnetic Stripe Reader	371
-------------	--	-----

Voltage rating: 5VDC only

MR-10 track 1 magnetic stripe reader in beige.

30001-OW-T1B	30001-OW-T1B - Track 1 Magnetic Stripe Reader	371
--------------	---	-----

Voltage rating: 5VDC only

MR-10 track 1 magnetic stripe reader in black.

Mercury-Security - MR-20 Magnetic Stripe Keypad Readers

The MR-20 is a weatherized magnetic stripe reader with integrated keypad supporting standard access control and expanded card formats in both high and low coercivity and includes a red and green colored LED as well as a buzzer standard.

Recommended for standard access control requiring magstripe with keypad applications

31012-OW-T2	31012-OW-T2 - Track 2 Magnetic Stripe Keypad Reader	537
-------------	---	-----

PART NUMBER	DESCRIPTION	MSRP
<p>Voltage rating: 12VDC only MR-20 track 2 magnetic stripe keypad reader in beige.</p>		
31012-OW-T2B	31012-OW-T2B - Track 2 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 12VDC only MR-20 track 2 magnetic stripe keypad reader in black.</p>		
31011-OW-T1	31011-OW-T1 - Track 1 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 12VDC only MR-20 track 1 magnetic stripe keypad reader in beige.</p>		
31011-OW-T1B	31011-OW-T1B - Track 1 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 12VDC only MR-20 track 1 magnetic stripe keypad reader in black.</p>		
31002-OW-T2	31002-OW-T2 - Track 2 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 5VDC only MR-20 track 2 magnetic stripe keypad reader in beige.</p>		
31002-OW-T2B	31002-OW-T2B - Track 2 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 5VDC only MR-20 track 2 magnetic stripe keypad reader in black.</p>		
31001-OW-T1	31001-OW-T1 - Track 1 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 5VDC only MR-20 track 1 magnetic stripe keypad reader in beige.</p>		
31001-OW-T1B	31001-OW-T1B - Track 1 Magnetic Stripe Keypad Reader	537
<p>Voltage rating: 5VDC only vrack 1 magnetic stripe keypad reader in black.</p>		
<h2>Mercury-Security - MR Series Accessories</h2>		
WP-10	Single Gang Gray Wall Plate Cover	15
<p>Compatible readers: MR-5, MR-10, and MR-20 Gray wall plate cover for single gang box installation for use with MR series magnetic stripe readers.</p>		
WP-10B	Single Gang Black Wall Plate Cover	15
<p>Compatible readers: MR-5, MR-10, and MR-20 Black wall plate cover for single gang box installation for use with MR series magnetic stripe readers.</p>		
WP-20	Double Gang Gray Wall Plate Cover	22
<p>Compatible readers: MR-5, MR-10, and MR-20 Gray wall plate cover for double gang box installation for use with MR series magnetic stripe readers.</p>		
WP-20B	Double Gang Black Wall Plate Cover	22

PART NUMBER	DESCRIPTION	MSRP
	<p>Compatible readers: MR-5, MR-10, and MR-20 Black wall plate cover for double gang box installation for use with MR series magnetic stripe readers.</p>	
WS10	Weatherized Shield	56
	<p>Compatible readers: MR-5, MR-10, and MR-20 Weatherized vertical shield in brushed stainless for use with MR series magnetic stripe readers.</p>	
A-RC	Replacement Reader Connector Cable	39
	<p>Compatible readers: MR-5, MR-10, and MR-20 Sold in lots of 5 Replacement reader cable with RJ-45 connector for use with MR series magnetic stripe readers.</p>	
A-SS	Security Screws	13
	<p>Compatible readers: MR-5, MR-10, and MR-20 Sold in lots of 10 Security screw key for use with MR series magnetic stripe readers.</p>	
A-SK	Security Screw Key	35
	<p>Compatible readers: MR-5, MR-10, and MR-20 Sold in lots of 5 Security screw key for use with A-SS security Screws.</p>	

Proximity Reader Housings and Pedestals

For additional information, visit The Housing Company website at <https://www.thehousingcompany.com/>.

RS2 offers the entire Housing Company line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PCH049	PCH049 - Lexan Polycarbonate Card Reader Housing	181
	<p>Dimensions: 7"(H) x 7"(W) x 4"(D) Black lexan polycarbonate 103 card reader housing hinged with gray locking lid.</p>	
PCH091	PCH091 - Lexan Polycarbonate Card Reader Housing	242
	<p>Dimensions: 7"(H) x 13"(W) x 4"(D) Black lexan polycarbonate 103 card reader housing hinged with gray locking lid.</p>	
PCH196	PCH196 - Lexan Polycarbonate Card Reader Housing	274
	<p>Dimensions: 14"(H) x 14"(W) x 4"(D) Black lexan polycarbonate 103 card reader housing hinged with gray locking lid.</p>	
PS036W	PS036W - Metal Pedestal With Mounting Plate	212
	36" white powder coated metal pedestal with mounting plate suitable for use with cars.	
PS036Y	PS036Y - Metal Pedestal With Mounting Plate	212
	36" yellow powder coated metal pedestal with mounting plate suitable for use with cars.	
PS042B	PS042B - Metal Pedestal With Mounting Plate	231
	42" black powder coated metal pedestal with mounting plate suitable for use with cars.	

PART NUMBER	DESCRIPTION	MSRP
PS042Y	PS042Y - Metal Pedestal With Mounting Plate 42" yellow powder coated metal pedestal with mounting plate suitable for use with cars.	231
PS072B	PS072B - Metal Pedestal With Mounting Plate 72" black powder coated metal pedestal with mounting plate suitable for use with trucks.	524
PD114B	PD114B - Metal Pedestal With Dual Height Mounting Plates Dual height black powder coated metal pedestal with 42" and 72" high mounting plates suitable for use with cards and trucks.	652
PS094-AVIB	PS094-AVIB - AVI Reader Pedestal 2" pipe, up to 94" high mounting black powder coat metal pedestal for AVI Readers.	745
AVICLAMP	AVICLAMP - Stainless Steel Mounting Bracket Stainless steel mounting bracket for all types of AVI readers for use with PS094-AVIB.	155

RFIDeas - USB Enrollment Readers

For additional information, visit the RFIDeas website at <https://www.rfideas.com/>.

RS2 offers the entire RFIDeas line. Please contact an RS2 sales representative for pricing and availability of items not listed.

RDR-6081AKU	pcProx HID USB Enrollment Reader <i>Outputs data as keyboard key strokes</i> HID read-only reader for identification and enrollment of proximity or contactless smart cards in black.	408
RDR-6981AKU	pcProx AWID USB Enrollment Reader <i>Outputs data as keyboard key strokes</i> AWID read-only reader for identification and enrollment of proximity or contactless smart cards in black.	408

RFIDeas - PCMCIA Enrollment Readers

For additional information, visit the RFIDeas website at <https://www.rfideas.com/>.

RS2 offers the entire RFIDeas line. Please contact an RS2 sales representative for pricing and availability of items not listed.

RDR-60P1AKP	pcProx HID PCMCIA Enrollment Reader <i>Outputs data as keyboard key strokes</i> HID read-only reader for identification and enrollment of proximity or contactless smart cards in black.	438
RDR-69P1AKP	pcProx AWID PCMCIA Enrollment Reader <i>Outputs data as keyboard key strokes</i> AWID read-only reader for identification and enrollment of proximity or contactless smart cards in black.	438

RFIDeas - Wiegand Enrollment Converters

For additional information, visit the RFIDeas website at <https://www.rfideas.com/>.

RS2 offers the entire RFIDeas line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

OEM-W2USB-V3	Wiegand to USB Converter	376
--------------	--------------------------	-----

Outputs data as keyboard key strokes
 Converts standard Wiegand formats to USB for identification and enrollment purposes.

OEM-W2USB-CHUID	Wiegand to USB Converter	376
-----------------	--------------------------	-----

Outputs data as keyboard key strokes
 Converts FIPS201, TWIC 200 bit, and CHUID long Wiegand formats to USB for identification and enrollment purposes.

Wavelynx Mullion Readers

ET10-1WS	ET10 Ethos Mullion 125 kHz Standard Prox Reader	178
----------	---	-----

The ET10-1 Ethos Mullion reader supports 125 kHz (standard prox) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

ET10-2WS	ET20 Ethos Mullion 13.56 MHz Smart (NFC) Reader	168
----------	---	-----

The ET10-2 Ethos Mullion reader supports 13.56 MHz smart (NFC) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

ET10-3WS	ET10 Ethos Mullion 125 kHz Standard Prox and 13.56 MHz Smart (NFC) Reader	210
----------	---	-----

The ET10-3 Ethos Mullion reader supports 125 kHz (standard prox) and 13.56 MHz smart (NFC) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

ET10-5WS	ET10 Ethos Mullion 125 kHz Standard Prox Bluetooth (BLE) Reader	276
----------	---	-----

The ET10-5 Ethos Mullion reader supports 125 kHz (standard prox) and Bluetooth(BLE) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

ET10-6WS	ET10 Ethos Mullion 13.56 MHz Smart (NFC) and Bluetooth (BLE) Reader	267
----------	---	-----

The ET10-6 Ethos Mullion reader supports 13.56 MHz smart (NFC) and Bluetooth(BLE) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

ET10-7WS	ET10 Ethos Mullion 125 kHz Standard Prox, 13.56 MHz Smart (NFC), and Bluetooth (BLE) Reader	276
----------	---	-----

The ET10-7 Ethos Mullion reader supports 125 kHz (standard prox), 13.56 MHz smart (NFC), and Bluetooth(BLE) credentials. Designed to fit on the mullion strip found adjacent to most commercial doors.

Wavelynx Single-Gang Readers

ET20-1WS	ET20 Ethos Single-Gang 125 kHz Standard Prox Reader	233
----------	---	-----

The ET20-1 Ethos Single-Gang Reader supports 125 kHz Standard Prox. Sized to fit perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET20-2WS	ET20 Ethos Single-Gang 13.56 MHz Smart (NFC) Reader	222
----------	---	-----

The ET20-2 Ethos Single-Gang Reader supports 13.56 MHz smart (NFC) credentials. Sized to fit perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET20-3WS	ET20 Ethos Single-Gang 125 kHz Standard Prox and 13.56 MHz Smart (NFC) Reader	269
----------	---	-----

The ET20-3 Ethos Single-Gang Reader supports 125 kHz Standard Prox and 13.56 MHz smart (NFC) credentials. Sized to fit

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET20-5WS	ET20 Ethos Single-Gang 125 kHz Standard Prox and Bluetooth (BLE) Reader	345
----------	---	-----

The ET20-5 Ethos Single-Gang Reader supports 125 kHz Standard Prox and Bluetooth (BLE) credentials. Sized to fit perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET20-6WS	ET20 Ethos Single-Gang 13.56 MHz Smart (NFC) and Bluetooth (BLE) Reader	334
----------	---	-----

The ET20-6 Ethos Single-Gang Reader supports 13.56 MHz Smart (NFC) and Bluetooth (BLE) credentials. Sized to fit perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET20-7WS	ET20 Ethos Single-Gang 125 kHz Standard Prox, 13.56 MHz Smart (NFC), and Bluetooth (BLE) Reader	381
----------	---	-----

The ET20-7 Ethos Single-Gang Reader supports 125 kHz Standard Prox, 13.56 MHz Smart (NFC), and Bluetooth (BLE) credentials. Sized to fit perfectly in a single-gang electrical box and cover the footprint of popular legacy readers that have been replaced.

Wavelynx Keypad Readers

ET25-1WS	ET25 Ethos Keypad 125 kHz Standard Prox, 13.56 MHz Smart (NFC), and Bluetooth (BLE) Reader	395
----------	--	-----

The Ethos ET25-1 Keypad Reader supports 125 kHz Standard Prox credentials and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET25-2WS	ET25 Ethos Keypad 13.56 MHz Smart (NFC) Reader	384
----------	--	-----

The Ethos ET25-2 Keypad Reader supports 13.56 MHz Smart (NFC) credentials and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET25-3WS	ET25 Ethos Keypad 125 kHz Standard Prox and 13.56 MHz Smart (NFC) Reader	432
----------	--	-----

The Ethos ET25-3 Keypad Reader supports 125 kHz Standard Prox credentials, 13.56 MHz Smart (NFC) credentials, and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET25-5WS	ET25 Ethos Keypad 125 kHz Standard Prox and Bluetooth (BLE) Reader	507
----------	--	-----

The Ethos ET25-5 Keypad Reader supports 125 kHz Standard Prox credentials, Bluetooth (BLE) credentials, and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET25-6WS	ET25 Ethos Keypad 13.56 MHz Smart (NFC) and Bluetooth (BLE) Reader	496
----------	--	-----

The Ethos ET25-6 Keypad Reader supports 13.56 MHz Smart (NFC) credentials, Bluetooth (BLE) credentials, and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

ET25-7WS	ET25 Ethos Keypad 125 kHz Standard Prox, 13.56 MHz Smart (NFC), and Bluetooth (BLE) Reader	544
----------	--	-----

The Ethos ET25-7 Keypad Reader supports 125 kHz Standard Prox credentials, 13.56 MHz Smart (NFC) credentials, Bluetooth (BLE) credentials, and PINs. Our reader is housed in black plastic with backlit or non-backlit metal keys. Sized to fit perfectly in a single gang electrical box and cover the footprint of popular legacy readers that have been replaced.

WaveLynx Custom Keys & Configuration

Custom End User P/N=XXXX	*Custom Key Management	98
--------------------------	------------------------	----

When Readers & Devices contain custom, end user owned encryption keys, or a configuration different from the reader defaults (off the shelf) they will be identified per end user with a custom SKU (P/N) Including Cards

PART NUMBER	DESCRIPTION	MSRP
U-2KC-XXXX	Custom Key Configurator Kit for Readers & Credentials	3,500
Includes: - Desfire LEAF EV2 Field Encoder Software EXE - USB Device - 10 Config Cards - 10 Blank DESFire LEAF EV2 Cards - 2 Hours of Technical Support		
U-2KR-XXXX	Custom Key Rolling Kit for Readers	2,100
Includes: - Desfire LEAF EV2 Field Encoder Software EXE - USB Device - 10 Config Cards - 10 Blank DESFire LEAF EV2 Cards - 2 Hours of Technical Support		
U-2PR-XXXX	EV2 LEAF Campus Application Programmer	722
U-3EN-XXXX	USB Enrollment Reader for 13.56MHz(ISO14443) + 125KHz Prox	269

*Note: End User Custom Key Management Upcharge on all reader models.

System Conversions, Database Migrations, and Custom Work

Once orders are processed, a Custom Work Order will be issued and conversion instruction will be emailed to the supplied conversion contact.

If a conversion contact email address is not supplied, the conversion instructions will be sent to the purchasing agent

Access It!® Lite.NET, Access It!® Universal.NET, and NEXt STEP

DB-IMPORT	DB-IMPORT - Database Migrations	Call For Pricing
-----------	---------------------------------	------------------

Due to the wide varying complexity of database imports, all database imports must be quoted by a RS2 sales representative

CUSTOM	CUSTOM - Custom Work Orders	175/Hour
--------	-----------------------------	----------

Custom work will be performed at a flat hourly rate regardless of the dealers sales level unless otherwise quoted in writing by a RS2 sales representative

All custom work orders including programming, reports, SQL jobs, etc. must be discussed with a RS2 sales representative prior to quoting.

AHS	After Hours Support	300/Hour
-----	---------------------	----------

Authorized RS2 Dealer must schedule a minimum of five business days prior and supply an open purchase order for the two-hour minimum rate

After hours support may be made available upon advanced request for scheduled upgrades and conversions.

- Hourly Rate: \$300 in one hour increments
- Minimum Charges: Two hours
- Scheduling: Minimum five business days in advance
- Authorized RS2 Dealer Purchase Order: Open order with two-hour minimum rate

Avigilon System Conversions

All Avigilon database migrations include OEM Credits in the form of an OEM Certificate. The number of credits are based on

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

the number of Mercury boards within the Controllers and Sub-Controllers tables of the supplied database at the time of the data migration. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated. Avigilon boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-AVG credits for each board added to the system

DE-AVIGILON-INATE-64	Avigilon System Conversion 1 - 64 Readers	1,509
----------------------	---	-------

Conversion of Avigilon systems from one to sixty-four readers.

DE-AVIGILON-INATE-128	Avigilon System Conversion 65 - 128 Readers	3,451
-----------------------	---	-------

Conversion of Avigilon systems from sixty-five to one hundred twenty-eight readers.

DE-AVIGILON-INATE-256	Avigilon System Conversion 129 - 256 Readers	5,329
-----------------------	--	-------

Conversion of Avigilon systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-AVIGILON-INATE-512	Avigilon System Conversion 257 - 512 Readers	8,631
-----------------------	--	-------

Conversion of Avigilon systems from two hundred fifty-seven to five hundred twelve readers.

DE-AVIGILON-INATE-512+	Avigilon System Conversion Over 512 Readers	Call For Pricing
------------------------	---	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager

Conversion of Avigilon systems with more than five hundred twelve readers.

OEM-CODE-CHG-AVG	Avigilon OEM Conversion Credit	216
------------------	--------------------------------	-----

OEM-CODE-CHG-AVG OEM conversion credits do not expire

Credit for changing the internal OEM Code of a Avigilon board to the RS2 OEM code.

Best System Conversions

All Best system conversions include OEM Credits based on the number of Mercury boards that are imported into the Access It! Universal.NET database in the form of an OEM Certificate. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards, access level names, and hardware. Event history will not be migrated. See database conversion checklist for full details. The database conversion checklist MUST be completed prior to the conversion.

Best boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-BST credits for each board added to the system

DE-BEST-INATE-64	Best System Conversion 1 - 64 Readers	1,509
------------------	---------------------------------------	-------

Conversion of Best systems from one to sixty-four readers.

DE-BEST-INATE-128	Best System Conversion 65 - 128 Readers	3,451
-------------------	---	-------

Conversion of Best systems from sixty-five to one hundred twenty-eight readers.

DE-BEST-INATE-256	Best System Conversion 129 - 256 Readers	5,610
-------------------	--	-------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Conversion of Best systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-BEST-INATE-512	Best System Conversion 257 - 512 Readers	8,631
-------------------	--	-------

Conversion of Best systems from two hundred fifty-seven to five hundred twelve readers.

DE-BEST-INATE-512+	Best System Conversion Over 512 Readers	Call For Pricing
--------------------	---	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager
 Conversion of Best systems with more than five hundred twelve readers.

OEM-CODE-CHG-BST	Best OEM Conversion Credit	216
------------------	----------------------------	-----

OEM-CODE-CHG-BST OEM conversion credits do not expire
 Credit for changing the internal OEM Code of a Best board to the RS2 OEM code.

Bosch System Conversions

All Bosch system conversions include OEM Credits based on the number of Mercury boards that are imported into the Access It! Universal.NET database in the form of an OEM Certificate. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards, access level names, and hardware. Event history will not be migrated. See database conversion checklist for full details. The database conversion checklist MUST be completed prior to the conversion.

Bosch boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-BCH credits for each board added to the system

DE-BOSCH-INATE-64	Bosch System Conversion 1 - 64 Readers	1,509
-------------------	--	-------

Conversion of Bosch systems from one to sixty-four readers.

DE-BOSCH-INATE-128	Bosch System Conversion 65 - 128 Readers	3,451
--------------------	--	-------

Conversion of Bosch systems from sixty-five to one hundred twenty-eight readers.

DE-BOSCH-INATE-256	Bosch System Conversion 129 - 256 Readers	5,610
--------------------	---	-------

Conversion of Bosch systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-BOSCH-INATE-512	Bosch System Conversion 257 - 512 Readers	8,631
--------------------	---	-------

Conversion of Bosch systems from two hundred fifty-seven to five hundred twelve readers.

DE-BOSCH-INATE-512+	Bosch System Conversion Over 512 Readers	Call For Pricing
---------------------	--	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager
 Conversion of Bosch systems with more than five hundred twelve readers.

OEM-CODE-CHG-BCH	Bosch OEM Conversion Credit	216
------------------	-----------------------------	-----

OEM-CODE-CHG-BCH OEM conversion credits do not expire
 Credit for changing the internal OEM Code of a Bosch board to the RS2 OEM code.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

GE/Casi-Rusco Database Migrations

All GE/Casi-Rusco database migrations consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

DE-CASI-INATE	GE/Casi-Rusco Database Migration	1,079
---------------	----------------------------------	-------

Database migration for GE/Casi-Rusco systems.

Honeywell Database Migrations

All Honeywell database migrations include reader licenses based on the number of Honeywell reader boards that are present in the database at the time of the data migration. The database migration consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

Honeywell reader boards that are added to the system after the initial conversion require the purchase of additional HNWL-RDRLF reader licenses for each board added to the system

DE-HNWL-INATE-64	Honeywell Database Migration 1 - 64 Readers	1,725
------------------	---	-------

Includes either **S-MERCURY-PW-PRO-HARDWARE** or **E-MERCURY-PW-PRO-HARDWARE**
Database migration for Honeywell systems from one to sixty-four readers.

DE-HNWL-INATE-128	Honeywell Database Migration 65 - 128 Readers	3,883
-------------------	---	-------

Includes either **S-MERCURY-PW-PRO-HARDWARE** or **E-MERCURY-PW-PRO-HARDWARE**
Database migration for Honeywell systems from sixty-five to one hundred twenty-eight readers.

DE-HNWL-INATE-256	Honeywell Database Migration 129 - 256 Readers	6,473
-------------------	--	-------

Includes either **S-MERCURY-PW-PRO-HARDWARE** or **E-MERCURY-PW-PRO-HARDWARE**
Database migration for Honeywell systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-HNWL-INATE-512	Honeywell Database Migration 257 - 512 Readers	9,711
-------------------	--	-------

Includes either **S-MERCURY-PW-PRO-HARDWARE** or **E-MERCURY-PW-PRO-HARDWARE**
Database migration for Honeywell systems from two hundred fifty-seven to five hundred twelve readers.

DE-HNWL-INATE-512+	Honeywell Database Migration Over 512 Readers	Call For Pricing
--------------------	---	------------------

Includes either **S-MERCURY-PW-PRO-HARDWARE** or **E-MERCURY-PW-PRO-HARDWARE**
Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager
Database migration for Honeywell systems with more than five hundred twelve readers.

HNWL-RDRLF	Honeywell Reader License Fee	216
------------	------------------------------	-----

RS2 recommends adding new Authentic Mercury EP controllers and SIOs to these systems as opposed to expanding the existing Honeywell hardware chains

Reader license fee for each additional reader port added to a system using Honeywell reader boards.
Includes:
(1) Integrated reader count increment applied to an existing dongle

Identocard Database Migrations

All Identocard database migrations include OEM Credits in the form of an OEM Certificate. The number of credits are based on the number of Mercury boards within the SCP and SIO tables of the supplied database at the time of the data migration. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

Identocard boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-IDT credits for each board

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

added to the system

DE-IDENT-INATE-64	Identocard Database Migration 1 - 64 Readers	1,509
-------------------	--	-------

Database migration for Identocard systems from one to sixty-four readers.

DE-IDENT-INATE-128	Identocard System Conversion 65 - 128 Readers	3,451
--------------------	---	-------

Conversion of Identocard systems from sixty-five to one hundred twenty-eight readers.

DE-IDENT-INATE-256	Identocard System Conversion 129 - 256 Readers	5,610
--------------------	--	-------

Conversion of Identocard systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-IDENT-INATE-512	Identocard System Conversion 257 - 512 Readers	8,631
--------------------	--	-------

Conversion of Identocard systems from two hundred fifty-seven to five hundred twelve readers.

DE-IDENT-INATE-512+	Identocard System Conversion Over 512 Readers	Call For Pricing
---------------------	---	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager

Conversion of Identocard systems with more than five hundred twelve readers.

OEM-CODE-CHG-IDT	Identocard OEM Conversion Credit	216
------------------	----------------------------------	-----

OEM-CODE-CHG-IDT OEM conversion credits do not expire

Credit for changing the internal OEM Code of an Identocard board to the RS2 OEM code.

Keri Database Migrations

All Keri database migrations include OEM Credits in the form of an OEM Certificate. The number of credits are based on the number of Mercury boards within the Controllers and Sub-Controllers tables of the supplied database at the time of the data migration. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

Keri boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-KRI credits for each board added to the system

DE-KERI-INATE-64	Keri Database Migration 1 - 64 Readers	1,509
------------------	--	-------

Database migration for Keri systems from one to sixty-four readers.

DE-KERI-INATE-128	Keri System Conversion 65 - 128 Readers	3,451
-------------------	---	-------

Conversion of Keri systems from sixty-five to one hundred twenty-eight readers.

DE-KERI-INATE-256	Keri System Conversion 129 - 256 Readers	5,610
-------------------	--	-------

Conversion of Keri systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-KERI-INATE-512	Keri System Conversion 257 - 512 Readers	8,631
-------------------	--	-------

Conversion of Keri systems from two hundred fifty-seven to five hundred twelve readers.

PART NUMBER	DESCRIPTION	MSRP
DE-KERI-INATE-512+	Keri System Conversion Over 512 Readers	Call For Pricing
<p style="color: red;">Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager</p> Conversion of Keri systems with more than five hundred twelve readers.		
OEM-CODE-CHG-KRI	Keri OEM Conversion Credit	216
<p style="color: red;">OEM-CODE-CHG-KRI OEM conversion credits do not expire</p> Credit for changing the internal OEM Code of an Keri board to the RS2 OEM code.		
<h2>Lenel System Conversions</h2>		
<p>All Lenel system conversions include OEM Credits based on the number of Mercury boards that are imported into the Access It! Universal.NET database in the form of an OEM Certificate. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards, access level names, and hardware. Event history will not be migrated. See database conversion checklist for full details. The database conversion checklist MUST be completed prior to the conversion.</p>		
<p style="color: red;">Lenel boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-LNL credits for each board added to the system</p>		
DE-LENEL-INATE-64	Lenel System Conversion 1 - 64 Readers	1,509
<p style="color: red;">Includes either S-MR-52-ALTERNATE-WIRING or E-MR-52-ALTERNATE-WIRING</p> Conversion of Lenel systems from one to sixty-four readers.		
DE-LENEL-INATE-128	Lenel System Conversion 65 - 128 Readers	3,451
<p style="color: red;">Includes either S-MR-52-ALTERNATE-WIRING or E-MR-52-ALTERNATE-WIRING</p> Conversion of Lenel systems from sixty-five to one hundred twenty-eight readers.		
DE-LENEL-INATE-256	Lenel System Conversion 129 - 256 Readers	5,610
<p style="color: red;">Includes either S-MR-52-ALTERNATE-WIRING or E-MR-52-ALTERNATE-WIRING</p> Conversion of Lenel systems from one hundred twenty-nine to two hundred fifty-six readers.		
DE-LENEL-INATE-512	Lenel System Conversion 257 - 512 Readers	8,631
<p style="color: red;">Includes either S-MR-52-ALTERNATE-WIRING or E-MR-52-ALTERNATE-WIRING</p> Conversion of Lenel systems from two hundred fifty-seven to five hundred twelve readers.		
DE-LENEL-INATE-512+	Lenel System Conversion Over 512 Readers	Call For Pricing
<p style="color: red;">Includes either S-MR-52-ALTERNATE-WIRING or E-MR-52-ALTERNATE-WIRING</p> <p style="color: red;">Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager</p> Conversion of Lenel systems with more than five hundred twelve readers.		
OEM-CODE-CHG-LNL	Lenel OEM Conversion Credit	216
<p style="color: red;">OEM-CODE-CHG-LNL OEM conversion credits do not expire</p> Credit for changing the internal OEM Code of a Lenel board to the RS2 OEM code.		

Open Options Database Migrations

All Open Options database migrations include OEM Credits in the form of an OEM Certificate. The number of credits are based on the number of Mercury boards within the Controllers and Sub-Controllers tables of the supplied database at the time of the data migration. OEM Certificates are redeemed via the Dealer Area of the rs2tech.com website and are valid for 90 days after database migration. The database migration consists of the following; custom cardholder data, photos, cards,

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

and access level names. All other database information must be manually entered. Event history will not be migrated.

Open Options boards that are added to the system after the initial conversion require the purchase of additional OEM-CODE-CHG-OOP credits for each board added to the system

DE-OPEN-INATE-64	Open Options System Conversion 1 - 64 Readers	1,509
------------------	---	-------

Conversion of Open Options systems from one to sixty-four readers.

DE-OPEN-INATE-128	Open Options System Conversion 65 - 128 Readers	3,451
-------------------	---	-------

Conversion of Open Options systems from sixty-five to one hundred twenty-eight readers.

DE-OPEN-INATE-256	Open Options System Conversion 129 - 256 Readers	5,610
-------------------	--	-------

Conversion of Open Options systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-OPEN-INATE-512	Open Options System Conversion 257 - 512 Readers	8,631
-------------------	--	-------

Conversion of Open Options systems from two hundred fifty-seven to five hundred twelve readers.

DE-OPEN-INATE-512+	Open Options System Conversion Over 512 Readers	Call For Pricing
--------------------	---	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager

Conversion of Open Options systems with more than five hundred twelve readers.

OEM-CODE-CHG-OOP	Open Options OEM Conversion Credit	216
------------------	------------------------------------	-----

OEM-CODE-CHG-OOP OEM conversion credits do not expire

Credit for changing the internal OEM Code of an Open Options board to the RS2 OEM code.

OEM Conversions

OEM-CODE-CHG-OTHER	OEM Code Conversion	216
--------------------	---------------------	-----

OEM-CODE-CHG-OTHER OEM conversion credits do not expire

Credit for changing the internal OEM Code of a non-RS2 Mercury board to the RS2 OEM code.

Requires model and serial number of Mercury board.

Only valid for conversions on existing, non-RS2 systems and not new Mercury panels.

Software House Database Migrations

All Software House database migrations consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

DE-SFTHSE-INATE	Software House Database Migration	1,079
-----------------	-----------------------------------	-------

Database migration for Software House systems.

Vanderbilt Database Migrations

All Vanderbilt database migrations include reader licenses based on the number of Vanderbilt reader boards that are present in the database at the time of the data migration. The database migration consists of the following; custom cardholder data, photos, cards, and access level names. All other database information must be manually entered. Event history will not be migrated.

Vanderbilt reader boards that are added to the system after the initial conversion require the purchase of additional VNDRBLT-RDRLF reader licenses for

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

each board added to the system

DE-VNDRBLT-INATE-64	Vanderbilt Database Migration 1 - 64 Readers	1,725
---------------------	--	-------

Database migration for Vanderbilt systems from one to sixty-four readers.

DE-VNDRBLT-INATE-128	Vanderbilt Database Migration 65 - 128 Readers	3,883
----------------------	--	-------

Database migration for Vanderbilt systems from sixty-five to one hundred twenty-eight readers.

DE-VNDRBLT-INATE-256	Vanderbilt Database Migration 129 - 256 Readers	6,473
----------------------	---	-------

Database migration for Vanderbilt systems from one hundred twenty-nine to two hundred fifty-six readers.

DE-VNDRBLT-INATE-512	Vanderbilt Database Migration 257 - 512 Readers	9,711
----------------------	---	-------

Database migration for Vanderbilt systems from two hundred fifty-seven to five hundred twelve readers.

DE-VNDRBLT-INATE-512+	Vanderbilt Database Migration Over 512 Readers	Call For Pricing
-----------------------	--	------------------

Systems with more than five hundred twelve readers will be quoted by your Regional Sales Manager
 Database migration for Vanderbilt systems with more than five hundred twelve readers.

VNDRBLT-RDRLF	Vanderbilt Reader License Fee	216
---------------	-------------------------------	-----

RS2 recommends adding new Authentic Mercury EP controllers and SIOs to these systems as opposed to expanding the existing Vanderbilt hardware chains
 Reader license fee for each additional reader port added to a system using Vanderbilt reader boards.
 Includes:
 (1) Integrated reader count increment applied to an existing dongle

Visitor Management Software

EasyLobby®

**For additional information, visit the EasyLobby website at <http://www.easylobby.com>.
 RS2 offers the entire EasyLobby line. Please contact an RS2 sales representative for pricing and availability of items not listed.**

EL-96000-SVM10	EasyLobby® Secure Visitor Management Software	3,006
----------------	---	-------

Priced per workstation
 Main visitor processing application for ID scanning, record creation, badge printing, check in and out.
 Includes:
 (1) EL-96300-ADM10 Administrator Utility

EL-96200-SAT	EasyLobby® Secure Visitor Management Satellite Software	995
--------------	---	-----

Priced per workstation
 Verification software used to control and monitor entry and exit at one or more internal locations or check points for visitors who have already been enrolled at a SVM workstation.

EL-96300-ADM10	EasyLobby® Secure Visitor Management Administrator Utility	495
----------------	--	-----

Priced per workstation
May be installed on any workstation that has network access to the SVM database.
 Additional Administrator Utility for SVM. Provides the user with administration, monitoring and reporting.

PART NUMBER	DESCRIPTION	MSRP
EL-98000-EADV10	EasyLobby® Secure Visitor Management eAdvance Software	2,995
	<p>Priced per web server Requires a web server running Microsoft IIS Web-based application that allows authorized employees to pre-register visitors via a web browser.</p>	
EL-98500-EADV-H	EasyLobby® Secure Visitor Management eAdvance Web Hosting	250
	<p>Priced per building per month, Annual Contract with EasyLobby Incremental per license Monthly web-based service provided by EasyLobby for customers who do not have their own web server allowing authorized employees to pre-register visitors via a web browser.</p>	
EL-K12-SVM	EasyLobby Secure Visitor Management Software for K-12 Schools	1,500
	1 copy of SVM software, includes Free Administrator™ software (admin/reporting)	
EL-SOS-K12	Sex offender screening service per year per system	594
EL-SOS-NONK12	Sex Offender screening (per station) – non K12 schools	1,187
EL-ACI-RS2-UNIV	EasyLobby® Secure Visitor Management Software Integration To Access It! Universal.NET	2,995
	<p>Priced per access control server Automatically adds a cardholder and access control card into the Access It! Universal.NET database once a visitor is enrolled at a SVM workstation. The newly created access control card is automatically downloaded to all system control processors.</p>	
EL-A/C-INTEGRATION	EasyLobby® Access Control Integration Annual Software Maintenance Contract	640
	<p>Priced per integration, Annual Contract with RS2 or EasyLobby Entitles the customer to free software updates and upgrades for Access Control Integration software.</p>	
EL-SVM-MAINT	EasyLobby® Secure Visitor Management Annual Software Maintenance Contract	550
	<p>Priced per copy, Annual Contract with RS2 or EasyLobby Entitles the customer to free software updates and upgrades for Secure Visitor Management software.</p>	
EL-EADV-MAINT	EasyLobby® Secure Visitor Management eAdvance Software Maintenance Contract	650
	<p>Priced per copy, Annual Contract with RS2 or EasyLobby Entitles the customer to free software updates and upgrades for Secure Visitor Management eAdvance software.</p>	
EL-METRO-9520	Metrologic 9520 barcode scanner w/stand (USB Com port emulation)	305
EL-DYMO-450T	Dymo 450 Turbo Thermal Printer (B&W)	205

PART NUMBER	DESCRIPTION	MSRP
EL-LOG-C920	Logitech Full HD 1080p Quickcam Web Camera C920	215
EL-DYMO-30911	DYMO 30911 adhesive self-expiring (250)	45
EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)	35

Splan - Cloud Software

Volume discounts available for 10 or more lobbies. Please contact your RSM for a custom quote when needing 10 or more lobbies.

SP-VMCAC-4002	Visitor Software Per Lobby - with RS2 (0-5 lobbies)	4,895
<p style="color: red; font-size: small;">When ordering more than 5 lobbies, order a quantity of (5) SP-VMCAC-4002 and then SP-VMCAC-40021 for all lobbies over 5 When ordering more than 10 lobbies contact your RSM for a custom quote Price Per Lobby - unlimited visitors</p>		
SP-VMCAC-40021	Visitor Software Per Lobby - with RS2 (6+)	2,988
<p style="color: red; font-size: small;">When ordering more than 5 lobbies, order a quantity of (5) SP-VMCAC-4002 and then SP-VMCAC-40021 for all lobbies over 5 When ordering more than 10 lobbies contact your RSM for a custom quote Price Per Lobby - unlimited visitors</p>		
SP-VMCAC-4022	Visitor Software Per Unmanned Lobby - with RS2 (0-5 lobbies)	1,994
SP-VMCAC-40221	Visitor Software Per Unmanned Lobby - with RS2 (6+ lobbies)	1,494

Splan - On-Premise Software

Volume discounts available for 10 or more lobbies. Please contact your RSM for a custom quote when needing 10 or more lobbies.

SP-VMPAC-4002	Visitor Software Per Lobby - with RS2 (0-5 lobbies)	5,850
<p style="color: red; font-size: small;">When ordering more than 5 lobbies, order a quantity of (5) SP-VMPAC-4002 and then SP-VMPAC-40021 for all lobbies over 5 When ordering more than 10 lobbies contact your RSM for a custom quote Price Per Lobby - unlimited visitors</p>		
SP-VMPAC-40021	Visitor Software Per Lobby - with RS2 (6+)	4,850
<p style="color: red; font-size: small;">When ordering more than 5 lobbies, order a quantity of (5) SP-VMPAC-4002 and then SP-VMPAC-40021 for all lobbies over 5 When ordering more than 10 lobbies contact your RSM for a custom quote Price Per Lobby - unlimited visitors</p>		

PART NUMBER	DESCRIPTION	MSRP
SP-VMPAC-4022	Visitor Software Per Unmanned Lobby - with RS2 (0-5 lobbies)	3,425

SP-VMPAC-40221	Visitor Software Per Unmanned Lobby - with RS2 (6+)	2,425
----------------	---	-------

Splan - Cloud Plug-Ins/Connectors/Options

SP-ADDON-AD-CLOUD	Active Directory Connector	0
Priced for yearly subscription fee		

SP-VMC-2020-OUT-CLOUD	Outlook Plug-In - Priced Per Lobby	330
One Plug-in Per Company/Organization Priced for yearly subscription fee Priced per lobby up to a maximum of 5.		

SP-VMC-2010-CON-CLOUD	Access Controls Integration	330
One Plug-in Per Company/Organization Priced for yearly subscription fee		

SP-ADDON-WL-CLOUD	Watch List Connector	330
One Plug-in Per Company/Organization Priced for yearly subscription fee		

SP-ADDON-WORKDAY-CLOUD	SP-ADDON-WORKDAY	330
One Plug-in Per Company/Organization Priced for yearly subscription fee		

SP-ADDONC-SLK-CLOUD	Slack Integration	330
One Plug-in Per Company/Organization Priced for yearly subscription fee		

SP-VMCF-1040-CLOUD	Tenants (Pack of 5)	950
Priced for yearly subscription fee		

SP-VMCF-1050-CLOUD	Vendors (Pack of 10)	950
Priced for yearly subscription fee		

SP-EMC-5002-CLOUD	Event Management Module per Lobby	1,290
-------------------	-----------------------------------	-------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Priced for yearly subscription fee

SP-VMCF-1020-CLOUD	SMS Text	990
--------------------	----------	-----

Priced for yearly subscription fee
 Priced for US phone numbers only. For international pricing, please contact RSM
 Pack of 40,000 messages
 Valid for (1) year

SP-VMCF-1021-CLOUD	Phone calling	990
--------------------	---------------	-----

Priced for yearly subscription fee
 Priced for US phone numbers only. For international pricing, please contact RSM
 Pack of 10,000 minutes
 Valid for (1) year

SP-VMCF-1030-CLOUD	End User Mobile Apps	464
--------------------	----------------------	-----

Priced for yearly subscription fee
 Priced per Lobby

SP-VMDLVC-1060-CLOUD	Deliveries Add on Module per Lobby	660
----------------------	------------------------------------	-----

Price for yearly subscription fee
 Priced per lobby

SP-PCHF	Private Cloud	3,600
---------	---------------	-------

For a Single Node architecture.
 For cluster and high availability environment.

Splan - On-Premise Plug-Ins/Connectors/Options

SP-ADDON-AD-ONPREM	Active Directory Connector	0
--------------------	----------------------------	---

SP-ADDON-365-ONPREM	Outlook Plug-In - Priced Per Lobby	1,000
---------------------	------------------------------------	-------

One Plug-in Per Company/Organization
 Priced per lobby up to a maximum of 5.

SP-VMP-2010-CON-ONPREM	Access Control Integration	1,000
------------------------	----------------------------	-------

One Plug-in Per Company/Organization

SP-ADDON-WL-ONPREM	Watch List Connector	1,000
--------------------	----------------------	-------

One Plug-in Per Company/Organization

Workday Connector-ONPREM	Workday Connector-ONPREM	1,000
--------------------------	--------------------------	-------

One Plug-in Per Company/Organization

PART NUMBER	DESCRIPTION	MSRP
SP-ADDONP-SLK-ONPREM	Slack Integration <i>One Plug-in Per Company/Organization</i>	1,000
SP-VMPF-1040-ONPREM	Tenants (Pack of 5)	2,850
SP-VMPF-1041	Tenants (Pack of 50)	14,250
SP-VMPF-1050-ONPREM	Vendors(Pack of 10)	2,850
SP-VMPF-1051	Vendors(Pack of 100)	14,250
SP-EMP-5002-ONPREM	Event Management Module	3,850
SP-VMPF-1020-ONPREM	SMS Text Pack Pack of 40,000 messages, valid for year.	990
SP-VMPF-1021-ONPREM	Phone calling(Pack of 10,000 minutes, valid for year)	990
SP-VMPF-1030-ONPREM	End User Mobile Apps	990
SP-VMDLVP-1060-ONPREM	Deliveries Add on Module per Lobby – Priced per lobby	1,950
SP-CON-SSO-ONPREM	Single Sign On Connector <i>One Plug-in Per Company/Organization</i>	1,000

Splan - Hardware

PART NUMBER	DESCRIPTION	MSRP
SP-VMK-1001	iPad Kiosk Stand + iPad Air + Kiosk Visitor Software (without scanning) + Brother 820 NWB + 2 DK-1202 Badges	1,450
SP-VMK-1002	Splan Visitor Kiosk	2,850
Premium iPad Kiosk Stand + iPad Air + Kiosk Visitor Software + DL Holder + Brother 820 NWB + 2 DK-1202 Badges		
SP-VMK-1002 - NOIPAD	iPad Kiosk Stand + DL Holder + Splan Software + Brother 820 NWB + 2 DK-1202 Badges	2,401
Customer will provide their own iPad per the Splan specifications. The iPad will not be supported by Splan Custom badges are extra		
SP-VMK-1003	Splan Counter Top iPad kiosk + iPad Air + Kiosk Visitor Software + DL Holder + Brother 820 NWB + 2 DK-1202 Badges	2,850
Short neck is designed for counter or tabletop use. Configurable 180°, 90° or 0° rotation and user operated tablet tilt make it ideal for sharing across a counter or table		
SP-VMK-4002	iPad Floor Kiosk Stand + iPad Air + DL Holder + Kiosk Visitor Software for iPad + Brother 820 NWB + 2 DK-1202 Badges	2,950
SP-VMK-4002- NOIPAD	iPad Floor Kiosk Stand + iPad Air + DL Holder + Kiosk Visitor Software for iPad + Brother 820 NWB + 2 DK-1202 Badges	2,501
Customer will provide their own iPad per the Splan specifications. The iPad will not be supported by Splan		
SP-VMK-2022	Printer mount for iPad Kiosk Floor Stand	89
SP-VMK-1006	iPad Kiosk Stand + iPad Air + Kiosk Visitor Software + DL Holder	2,580
SP-VMK-4005-FSW	Splan standalone iPad kiosk	3,850
Splan standalone iPad kiosk is full height kiosk. This kiosk has enclosed printer for label printing. - Kiosk requires WIFI connectivity - Supports ID / DL Scanner - Enclosed label printer - Supports custom branding with additional cost		
SP-VMK-4004-FSW	Splan standalone iPad kiosk	9,850
Splan standalone iPad kiosk is full height kiosk. This kiosk has enclosed printer for label printing. - iPad or Windows based kiosk - Kiosk requires WIFI connectivity - Supports ID / DL Scanner - Enclosed label printer		
SP-VMK-4003-FSW	Splan Enterprise Kiosk	14,850
Splan Enterprise kiosk is windows based kiosk. This kiosk has enclosed printer, passport scanner, QR/Barcode reader, PROX card reader.		

PART NUMBER	DESCRIPTION	MSRP
	<ul style="list-style-type: none"> - Kiosk requires ethernet connectivity - Supports ID / DL / Passport Scanner - Enclosed label printer 	
SP-VMKSH-1006	iPad Kiosk Stand + DL Holder excluding iPad, printer, labels, kiosk software, and DL scanning software	1,049
SP-VMK-1022 - iPad	Single iPad with Visitor Software (for added check-in capability)	899
SP-VMK-1023	Splan Visitor Software for the iPad	449
SP-VMA-1010-DL	Driver License / Passport Scanner SnapShell® Passport Reader (Only for Desktop/Laptop - Optional)	1,800
SP-VMA-1011-DL	Driver License Scanner for Workstation	1,600
SP-VMA-CAM	Camera(Logitech C930e HD or similar)	169
SP-VMA-WQR	Wireless QR Code Scanner (Honeywell 3820 Wireless or similar)	579
SP-VMA-SIGPAD	Signature Pad (SignatureGem® LCD 1x5 T-LBK462 or similar)	439
SP-VMA-TAGRDR	Badge Reader (pcProx plus or similar)	220
SP-VMA-TAGRDR-B	Badge Reader (pc Prox plus or similar - Bluetooth)	309
SP-VMA-QL820	Brother 820nwb Network Badge Printer	230

PART NUMBER	DESCRIPTION	MSRP
SP-VMA-CLP-100	Color Printer	2,183

SP-VML-1202	DK-1202 Badges	38
-------------	----------------	----

SP-VML-1204	Overnight Tab-Expiring Inkjet Printable Labels	222
1 box of labels (4 rolls / 250 ea.) Label size: 2.8 in. x 1.93 in.		

STOPware - PassagePoint EDU - V13 Professional

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

A-PC-PROFESSIONAL	PassagePoint v13 - Photo Capture Add-on	500
For workstations with cameras and business card scanners		

PP45-1	PassagePoint v13 Professional - Client License	1,985
Client license - sell only to current v4.5 users planning to upgrade to Windows 7		

STOPware - PassagePoint Global

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PPG-1	PassagePoint Global - Client License	2,485
One License required for each workstation (based on concurrent use)		

A-DL	PassagePoint Global - DirectoryLink -Single Add-On License	500
Real time link with ODBC, LDAP and other types of employee directories		

MA-DL	PassagePoint Global - DirectoryLink Module - Unlimited Workstations Per Server	3,985
Real time link with ODBC, LDAP and other employee directories		

MG-CC	PassagePoint Global - Control Center Module	4,985
Enables individual configurations to be managed from a central control point		

M-PR	PassagePoint Global - Pre-Registration Module - Unlimited Users	3,985
------	---	-------

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Enables pre-registration of visitors and groups via web browse

A-AC	PassagePoint Global - Access Control Integration - Single Add-On License	500
------	--	-----

MA-AC	PassagePoint Global - Access Control Integation - Unlimited Workstations Per Server	3,985
-------	---	-------

MA-HL7	PassagePoint Global - HL7 License - 1 Year - Renews Annually	4,985
--------	--	-------

License Per Hospital Site -Requires Active SSP

Hospital Customers: Functionality allows PassagePoint to use the patient's current location (Building, Floor, Room # and Bed #) in the hospital to identify patient tracking for hospital visitors.

MA-PIV	PassagePoint Global - PIV Validation License - 1 Year - Renews Annually	3,500
--------	---	-------

1 License per Site - Requires Active SSP

Requires Active SSP) Government Customers: Process visitors using PIV compliant credentials; extracts data from PIV, TWIC, FRAC or CAC cards, to verify and authenticate. Card Reader & Fingerprint Reader included.

MA-PIV-R	PassagePoint Global - PIV Registration/Validation License - 1 Year - Renews Annually	8,500
----------	--	-------

1 License per Site - Requires Active SSP

Government Customers: Process visitors using PIV compliant credentials; extracts data from PIV, TWIC, FRAC or CAC cards, to verify and authenticate. Card Reader & Fingerprint Reader included.

A-SOR_PassagePointGlobal	PassagePoint Global - Sex Offender Search Module - Single Add-On License	500
--------------------------	--	-----

Requires SSP / Sex Offender Search Annual License

MA-SOR_PassagePointGlobal	PassagePoint Global - Sex Offender Search Module - Unlimited Workstations Per Server	3,985
---------------------------	--	-------

Requires SSP / Sex Offender Search Annual License

MA-API	PassagePoint Global - Rest API License	3,985
--------	--	-------

Allows customers to push Visitors, Hosts and Pre-Registrations from a 3rd party system into PassagePoint.

STOPware - PassagePoint EDU - For Education Facilities

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

E-EDU-1	PassagePoint EDU - Client License	1,685
---------	-----------------------------------	-------

One License required for each workstation (based on concurrent use)

E-PR	PassagePoint EDU - Pre-Registration Module	3,985
------	--	-------

Unlimited users; enables pre-registration of visitors and groups via web browser

PART NUMBER	DESCRIPTION	MSRP
E-DM-1	PassagePoint EDU - District Module	4,985
	Enables individual school-level configurations to be managed from a central district admin site	
A-SOR_PassagePointEDU	PassagePoint Global - Sex Offender Search Module - Single Add-On License	500
	Requires SSP / Sex Offender Search Annual License	
MA-SOR_PassagePointEDU	PassagePoint Global - Sex Offender Search Module - Unlimited Workstations Per Server	3,985
	Requires SSP / Sex Offender Search Annual License	

STOPware - PassagePoint EDU - V13 Enterprise

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PE45-1	PassagePoint v13 Enterprise - Client License	2,985
	Client License includes DirectoryLink add-on - sell only to current v4.5 users planning to upgrade to Windows 7	
A-PC_Enterprise	PassagePoint v13 - Photo Capture Add-on	500
	For workstations with cameras and business card scanners	
MA-OL	PassagePoint v13 - Outlook Integration Module	3,985

STOPware - PassagePoint EDU - V13 Express

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PL45-1	PassagePoint v13 Express - Client License	995
	Client license - visitor management for up to 5 workstations on a network or install as standalone.	
A-PC_Express	PassagePoint v13 - Photo Capture Add-on	500
	For workstations with cameras and business card scanners	

STOPware - Software Support Plans

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PART NUMBER	DESCRIPTION	MSRP
SSPG-1	PassagePoint Global - 1 Year Support Plan (Per Client License)	400
SSPG-3	PassagePoint Global - 3 Year Support Plan (Per Client License)	960
SSP-E	PassagePoint EDU - 1 Year Support Plan (Per Client License)	350
SOR-G	Support Plan & Sex Offender Search License Bundle for PassagePoint Global - 1 Year (Per Client License)	900
SOR-E	Support Plan & Sex Offender Search License Bundle for PassagePoint EDU - 1 Year (Per Client License)	825
SP-HL7	HL-7 Renewal License - 1 Year Requires Active Global Software Support Plan (1 License per Hospital Site)	1,150
SP-PIV	PIV Validation Renewal License - 1 Year Requires Active Global Software Support Plan (1 License per Site)	700
SP-PIV-R	PIV Registration/Validation Renewal License - 1 Year Requires Active Global Software Support Plan (1 License per Site)	1,600
SSE-1	PassagePoint v13 Enterprise - 1 Year Support Plan (Per Client License)	600
SSP-1	PassagePoint v13 Professional - 1 Year Support Plan (Per Client License)	350
SSP-L	PassagePoint v13 Express - 1 Year Support Plan (Per Client License)	185

STOPware - Installation & Training

For additional information, visit the STOPware website at <https://stopware.com/>.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

ITO-8	On-Site Installation & Training - Full Day (8 Hours)	3,500
ITR-8	Remote Installation & Training - Full Day (8 Hours)	2,500
ITR-4	Remote Installation & Training - Half Day (4 Hours)	1,200
ITT-8	On-Site Installation & Training - Travel Day (Labor)	1,500
STOPWARE TRAVEL	On-Site Installation & Training - Travel Expenses	Call For Pricing

STOPware - Badge/Label Printers

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1001	Dymo LabelWriter 450 Turbo Printer Direct Thermal Printer	275
Does not require ink cartridges		
AH-1002	Dymo LabelWriter 450 Twin Turbo Printer Direct Thermal Printer	390
Does not require ink cartridges		
AH-1009	Zebra/Eltron GX430t Direct Thermal Printer	885
Good text output/dpi too low for photo output Does not require ink cartridges		
AH-1010	Epson WorkForce Ink Jet Printer	250
Call for current make & model. Top loading feed to accommodate ink jet badge stock.		
AH-1024	Primera LX400 Color Label Printer	2,500

PART NUMBER

DESCRIPTION

MSRP

STOPware - ID Scanners

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1012	SnapShell Passport - Dualcam	1,850
Features 2 cameras for increased image resolution. Support for Drivers License and Passport OCR / MRZ, 2D barcode, UV & IR Image.		
AH-1014	ScanShell 800R Scanner	850
Scans business cards and driver licenses.		
AH-1015	ScanShell 1000B Scanner	1,500
Scans business card, driver licenses and passports		
AH-1017	Scanshell 800NR Scanner	400
<p style="color: red; margin: 0;">For Business Cards ONLY</p> Generally chosen only for PassagePoint Express v4.5		
AH-1018	ScanShell R2 Scanner	1,250
Extracts textual data from Driver's Licenses, 2D Barcodes, Medical Insurance Cards, Business Cards		
AH-1019	Magshell 900 Magnetic Reader	375
Supports all ISO tracks		
AH-1020	ScanShell 900DX Duplex Image Drivers License Scanner	2,000
AH-1055	E-Seek M-260 Drivers' License & ID Card Scanner w/ USB Smart Cable	1,650

STOPware - Barcode Scanners & Card Readers

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1053	pcProx Enroll (USB)	285
Plug and play card reader for identification of many types of proximity cards		

PART NUMBER	DESCRIPTION	MSRP
STOPware - Signature Capture		

For additional information, visit the **STOPware** website at <https://stopware.com/>.

RS2 offers the entire **STOPware** line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1030	Topaz SG LCD 1" x 5" Signature Capture Pad	650
---------	--	-----

Use with Visitor Agreement (displayed on monitor) or as Hard Copy

AH-1032	Topaz SG LCD 4" x 5" Signature Capture Pad - includes NDA capture license for v4.5 editions)	1,200
---------	--	-------

Enables display of Visitor Agreement on the 4" x 5" screen

STOPware - CPU/Touchscreen - All-In-One Units & Other Mobile Applications

For additional information, visit the **STOPware** website at <https://stopware.com/>.

RS2 offers the entire **STOPware** line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1210	DT Research Tablet with PassagePoint License	7,500
---------	--	-------

Shipping not included.

DT Research Tablet with PassagePoint License DT398B with PassagePoint client license.
Sunlight Readable 9.7" IP65 rated core i7 Win7 PRO 64 64GBHD 4GBRAM;
Back CMOS Camera with LED FLash; Front CMOS Camera;
2D Area Imager Scanner;
Desktop Charging Cradle;

AH-1210-EDU	DT Research Tablet with PassagePoint EDU License	6,500
-------------	--	-------

Shipping not included.

DT Research DT398B with PassagePoint EDU client license.
Sunlight Readable 9.7" IP65 rated core i7 Win7 PRO 64 64GBHD 4GBRAM;
Back CMOS Camera with LED FLash; Front CMOS Camera;
2D Area Imager Scanner; Desktop Charging Cradle;

AH-1045	17" elo Intellitouch Flat Panel Touch Screen monitor - Monitor ONLY	1,150
---------	---	-------

AH-1043	19" elo Intellitouch Flat Panel Touch Screen monitor - Monitor ONLY	1,250
---------	---	-------

AH-1051	StealthTouch M7 CPU with 17" Touchscreen (Windows 7)	4,000
---------	--	-------

Software License for Global v10 or EDU must be purchased separately

Includes: Camera, Barcode Scanner & Windows 7 Operating System
For use as desktop visitor sign-in station

AH-1029	QL220 Plus Bluetooth Printer (With Charger & Cable)	1,550
---------	---	-------

AH-1029A	QL Series Fast Charger & Cable (For QL220 Plus Bluetooth Printer)	200
----------	---	-----

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

STOPware - Kiosks

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

AH-1500	Stand-up Kiosk with PassagePoint License	17,500
---------	--	--------

Shipping not included

Kiosk includes: PassagePoint client license, computer, 19" touch screen, DT badge printer, camera, driver license and business card scanner, barcode scanner, magnetic swipe reader, speakers, steel case.

AH-1500EDU	Stand-up Kiosk with PassagePoint EDU License	16,500
------------	--	--------

Shipping not included.

Kiosk includes: PassagePoint EDU client license, computer, 19" touch screen, DT badge printer, camera, driver license and business card scanner, barcode scanner, magnetic swipe reader, speakers, steel case

AH-1550	Wallmount Kiosk with PassagePoint License	15,000
---------	---	--------

Shipping not included.

Kiosk includes: PassagePoint client license, computer, 19" touch screen, DT badge printer, camera, id card scanner, barcode scanner, speakers, steel case.

AH-1550-EDU	Wallmount Kiosk with PassagePoint EDU License	14,000
-------------	---	--------

Shipping not included.

Kiosk includes: PassagePoint EDU client license, computer, 19" touch screen, DT badge printer, camera, id card scanner, barcode scanner, speakers, steel case.

AH-1525	VisitorShield TableTop Kiosk with PassagePoint License	14,250
---------	--	--------

Shipping not included.

Desktop Kiosk with ELO 19" touchscreen, HP 8300 Elite USDT w/ Win7 Pro 32-bit, Intel Core i5-3470S cPro Q77 Express, 4GB DDR3, DYMO 450 Turbo, Logitech c930e Web Camera, Code Barcode Scanner, SW Supplied SnapShell R2; Includes customer art on kiosk front & PassagePoint client license.

AH-1525-EDU	VisitorShield TableTop Kiosk with PassagePoint EDU License	13,500
-------------	--	--------

Shipping not included.

Desktop Kiosk with ELO 19" touchscreen, HP 8300 Elite USDT w/ Win7 Pro 32-bit, Intel Core i5-3470S cPro Q77 Express, 4GB DDR3, Speaker Kit, DYMO 450 Turbo, Logitech c930e Web Camera, Code Barcode Scanner, SW Supplied SnapShell R2; Includes customer art on kiosk front & PassagePoint EDU client license.

STOPware - Paper Badges and Labels

For additional information, visit the STOPware website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

LB-IJ40	3" X 4" Badge stock for Ink Jet Printers - Card Stock - 250 Badges - Blank White	40
---------	--	----

Front & Back of Badge are hinged together on 4" X 6" Sheet. Print both sides of badge at once, fold sides together and add a clip. (250 per bundle) Use with LS-8075 Clips.

LS-8075	CARDclip (Reusable plastic) Bag of 500	70
---------	--	----

PART NUMBER	DESCRIPTION	MSRP
LB-IJ35	2.5" X 3.5" Badge stock for Ink Jet Printers - Card Stock - 250 Badges - Blank White	40
	Front & Back of Badge are hinged together on 4" X 6" Sheet. Print both sides of badge at once, peel from sheet, fold sides together and add a clip. (250 per bundle) Use with plastic badge holders.	
LB-5861	Cardstock Name Tag w/ Clip Hole; 2 7/16" X 4 3/16" Blank White (250 Labels Per Roll)	40
	DYMO 30856 Compatible	
LB-5863	Non-Adhesive Name Tag - 2 1/4" X 3 1/2" Blank White (300 per roll)	45
	DYMO 30296 Compatible	
LB-5862	Adhesive Name Badge Label w/ Clip Hole - 2 1/4" X 4" Blank White (250 per roll)	40
	DYMO 30857 Compatible	
LB-0256R	Removable Adhesive Name Tag - 2-5/16" X 4" Blank White (300 per roll)	40
	DYMO 30256R Compatible	

STOPware - Self-Expiring Badges

For additional information, visit the **STOPware** website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

LB-6151	Expiring TIMEbadge (1-Day, 15 Hours) - 1 15/16" X 2 13/16" Thermal Printable FRONTpart - Blank (Pkg. of 1,000)	250
	For use with all Direct Thermal and Thermal Transfer Printers including DYMO DT Printers INCLUDES Adhesive Backpart LB-6032	
LB-2011	ONEstep Expiring TIMEbadge (1-Day) - 1 7/8" X 2 7/8" Blank (Pkg of 500)	315
	Single-piece construction for use with Zebra GX430t DT or similar 4" Direct Thermal or Thermal Transfer ONLY	
LB-6122	1-Day TIMEspot "V" Red	60
	Includes LB-6122 Backpart	

STOPware - Printer-Specific Badge Stock

For additional information, visit the **STOPware** website at <https://stopware.com/>.

RS2 offers the entire STOPware line. Please contact an RS2 sales representative for pricing and availability of items not listed.

LB-0220	QL220 2" X 3" Direct Thermal Labels	30
	For QL220 Bluetooth Printer	
AH-1024B	Primera LX400 3" X 4" Cardstock Badges	135

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

500/roll and Non-Adhesive

AH-1024IC	Primera Color Ink Cartridge	95
-----------	-----------------------------	----

Wireless Inputs

Inovonics - Pendant Transmitters

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN1223D	Double-Button, Water-Resistant Pendant Transmitter	151
---------	--	-----

EN1223S	Single-Button, Water-Resistant Pendant Transmitter	118
---------	--	-----

EN1223S-BU	Single-Button, Water-Resistant Pendant Transmitter 50/Pack (batteries not included)	6,454
------------	---	-------

EN1224	Four-Button Pendant, 1/2/3/4	151
--------	------------------------------	-----

EN1224-ON	Four-Button, On/Off	151
-----------	---------------------	-----

EN1233D	Double-Button, Pendant Transmitter	130
---------	------------------------------------	-----

EN1233S	Single-Button, Pendant Transmitter	130
---------	------------------------------------	-----

EN1235D	Double-Button, Belt Clip Pendant Transmitter	115
---------	--	-----

EN1235S	Single-Button, Belt Clip Pendant Transmitter	115
---------	--	-----

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

EN1235DF	Double-Button, Fixed Holdup Pendant Transmitter	147
----------	---	-----

EN1235SF	Single-Button, Fixed Holdup Pendant Transmitter	147
----------	---	-----

EN1236D	Double-Button, Three Condition Pendant	120
---------	--	-----

Requires use of an EN4216MR, EN4232MR, serial receiver, or network coordinator

EN1238D	Double-Button, Dual Condition Pendant	120
---------	---------------------------------------	-----

Requires use of an EN4216MR, EN4232MR, serial receiver, or network coordinator

Inovonics - Universal Transmitters

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN1210	Single Input Universal Transmitter	81
--------	------------------------------------	----

EN1210-BU	Single Input Universal Transmitter, 50/Pack (batteries not included)	4,489
-----------	--	-------

EN1210EOL	Single Input Universal Transmitter, EOL Protection	101
-----------	--	-----

EN1210W	Door/Window Transmitter with Reed Switch	114
---------	--	-----

EN1212	Dual Input Universal Transmitter	89
--------	----------------------------------	----

Requires use of an EN4216MR, EN4232MR, serial receiver, or network coordinator

EN1215EOL	Universal Transmitter with Wall Tamper	119
-----------	--	-----

PART NUMBER	DESCRIPTION	MSRP
EN1215WEOL	Door/Window Transmitter with Wall Tamper and Reed Switch	127

EN1216	Dual Input Transmitter with Wall Tamper	98
--------	---	----

Requires use of an EN4216MR, EN4232MR, serial receiver, or network coordinator

EN1252	Long Range Dual Input Transmitter	442
--------	-----------------------------------	-----

Inovonics - Motion Detectors

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN1260	Wall Mount Motion Detector	250
--------	----------------------------	-----

EN1261HT	High Traffic Four Element Motion Detector	246
----------	---	-----

EN1262	Motion Detector with Pet Immunity	270
--------	-----------------------------------	-----

EN1265	360° Ceiling Mount Motion Detector	296
--------	------------------------------------	-----

Inovonics - Specialized Transmitters

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN1242	Smoke Detector Transmitter	200
--------	----------------------------	-----

EN1247	Glassbreak Detector Transmitter	289
--------	---------------------------------	-----

EN1249	Billtrap Transmitter	203
--------	----------------------	-----

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Inovonics - Receivers

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN4204R	Four Zone Add-On Receiver with Relay Outputs	281
---------	--	-----

EN4216MR	16 Zone Add-On Receiver with Relay Outputs, Multi-condition	496
----------	---	-----

EN4232MR	32 Zone Add-On Receiver with Relay Outputs, Multi-condition	553
----------	---	-----

EN6080	Area Control Gateway	2,220
--------	----------------------	-------

Requires LP-1501 System Control Panel (SCP)

EN7286NX	Serial Receiver/ Interface for GE NetworX Panel	488
----------	---	-----

EN7472DMP	Serial Receiver/Interface for DMP Panel	361
-----------	---	-----

Inovonics - Repeaters

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

EN5040	High Power Repeater	719
--------	---------------------	-----

EN5040-T	High Power Repeater with Transformer, 20 Minute Check-In (UL 2560)	751
----------	--	-----

Inovonics - System Tools

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

PART NUMBER	DESCRIPTION	MSRP
listed.		
EN7016	Wireless Survey Kit	1,004
EN1210SK	Universal Survey Transmitter	102
EN1223SK	Pendant Survey Transmitter	102

Inovonics - EN6080 Area Control Gateway Licenses

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

All units purchased prior to May 2016, please provide RS2 with ACG serial number for 150 endpoint licensing update.

LIC-DSEC3	ACG Device License Security Tier 1 300 Endpoints	1,388
LIC-DSEC4	ACG Device License Security Tier 1 600 Endpoints	2,220
LIC-DSEC5	ACG Device License Security Tier 1 1500 Endpoints	4,163
LIC-DSEC6	ACG Device License Security Tier 1 3000 Endpoints	6,660

Inovonics - Accessories

For additional information, visit the Inovonics website at <http://www.inovonics.com>.

RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

ACC1210-10	Universal Transmitter Ivory Housing, 10 Pack	44
ACC1210B-10	Universal Transmitter Brown Housing, 10 Pack	54

PART NUMBER	DESCRIPTION	MSRP
ACC1210WB-10	Universal Transmitter Brown Housing with magnet, 10 Pack	100
ACC603M	Metal Necklace for E 1223 Pendant	3
ACC603P	Plastic Necklace for E 1223 Pendant	2
ACC605-BK10	Replacement clip for E 1235D/S Pendant, 10 Pack	105
ACC610	14-VAC/20VA Transformer	30
ACC623A	Accessory Pack for E1223 Pendant	15
ACC623B	Accessory Pack for Black E1223 Pendant	15
ACC623S/L	Wrist Strap (Small)	17
ACC623L-50	Wrist Strap Large/50 Pack	655
ACC623S-50	Wrist Strap Small/50 Pack	655
ACC631	Alarm Recycle Unit (trigger)	65
ACC640	NEMA Enclosure Kit (converts Indoor Repeater to Outdoor)	61

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

ACC665	Wall/Ceiling Bracket for E 1261 Motion Detector	9
--------	---	---

ACC667	White Light Filter for E 1261 Motion Detector	28
--------	---	----

ACC668	Long Range Lens for E 1261 Motion Detector	7
--------	--	---

ACC669	Long Range Lens for E 1265/FAC206C Motion Detector	9
--------	--	---

ACC672CT	Curtain Lens E 1260 Motion Detector	7
----------	-------------------------------------	---

ACC672LR	Long Range Lens E 1260 Motion Detector	7
----------	--	---

ACC672PA	Pet Alley Lens E 1260 Motion Detector	7
----------	---------------------------------------	---

Inovonics - Batteries

For additional information, visit the Inovonics website at <http://www.inovonics.com>. RS2 offers the entire Inovonics line. Please contact an RS2 sales representative for pricing and availability of items not listed.

BAT604	3.0V 2/3A Lithium Battery for EchoStream Transmitters	11
--------	---	----

BAT604-50	3.0V 2/3A Lithium Battery for EchoStream Transmitters, 50 pc qty	376
-----------	--	-----

BAT604-400	3.0V 2/3A Lithium Battery for EchoStream Transmitters, 400 pc qty	3,218
------------	---	-------

PART NUMBER	DESCRIPTION	MSRP
BAT608	3.0V CR2 Lithium Battery for E1233D/S, E1235D/S, E1236D, E1238D	11
BAT609	3.0V CR2450N Lithium Coin Cell Battery for E1223D/S	6
BAT610	Battery for High Traffic Motion Detector	39
BAT850	Lith-Ion Battery Assy for E5000/E5040	74

Miscellaneous
Miscellaneous

MICROSOFT WEB CAM	Microsoft LifeCam 720P HD	430
<p style="color: red;">All RS2 software packages include native support for Video For Windows</p> <p>Microsoft LifeCam 720P HD camera with high quality image capture for ID verification and badging.</p>		
DONGLE-USB	Replacement USB Dongle	216
<p style="color: red;">Requires return of original dongle</p> <p style="color: red;">Replacement key MUST be on the most current version of software</p> <p style="color: red;">See Version Upgrade (VU) section for purchase information</p> <p>Replacement dongle for damaged dongle.</p>		
DONGLE-SOFT	Replacement Soft Dongle	216
<p style="color: red;">Required whenever Server is changed</p> <p style="color: red;">Replacement key MUST be on most current version of software</p> <p style="color: red;">See Version Upgrade (VU) section for purchase information</p> <p>Replacement dongle for broken soft dongle or soft dongle server migration.</p>		
C-52	RS-232 to Two-Wire RS-485 Port Converter	214
<p>Enables communication with SCPs that are further than 50' from the host computer. Applications include conditions where only one communication port is available on the host computer, limiting the system to just one hardwired RS-232 SCP. By using the C-52, the software and hardware may be configured to support up to eight SCPs on a single communication port.</p> <p>Includes:</p> <ul style="list-style-type: none"> (1) DB-9 to RJ-45 computer cable (1) DB-25 to RJ-45 pc cable (1) Plug-in power supply 		
NIC100	10/100 Base-T Onboard Ethernet NIC	345
<p style="color: red;">Supported Devices: 2G, SCP, and MINI-SCP</p> <p>Add-on 10/100 NIC Card for legacy devices.</p>		
HOST-MODEM	US Robotics® 33.6bps external host modem	302

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Connects to the host computer utilizing one DB-9 communication port for SCP dial-up
 RS2 pre-configured US Robotics® 33.6bps external host modem with modem cable.

SCP-MODEM	US Robotics® 33.6bps external SCP remote modem	335
-----------	--	-----

RS2 pre-configured US Robotics® 33.6bps external SCP remote modem with pre-wired color coded SCP cable for easy installation.

SIG	Topaz USB Signature Pad	799
-----	-------------------------	-----

USB signature pad for signature capture

Dealer Demos

Dealer Demos

Dealer demos are NOT FOR RESALE and to be used by RS2 Dealers for demonstration purposes only.

DEMO-USB	RS2 Demo Case	3,777
----------	---------------	-------

Ships with a USB licensing key (USB Dongle)
 Includes:
 (1) LP-1501 - Intelligent Single Portal Two Reader PoE Controller
 (1) LP-1502 - Intelligent Controller, Linux Based (2rdr, 8 inputs, 4 outputs)
 (1) MR-62E - Two Portal Four Reader PoE+ SIO123
 (2) HID Readers: 900PTNTEK00000 and 921NMPTEKEA006
 (2) Farpointe Readers: P-640HA and PCR-35L-H-A
 (2) HID credentials
 (1) HID mobile ID
 (1) USB Licensing Key (USB Dongle) configured for limited versions of Access It!® Universal.NET
 (1) Access It!® Universal.NET CD
 (1) Self-Contained power supply/transformer DC 12V/2A (plug-in)

SARGENT-CYL	Cylindrical SARGENT v.S2 Demo Unit	Call For Pricing
-------------	------------------------------------	------------------

S2-10G77xPKxLx26D Proximity and Keypad Entry Lock - 26D

SARGENT-MOR	Mortise SARGENT v.S2 Demo Unit	Call For Pricing
-------------	--------------------------------	------------------

S2-82278xPKxLx26D Proximity and Keypad Entry Lock with Cylindrical Override, without Deadbolt (2,000 Users) - 26D

DEMO-DONGLE-USB	RS2 Dealer Demo Dongle	Call For Pricing
-----------------	------------------------	------------------

Ships with a USB licensing key (USB Dongle)
 A USB dealer demo software key (dongle) configured for limited versions of Access It!® Lite and Access It!® Universal.NET.

DEMO-DONGLE-SOFT	RS2 Dealer Demo Soft Dongle	Call For Pricing
------------------	-----------------------------	------------------

Soft Dongle installations require Virtual Machines be configured to use a static MAC address
The Soft Dongle is bound to the MAC address of the primary NIC and the Serial Number of the hard drive's primary partition
By configuring the Virtual Machine to use a Dynamic MAC address, a new Soft Dongle would need to be purchased each time the MAC address changes
 A dealer demo soft key (dongle) configured for limited versions of Access It!® Lite and Access It!® Universal.NET.

DEALER TRAINING	Dealer Training	Call For Pricing
-----------------	-----------------	------------------

Please contact Regional Sales Manager for in depth training sessions offered by RS2

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

Non-Warranty Repairs
System Controller Repairs

REP-SCP	SCP Repair	Call For Pricing
---------	------------	------------------

Minor SCP series repair.

REP-SCPMEM	SCP Memory Repair	Call For Pricing
------------	-------------------	------------------

Minor SCP memory repair.

REP-2G	2G Repair	Call For Pricing
--------	-----------	------------------

Minor 2G series repair.

REP-LP	LP Series Repair	Call For Pricing
--------	------------------	------------------

Minor EP/LP series repair.
Models: EP-1501, LP-1501, EP-1502, LP-1502, EP-2500, LP-2500, EP-4502, and LP-4502

Door Controller Repairs

REP-MRxx	MR-xx Repair	194
----------	--------------	-----

Models: MR-50, MR-51E, MR-52, MR-62e
Minor MR series repair.

REP-2R	2R Repair	Call For Pricing
--------	-----------	------------------

Minor 2R repair.

Input and Output Controller Repairs

REP-MR16IN/OUT	MR-16 IN/OUT Repair	194
----------------	---------------------	-----

Minor MR-16 IN/OUT repair.

REP-8I/O	8i/8o Series Repair	Call For Pricing
----------	---------------------	------------------

Minor 8i/8o repair.

Communication Multiplexer Repairs

REP-MUX8	MUX-8 Repair	194
----------	--------------	-----

Minor Multiplexer repair.

PART NUMBER	DESCRIPTION	MSRP
-------------	-------------	------

No Trouble Found Repairs

REP-NTF	Repair No Trouble Found	Call For Pricing
---------	-------------------------	------------------

Diagnosis NTF repair.